
BRASSELER
USA® SURGICAL INSTRUMENTATION







PRODUCT CATALOG VOLUME 11

THE SMART CHOICE



BRASSELER
USA® THE SMART CHOICE

How to Order

1. Call 800.535.6638: It's quick and easy. Just call our office and speak to one of our helpful and knowledgeable Brasseler USA® Surgical Instrumentation Inside Account Managers or one of our Customer Service Representatives during the hours of 8:30 AM to 7:00 PM EST (Monday - Thursday) and 8:30 AM to 5:00 PM EST (Fridays).

2. Fax 912.921.7578: Fax us your order. A confirmation fax will be sent upon processing the order.

3. Electronic Data Interchange (EDI): Customers interested in participating should contact our EDI coordinator, at 800.535.6638.

4. Fast Delivery Service: Orders are usually shipped within 24 hours of receipt, unless otherwise specified. Overnight delivery is available at additional charge.

Customer Service / Credit & Billing

- Customer Service: Call 800.535.6638 to speak with a Brasseler USA® Surgical Instrumentation Customer Service Representative during the hours of 8:30 AM to 7:00 PM EST (Monday - Thursday) and 8:30 AM to 5:00 PM EST(Fridays) .

- Credit & Billing: Call 800.535.6638 with questions concerning billing during the hours of 8:30 AM to 6:00 PM EST (Monday - Thursday) and 8:30 AM to 5:00 PM EST (Fridays).

Return Goods Policy:

If product needs to be returned, the following applies:

Consumable / Disposable Product:

Any unused consumable/disposable product may be returned for credit within ninety (90) days of invoice date if it qualifies for resale (unopened and unmarked package). Products may be subject to a restocking fee. Credit will not be issued for products that do not qualify for resale.

Capital Equipment:

Any unused capital equipment may be returned for credit within thirty (30) days of invoice date if it qualifies for resale (unopened and unmarked package). Products may be subject to a restocking fee. Credit will not be issued for products that do not qualify for resale.

Packaging and Shipping:

Returned items should be packaged in original packaging. Credit will not be issued for items damaged in return shipment due to packaging inadequacy.

Contact a Brasseler USA® Surgical Instrumentation Customer Service Representative at 800.535.6638 to obtain a "Return Merchandise Authorization" (RMA) number.

Note: It is unlawful to ship contaminated non-sterilized products.

Please include the following information with the returned product(s):

- Catalog number, serial number and lot number (if applicable) of device.
- Return Merchandise Authorization (RMA) number noted with the return.
- Original invoice number or copy of original invoice.
- Original invoice date.
- Customer name, address and account number.
- Itemized packing list.
- Brief statement describing reason for product return.

Return to:

Brasseler USA® Surgical Instrumentation
4837 McGrath Street
Ventura, CA 93003

Warranty Policy

For specific warranty information, please reference the individual power equipment below. Please contact customer service at 800.535.6638 for further information.

BSPMAX™ II

Brasseler USA® Surgical Instrumentation warrants all BSPMAX™ II Handpieces, Attachments and Accessories excluding Battery Packs to be free from defects in material and workmanship for a period of one (1) year from the invoice date. Battery Packs are warranted to be free from defects in material and workmanship for a period of ninety (90) days from the invoice date. The warranty is limited to the repair of the product without charge. This warranty is nontransferable. In addition, this warranty is void in the event of any of the following: abuse, misuse, neglect or use in other than normal surgery environment, disassembly, alteration or unauthorized repair, or in the event that the product has not been used in reasonable manner and in compliance with the written instructions provided by Brasseler USA® Surgical Instrumentation.

BSPMICRO™

Brasseler USA® Surgical Instrumentation, warrants all BSPMICRO™ Instruments/Handpieces and Accessories (cleaning cap, adapter - DISS to Schrader, wiredriver guard, wiredriver cleaning brush, blade wrench and 5/32" Jacobs® Chuck Key) to be free from defects in material and workmanship for a period of one (1) year from the invoice date. Brasseler USA® Surgical Instrumentation, warrants all BSPMICRO™ Attachments (bur guards and 5/32" Jacobs® chuck) and Hoses to be free from defects in material and workmanship for a period of six (6) months from the invoice date. The warranty is limited to the repair of the product without charge. This warranty is nontransferable. In addition, this warranty is void in the event of any of the following: abuse, misuse, neglect or use in other than normal surgery environment, disassembly, alteration or unauthorized repair, or in the event that the product has not been used in reasonable manner and in compliance with the written instructions provided by Brasseler USA® Surgical Instrumentation.

Technical Support

For additional assistance contact Product Technical Support:
productinfo@brasselerusamedical.com

Repair Service & Preventative Maintenance Program

Repair & Preventive Maintenance Service - Call: 877.834.7133 (select option 2)

Brasseler USA® Surgical Instrumentation offers a quality repair service and a preventive maintenance program for our proprietary large bone, small bone and high speed power equipment to include Handpieces, Attachments and Accessories (excluding battery packs). We also provide repair service for Linvatec® Micro 100™ and Surgairtome Two® Handpieces including Attachments and Accessories. For all other inquiries please contact our Repair Department. You can rely on the expertise of our industry trained technicians to keep your power equipment operating at its best. Contact your Brasseler USA® Surgical Power and Accessories Representative for complete details or call toll free 877.834.7133 (select option 2) for repair information.

Due to the repeated surgical use, cleaning, and autoclave cycles that your surgical power equipment endures, routine preventive maintenance should be conducted on a regular basis. Brasseler USA® Surgical Instrumentation, recommends that all our proprietary power handpieces, attachments (excluding bur guards) and accessories (excluding battery packs and hoses) be returned to Brasseler USA® Surgical Instrumentation, Service Department for routine preventive maintenance every twelve (12) months. Our proprietary Attachments (bur guards and 5/32 Jacobs® chuck) and Hoses are recommended to be returned to Brasseler USA® Surgical Instrumentation, Service Department for routine preventive maintenance every six (6) months. Follow a regular care regimen that includes routine cleaning after each use, strict adherence to sterilization recommendations and a thorough inspection for damage of all devices after each use. Routine preventive maintenance performed by the Brasseler USA® Surgical Instrumentation Service Department can increase the reliability and extend the life of your power equipment.

Brasseler USA® Surgical Instrumentation, warrants any service or repair work performed will be free from defects in material or workmanship for the period of ninety (90) days from date of service or repair. This warranty applies to the actual work performed.

Our Repair Service features:

- Rapid turnaround
- Low prices as compared to the OEM for a guaranteed savings on every repair
- Detailed service analysis report
- Free one-way shipping on repairs over $100
- Loaner equipment available
- 90 days parts and labor warranty
- Products must be decontaminated and sterilized before returning.

Note: It is unlawful to ship contaminated non-sterilized products.

Contact a Customer Service Representative at Brasseler USA® Surgical Instrumentation, at 877.834.7133 (select option 2) to request repair, preventive maintenance, or a loaner instrument. If available, loaner instruments will be supplied in accordance with the Brasseler USA® Surgical Instrumentation Loaner Program.

Please include the following information with the returned product(s):

- Indicate on the paperwork or the box the designated call ID number.
- Catalog number, serial number and lot number (if applicable) of device.
- Customer name, address and account number.
- Itemized packing list.
- Brief statement describing reason for product repair or requesting preventive maintenance.

Return to:

Brasseler USA® Surgical Instrumentation
4837 McGrath Street
Ventura, CA 93003

Table of Contents

Brasseler USA®	
Large Bone Power System	9 - 21
Large Bone Saw Blades	22 - 43
Small Bone Power System	44 - 49
Small Bone Saw Blades/Rasps	50 - 58
Sternum Saw Blades	59 - 60
Standard & Oral Surgery Burs	61 - 71
BR2000™ Aggressive Cut Large Bone Saw Blades	72 - 96
Accessories - K-Wires, Steinman Pins, Wire & Pin Sterilization Trays, Twist Drills, Orthopaedic Pin/Drill Packs, Guide Wires, Cast Cutter Saw Blades & Inventory Cabinets	97 - 113
Stryker®	
Cross Reference	117 - 137
Large Bone Saw Blades	138 - 164
Accessories - Orthopaedic Pin/Drill Packs	165
Small Bone Saw Blades/Rasps	166 - 179
Sternum Saw Blades	180 - 182
High Speed Burs	183 - 187
Standard & Oral Surgery Burs	188 - 201
ConMed® Linvatec®	
Cross Reference	205 - 220
Large Bone Saw Blades	221 - 236
Small Bone Saw Blades/Rasps	237 - 248
Sternum Saw Blades	249 - 251
High Speed Burs	252 - 256
Standard & Oral Surgery Burs	257 - 271
DePuy® Synthes®	
Cross Reference	274 - 286
Large Bone Saw Blades	287 - 294
Accessories - Orthopaedic Pin/Drill Packs, Quick Connect Twist Drills	295 - 300
Zimmer® Biomet®	
Cross Reference	302 - 315
Large Bone Saw Blades	316 - 321
Accessories - Orthopaedic Pin/Drill Packs	322

Miscellaneous	
High Speed Burs	324 - 328
Sternum Saw Blades	329 - 330
Index	
Cross Reference	331 - 392

Biomet® is a registered trademark of Biomet, Inc., or its affiliates.
ConMed® and Linvatec® are registered trademarks of CONMED Corporation or its affiliates.
DePuy® and Synthes® are registered trademarks of DePuy Synthes, Inc., a Johnson & Johnson Company, or its affiliates.
MicroAire® is a registered trademark of Colson Associates, Inc., or its affiliates.
Stryker® is a registered trademark of Stryker Corporation or its affiliates.
Zimmer® is a registered trademark of Zimmer, Inc. or its affiliates.
Brasseler USA®, BR2000™, BSPMAX™ and BSPMICRO™ are trademarks of Peter Brasseler Holdings, LLC, or its affiliates.

Table of Contents













Large Bone Power System		
BSPMAX™ II - Handpieces		9 - 12
BSPMAX™ II - Attachments		13 - 17
BSPMAX™ II - Accessories		18 - 21
Large Bone Saw Blades		
	Compatible with All Brasseler USA® Sagittal/Oscillator Saw Systems	22 - 41
	Compatible with All Brasseler USA® Reciprocator/Sternum Saw Systems	42 - 43
Small Bone Power System		
BSPMICRO™ - Handpieces		44 - 46
BSPMICRO™ - Attachments		47
BSPMICRO™ - Accessories		48 - 49
Small Bone Saw Blades/Rasps		
	Compatible with ConMed® Linvatec® Small Bone/Micro Sagittal Saw Systems: MicroPower®, MicroChoice®, Micro 100™ & Micro E®; Brasseler USA®, MicroAire® and Smith & Nephew® Small Bone/Micro Sagittal Saw Systems	50 - 52
 	Compatible with ConMed® Linvatec® Small Bone/Micro Oscillating Saw Systems: MicroPower®, MicroChoice®, Micro 100™ & Micro E®; Brasseler USA®, MicroAire® and Smith & Nephew® Small Bone/Micro Oscillating Saw Systems	53 - 56
	Compatible with ConMed® Linvatec® Small Bone/Micro Reciprocating Saw Systems: MicroPower®, MicroChoice®, Micro 100™ & Micro E®; Brasseler USA®, MicroAire® and Smith & Nephew® Small Bone/Micro Reciprocating Saw Systems	57 - 58
Sternum Saw Blades		
	Compatible with ConMed® Linvatec® Large Bone Oscillating Saw Systems: VersiPower®, Series 4, Series 3 & Orthair; ConMed® Linvatec® Small Bone/Micro Sagittal Saw System: Micro 100™; ConMed® Linvatec® Repeat Sternotomy Saw System; Brasseler USA®, MicroAire® and Smith & Nephew® Small Bone/Micro Sagittal Saw Systems	59
	Compatible with ConMed® Linvatec® Small Bone/Micro Sagittal Saw Systems: MicroPower®, MicroChoice®, Micro 100™ & Micro E®; Brasseler USA®, MicroAire® and Smith & Nephew® Small Bone/Micro Sagittal Saw Systems	60

Table of Contents

Standard & Oral Surgery Burs		
	Compatible with Small Bone/Micro Drill Systems: ConMed® Linvatec® - MicroPower®, MicroChoice®, Micro 100™, Micro E® & Surgairtome Two®; Brasseler USA® & MicroAire® - Small Bone/Micro Drill Systems	61 - 71
BR2000™ Aggressive Cut Large Bone Saw Blades		
	Compatible with All Brasseler USA® Sagittal/Oscillator Saw Systems	72 - 78
	Compatible with Stryker® Sagittal Saw Systems: 7, 6, 5, 4, 2000 & EHD	79 - 86
	Compatible with ConMed® Linvatec® Oscillating Saw Systems: Hall 50™, MPower®, PowerPro® & VersiPower® Plus	87 - 91
	Compatible with DePuy® Synthes® Large Bone Oscillating Saw Systems: Air Power Line, Battery Power Line, Compact Air Drive & Trauma Recon System (TRS) Sagittal Saw; Zimmer® Biomet® Large Bone Oscillating Saw System: Universal	92 - 96
Accessories		
K-Wires		97 - 99
Steinmann Pins		100 - 101
Wire & Pin Sterilization Trays		102
Twist Drills		103 - 108
Orthopaedic Pin/Drill Packs		109 - 110
Guide Wires		111
Cast Cutter Saw Blades		112
Inventory Cabinets		113

Biomet® is a registered trademark of Biomet, Inc., or its affiliates.
ConMed®, Linvatec®, Hall 50™ Micro 100™, Micro E®, MicroChoice®, MicroPower®, MPower®, Orthair, PowerPro®, Surgairtome Two®, VersiPower® and VersiPower® Plus are trademarks of CONMED Corporation or its affiliates.
DePuy® and Synthes® are registered trademarks of DePuy Synthes, Inc., a Johnson & Johnson Company, or its affiliates.
MicroAire® is a registered trademark of MicroAire Surgical Instruments, LLC, a Colson Associate, or its affiliates.
Smith & Nephew® is a registered trademark of Smith & Nephew or its affiliates.
Stryker® is a registered trademark of Stryker Corporation or its affiliates.
Zimmer® is a registered trademark of Zimmer, Inc. or its affiliates.
Brasseler USA®, BR2000™, BSPMAX™ and BSPMICRO™ are trademarks of Peter Brasseler Holdings, LLC, or its affiliates.

Brasseler USA® BSPMAX™ II Large Bone Power System



The Brasseler Surgical Power System BSPMAX™ II is a high performance large bone battery powered system with sterilizable battery packs. The design provides the optimal amount of torque and speed required for large bone surgical applications.

Features	Benefits
Ergonomic Angled Handpiece Design	· Easy to control and maneuver. · Fits comfortably in hand.
Variable Speed Control	· Optimal performance for a wide variety of tasks with ultimate control.
Software Controlled	· Handpiece protection. · Current limiting, stall detection and thermal protection help to reduce service costs and surgery time.
Sealed Electronics	· Improves durability of handpieces.
Lightweight	· Easy to control and maneuver. · Reduces hand fatigue.
Superior Balance	· Ultimate control with weight distributed uniformly.
Reduced Vibration	· Enhances comfort, control and reduces hand fatigue.
Reduced Noise Level	· Enhances overall operating room environment.
Optimal Torque	· Desired torque for large bone surgical procedures.
Optimal Speed Range	· Desired speed range for large bone surgical procedures.
Battery Options – 9.6V Ni-Cd and 12V Ni-Cd	· Choice provides versatility in choosing the desired speed requirement and run time. · Most cost effective battery type. · Interchangeable with all handpieces.
Enhanced Table Top Stability	· Stable platform to reduce handpiece tipping (Handpiece design has a lower center of gravity; battery pack case has a lower center of gravity with wide base).
Sterilization options (Steam and STERRAD®)	· Choice regarding time restraints.
Maintenance Free	· No service requirements expected of hospital staff (Handpieces are factory sealed).
Enhanced Reliability	· Reliable performance.

Brasseler USA® BSPMAX™ II Large Bone Power System - Handpieces

Order Number	Description
PM-X08-700	Modular Drill/Reamer



Performance Specifications	9.6V Battery Pack	12V Battery Pack
Drill Speed Range	0-900 rpm	0-1,200 cpm
Drill Torque	40 in-lb (4.5 Nm)	40 in-lb (4.5 Nm)
Reamer Speed range	0-290 rpm	0-390 rpm
Reamer Torque	100 in-lb (11.3 Nm)	100 in-lb (11.3 Nm)
Physical Characteristics		
Size (L x W x H)	5.75" x 1.25" x 5.9" (146 x 32 x 150 mm)	5.75" x 1.25" x 5.9" (146 x 32 x 150 mm)
Weight (Handpiece with Battery Pack)	2.9 lb (1.31 kg)	3.3 lb (1.50 kg)

Items not shown at actual size.

Brasseler USA® BSPMAX™ II Large Bone Power System - Handpieces

Order Number	Description
PM-X12-700	Sagittal/Oscillator Saw



Performance Specifications	**9.6V Battery Pack**	**12V Battery Pack**
Speed Range	0-14,000 cpm	0-17,000 cpm
Oscillation Arc	5°	5°
Physical Characteristics		
Size (L x W x H)	6.9" x 1.25" x 6.3" (175 x 32 x 160 mm)	6.9" x 1.25" x 6.3" (175 x 32 x 160 mm)
Weight (Handpiece with Battery Pack)	3.2 lb (1.44 kg)	3.6 lb (1.65kg)

Items not shown at actual size.

Brasseler USA® BSPMAX™ II Large Bone Power System - Handpieces

Order Number	Description
PM-X14-700	Reciprocator/Sternum Saw



Performance Specifications	**9.6V Battery Pack**	**12V Battery Pack**
Speed Range	0-14,000 cpm	0-17,000 cpm
Stroke Length	0.125" (3.2 mm)	0.125" (3.2 mm)
Physical Characteristics		
Size (L x W x H)	7" x 1.25" x 5.9" (178 x 32 x 150 mm)	7" x 1.25" x 5.9" (178 x 32 x 150 mm)
Weight (Handpiece with Battery Pack)	2.9 lb (1.34 kg)	3.4 lb (1.54 kg)

Items not shown at actual size.

Brasseler USA® BSPMAX™ II Large Bone Power System
Driver Attachments

Compatible with All Brasseler USA® Large Bone Power Systems

Order Number	Description
PM-X08-701	Pin Driver



Accepts Pins
5/64" (2.0 mm) - 5/32" (4.0 mm)

Order Number	Description
PM-X08-702	Wire Driver





Accepts Wires
.028" (0.7 mm) - 5/64" (2.0 mm)

Items not shown at actual size.

Brasseler USA® BSPMAX™ II Large Bone Power System
Drill Attachments (1:1)

Compatible with All Brasseler USA® Large Bone Power Systems

Order Number	Description
PM-X08-905	Trinkle/AO®
	
PM-X08-910	1/4" Jacobs® Chuck with Key
	 
PM-X08-915	5/32" Jacobs® Chuck with Key
	 
PM-X08-920	Hudson®
	
PM-X08-925	Zimmer®
	

Items not shown at actual size.

Brasseler USA® BSPMAX™ II Large Bone Power System Drill Attachments (1:1)

Compatible with All Brasseler USA® Large Bone Power Systems

Order Number	Description
PM-X08-930	1/4" Keyless Chuck
	
PM-X08-935	3 mm Keyless Chuck
	
PM-X08-940	ZHS Drill (Zimmer®/Hudson®/Stryker® Universal)
	


Items not shown at actual size.

Brasseler USA® BSPMAX™ II Large Bone Power System
Reamer Attachments (3:1)

Compatible with All Brasseler USA® Large Bone Power Systems

Order Number	Description
PM-X08-911	1/4" Jacobs® Hi Torque with Key - Extended Length





PM-X08-950	Hudson® - Extended Length



PM-X08-955	Zimmer® - Extended Length



PM-X08-960	AO® - Extended Length



PM-X08-965	ZHS Drill (Zimmer®/Hudson®/Stryker® Universal) - Standard Length




Items not shown at actual size.

Brasseler USA® BSPMAX™ II Large Bone Power System Reamer Attachments (3:1)

Compatible with All Brasseler USA® Large Bone Power Systems

Order Number	Description
PM-X08-970	1/4" Jacobs® Hi Torque with Key - Standard Length





Brasseler USA® BSPMAX™ II Large Bone Power System Sternum Saw Guard Attachment

Compatible with All Brasseler USA® Large Bone Power Systems

Order Number	Description
PM-X14-901	Sternum Saw Guard




Items not shown at actual size.

Brasseler USA® BSPMAX™ II Large Bone Power System - Accessories

Compatible with All Brasseler USA® Large Bone Power Systems

Order Number	Description
PM-X00-520	4-Bay Power Unit 110V



Performance Specifications	
Volts	110V
Input Voltage	100 - 120VAC
Max. Rated Current	10A
Frequency	50 - 60 HZ
Output Voltage Max.	15 VDC
Classification	Protection Class 1
Class of Rating	Continuous Operation
Socket Outlet	5A 100 - 120V - 50/60 HZ
Physical Characteristic	
Size (L x W x H)	17" x 8 5/8" x 6 1/4" (431.8 x 219 x 158.8 mm)
Weight (without charging bays)	9.55 lb (4.33 kg)
Weight (with 4 charging bays)	16.75 lb (7.60 kg)
Weight (1 charging bay)	1.8 lb (0.82 kg)

PM-X00-521	Charging Bay Cover



Items not shown at actual size.

Brasseler USA® BSPMAX™ II Large Bone Power System - Accessories

Order Number	Description
PM-X00-710	9.6V Battery Pack
	
Performance Specifications	
Charging Time	5-60 Minutes
Run Time Fully Charged	3-10 Minutes
Sterilization Life Cycles	"Approximately 100 Steam Sterilizations
Physical Characteristic	
Size (L x W x H)	3.1" x 3.1" x 2.0" (78.74 x 78.74 x 50.8 mm)
Weight	1.0 lb (0.45 kg)
PM-X00-715	12V Battery Pack
	
Performance Specifications	
Charging Time	5-60 Minutes
Run Time Fully Charged	3-15 Minutes
Sterilization Life Cycles	Approximately 100 Steam Sterilizations
Approximately 150 STERRAD® Sterilizations "	
Size (L x W x H)	3.75" x 3.3" x 2.3" (95.25 x 83.82 x 58.42 mm)
Weight	1.45 lb (0.66 kg)


Items not shown at actual size.

Brasseler USA® BSPMAX™ II Large Bone Power System - Accessories

Order Number	Description
PM-X00-731	Standard Battery Pack Charging Bay



PM-X00-770	Sterilization Case - 3 Handpieces





Size (L x W x H)	18” x 10” x 7.5” (457 x 394 x 190 mm)
Weight (Empty)	10.8 lb (4.90 kg)

Items not shown at actual size.

Brasseler USA® BSPMAX™ II Large Bone Power System - Accessories





Compatible with All Brasseler USA® Large Bone Power Systems

Order Number	Description
PM-X08-000	1/4" Jacobs® Chuck Key
	 *Replacement Accessory*
PM-X08-001	5/32" Jacobs® Chuck Key
	 *Replacement Accessory*

Items not shown at actual size.

Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating
BR2000™ (Aggressive Cut) - Proprietary

Compatible with All Brasseler USA® Sagittal/Oscillator Saw Systems


Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
PMX-012600	mm	90	12.5	1.19	1.19
	in	3.54	0.49	0.047	0.047
					No Tooth Offset
					
PMX-012601	mm	90	12.5	0.89	0.89
	in	3.54	0.49	0.035	0.035
					No Tooth Offset
					
PMX-012602	mm	90	12.5	0.99	0.99
	in	3.54	0.49	0.039	0.039
					No Tooth Offset
					
PMX-012603	mm	90	12.5	1.27	1.27
	in	3.54	0.49	0.050	0.050
					No Tooth Offset
					

Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating
BR2000™ (Aggressive Cut) - Proprietary

Compatible with All Brasseler USA® Sagittal/Oscillator Saw Systems


Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
PMX-012604	mm	90	12.5	1.37	1.37
	in	3.54	0.49	0.054	0.054

No Tooth Offset




PMX-012610	mm	100	19	1.27	1.27
	in	3.94	0.75	0.050	0.050

No Tooth Offset




PMX-012611	mm	75	19	0.89	0.89
	in	2.95	0.75	0.035	0.035

No Tooth Offset



PMX-012612	mm	90	19	0.89	0.89
	in	3.54	0.75	0.035	0.035

No Tooth Offset




Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating
BR2000™ (Aggressive Cut) - Proprietary

Compatible with All Brasseler USA® Sagittal/Oscillator Saw Systems


Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
PMX-012613	mm	90	19	1.27	1.27
	in	3.54	0.75	0.050	0.050

No Tooth Offset




PMX-012614	mm	90	19	1.37	1.37
	in	3.54	0.75	0.054	0.054

No Tooth Offset




PMX-012615	mm	100	19	1.19	1.19
	in	3.94	0.75	0.047	0.047

No Tooth Offset



PMX-012616	mm	90	19	0.99	0.99
	in	3.54	0.75	0.039	0.039

No Tooth Offset




Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating
BR2000™ (Aggressive Cut) - Proprietary

Compatible with All Brasseler USA® Sagittal/Oscillator Saw Systems


Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
PMX-012620	mm	100	25	1.27	1.27
	in	3.94	0.98	0.050	0.050

No Tooth Offset




PMX-012621	mm	75	25	0.89	0.89
	in	2.95	0.98	0.035	0.035

No Tooth Offset




PMX-012622	mm	90	25	0.89	0.89
	in	3.54	0.98	0.035	0.035

No Tooth Offset



PMX-012623	mm	90	25	0.99	0.99
	in	3.54	0.98	0.039	0.039


No Tooth Offset





Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating
BR2000™ (Aggressive Cut) - Proprietary


Compatible with All Brasseler USA® Sagittal/Oscillator Saw Systems

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
PMX-012624	mm	90	25	1.19	1.19
	in	3.54	0.98	0.047	0.047
					No Tooth Offset
PMX-012625	mm	90	25	1.27	1.27
	in	3.54	0.98	0.050	0.050
					No Tooth Offset
PMX-012626	mm	90	25	1.37	1.37
	in	3.54	0.98	0.054	0.054
					No Tooth Offset
PMX-012627	mm	90	25	1.47	1.47
	in	3.54	0.98	0.058	0.058
					No Tooth Offset










Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating BR2000™ (Aggressive Cut) - Proprietary

Compatible with All Brasseler USA® Sagittal/Oscillator Saw Systems


Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
PMX-012628	mm	95	19	1.37	1.37
	in	3.74	0.75	0.054	0.054

No Tooth Offset



PMX-012629	mm	90	25	0.99	0.99
	in	3.54	0.98	0.039	0.039


No Tooth Offset



Flared Blade

PMX-012630	mm	90	25	1.19	1.19
	in	3.54	0.98	0.047	0.047


No Tooth Offset



Flared Blade

PMX-012631	mm	90	25	1.37	1.37
	in	3.54	0.98	0.054	0.054

No Tooth Offset




Flared Blade

Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating
BR2000™ (Aggressive Cut) - Proprietary

Compatible with All Brasseler USA® Sagittal/Oscillator Saw Systems

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
PMX-012632	mm	90	25	1.47	1.47
	in	3.54	0.98	0.058	0.058


No Tooth Offset



Flared Blade

PMX-012633	mm	90	31	0.99	0.99
	in	3.54	1.22	0.039	0.039


No Tooth Offset



Flared Blade

PMX-012634	mm	90	31	1.37	1.37
	in	3.54	1.22	0.054	0.054

No Tooth Offset



Flared Blade





Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating - Proprietary

Compatible with All Brasseler USA® Sagittal/Oscillator Saw Systems

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
PMX-012100	mm	70	25	0.64	0.99
	in	2.76	0.98	0.025	0.039
					Tooth Offset
PMX-012101	mm	85	25	0.89	0.94
	in	3.35	0.98	0.035	0.037
					Tooth Offset
PMX-012102	mm	70	25	0.89	0.94
	in	2.76	0.98	0.035	0.037
					Tooth Offset
PMX-012103	mm	80	20.5	0.89	0.94
	in	3.15	0.81	0.035	0.037
					Tooth Offset

Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating - Proprietary

Compatible with All Brasseler USA® Sagittal/Oscillator Saw Systems


Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
PMX-012104	mm	70	25	1.27	1.47
	in	2.76	0.98	0.050	0.058
					Tooth Offset
					
PMX-012105	mm	75	25	1.27	1.47
	in	2.95	0.98	0.050	0.058
					Tooth Offset
					
PMX-012106	mm	30	16.5	1.27	1.65
	in	1.18	0.65	0.050	0.065
					Tooth Offset
					
PMX-012107	mm	70	18.5	0.79	0.91
	in	2.76	0.73	0.031	0.036
					Tooth Offset
					

Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating - Proprietary

Compatible with All Brasseler USA® Sagittal/Oscillator Saw Systems

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
PMX-012108	mm	75	25	1.27	1.27
	in	2.95	0.98	0.050	0.050


No Tooth Offset



Diamond Tooth Design

PMX-012109	mm	95	25	1.27	1.27
	in	3.74	0.98	0.050	0.050


No Tooth Offset



Diamond Tooth Design


PMX-012110	mm	45	17.5	0.64	1.02
	in	1.77	0.69	0.025	0.040

Tooth Offset



PMX-012111	mm	55	29	0.64	1.04
	in	2.17	1.14	0.025	0.041

Tooth Offset




Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating - Proprietary

Compatible with All Brasseler USA® Sagittal/Oscillator Saw Systems


Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
PMX-012112	mm	70	12.5	0.64	0.99
	in	2.76	0.49	0.025	0.039

Tooth Offset



PMX-012113	mm	85	25	1.19	1.19
	in	3.35	0.98	0.047	0.047


No Tooth Offset



Diamond Tooth Design

PMX-012114	mm	80	12.5	1.19	1.19
	in	3.15	0.49	0.047	0.047


No Tooth Offset



Diamond Tooth Design

PMX-012115	mm	75	25	1.47	1.47
	in	2.95	0.98	0.058	0.058





No Tooth Offset



Diamond Tooth Design





Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating - Proprietary

Compatible with All Brasseler USA® Sagittal/Oscillator Saw Systems

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
PMX-012116	mm	80	18.5	1.27	1.27
	in	3.15	0.73	0.050	0.050
No Tooth Offset  *Diamond Tooth Design*					
PMX-012117	mm	86	19.5	1.27	1.27
	in	3.39	0.77	0.050	0.050
No Tooth Offset  *Opposing Teeth Chromium Coating*					
PMX-012118	mm	60	18.5	0.64	0.97
	in	2.36	0.73	0.025	0.038
Tooth Offset 					
PMX-012120	mm	45	41	0.64	1.02
	in	1.77	1.61	0.025	0.040
Tooth Offset 					





Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating - Proprietary

Compatible with All Brasseler USA® Sagittal/Oscillator Saw Systems

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
PMX-012121	mm	90	25	1.37	1.37
	in	3.54	0.98	0.054	0.054
					*No Tooth Offset* *Diamond Tooth Design*
PMX-012122	mm	95	19.5	1.37	1.37
	in	3.74	0.77	0.054	0.054
					*No Tooth Offset* *Diamond Tooth Design*
PMX-012123	mm	20	6	0.64	0.79
	in	0.79	0.24	0.025	0.031
					*Tooth Offset*
PMX-012124	mm	20	9	0.64	0.79
	in	0.79	0.36	0.025	0.031
					*Tooth Offset*

Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating - Proprietary

Compatible with All Brasseler USA® Sagittal/Oscillator Saw Systems


Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
PMX-012125	mm	30	9	0.64	0.79
	in	1.18	0.36	0.025	0.031
Tooth Offset 					
PMX-012126	mm	70	12.5	1.27	1.45
	in	2.76	0.49	0.050	0.057
Tooth Offset 					
PMX-012127	mm	75	12.5	1.27	1.45
	in	2.95	0.49	0.050	0.057
Tooth Offset 					
PMX-012128	mm	80	12.5	1.27	1.27
	in	3.15	0.49	0.050	0.050
No Tooth Offset  *Diamond Tooth Design*					

Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating - Proprietary

Compatible with All Brasseler USA® Sagittal/Oscillator Saw Systems


Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
PMX-012129	mm	70	25	0.89	1.40
	in	2.76	0.98	0.035	0.055

Tooth Offset




PMX-012130	mm	60	9.5	0.64	0.99
	in	2.36	0.37	0.025	0.039

Tooth Offset



PMX-012131	mm	85	25	1.32	1.32
	in	3.35	0.98	0.052	0.052


No Tooth Offset



Diamond Tooth Design

PMX-012132	mm	80	29	1.27	1.27
	in	3.15	1.14	0.050	0.050

No Tooth Offset




Flared Blade
Diamond Tooth Design

Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating - Proprietary

Compatible with All Brasseler USA® Sagittal/Oscillator Saw Systems

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
PMX-012133	mm	100	18.5	1.27	1.27
	in	3.94	0.73	0.050	0.050


No Tooth Offset



Diamond Tooth Design

PMX-012134	mm	80	25	1.27	1.27
	in	3.15	0.98	0.050	0.050


No Tooth Offset



Diamond Tooth Design

PMX-012135	mm	80	25	1.04	1.04
	in	3.15	0.98	0.041	0.041


No Tooth Offset



Diamond Tooth Design

PMX-012136	mm	90	48.5	0.99	0.99
	in	3.54	1.91	0.039	0.039





No Tooth Offset



Flared Blade
Diamond Tooth Design





Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating - Proprietary

Compatible with All Brasseler USA® Sagittal/Oscillator Saw Systems

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
PMX-012137	mm	86	19.5	1.27	1.27
	in	3.39	0.77	0.050	0.050
 *No Tooth Offset* *Opposing Teeth*					
PMX-012140	mm	90	25	1.22	1.27
	in	3.54	0.98	0.048	0.050
 *Tooth Offset* *Ribbed Opposing Teeth*					
PMX-012141	mm	90	25	1.27	1.27
	in	3.54	0.98	0.050	0.050
 *No Tooth Offset* *Opposing Teeth*					
PMX-012142	mm	60	13	1.27	1.37
	in	2.36	0.51	0.050	0.054
 *Tooth Offset* *Opposing Teeth*					

Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating - Proprietary

Compatible with All Brasseler USA® Sagittal/Oscillator Saw Systems

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
PMX-012143	mm	90	13	1.27	1.27
	in	3.54	0.51	0.050	0.050
				*No Tooth Offset* *Opposing Teeth*	
PMX-012144	mm	85	25	1.42	1.47
	in	3.35	0.98	0.056	0.058
				*Tooth Offset* *Ribbed Opposing Teeth*	
PMX-012145	mm	60	12.5	0.89	0.89
	in	2.36	0.49	0.035	0.035
				*No Tooth Offset* *Opposing Teeth*	
PMX-012701	mm	70	13	1.27	1.27
	in	2.76	0.51	0.050	0.050
				*No Tooth Offset* *Flared Opposing Teeth*	





Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating
Aggressive Cut - Proprietary

Compatible with All Brasseler USA® Sagittal/Oscillator Saw Systems

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
PMX-012801	mm	90	11	0.79	0.89
	in	3.54	0.43	0.031	0.035
					Tooth Offset
PMX-012802	mm	90	11	1.14	1.27
	in	3.54	0.43	0.045	0.050
					Tooth Offset
PMX-012810	mm	90	18	0.79	0.89
	in	3.54	0.71	0.031	0.035
					Tooth Offset
PMX-012811	mm	90	18	1.14	1.27
	in	3.54	0.71	0.045	0.050
					Tooth Offset





Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating
Aggressive Cut - Proprietary

Compatible with All Brasseler USA® Sagittal/Oscillator Saw Systems

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
PMX-012821	mm	100	25	1.14	1.27
	in	3.94	0.98	0.045	0.050
					*Tooth Offset*
PMX-012822	mm	70	25	0.79	0.89
	in	2.76	0.98	0.031	0.035
					*Tooth Offset*
PMX-012823	mm	90	25	1.14	1.27
	in	3.54	0.98	0.045	0.050
					*Tooth Offset*
PMX-012824	mm	90	25	1.19	1.35
	in	3.54	0.98	0.047	0.053
					*Tooth Offset*

Brasseler USA® Large Bone Saw Blades - Reciprocating - Proprietary

Compatible with All Brasseler USA® Reciprocator/Sternum Saw Systems





Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
PMX-014301	mm	60	6.35	0.64	1.04
	in	2.36	0.25	0.025	0.041
					Tooth Offset
					Short
PMX-014302	mm	70	12.7	0.64	0.94
	in	2.76	0.50	0.025	0.037
					Tooth Offset
					*Double Sided*
PMX-014303	mm	77.5	6.35	0.64	1.04
	in	3.05	0.25	0.025	0.041
					Tooth Offset
					*Long*
PMX-014304	mm	77.5	11.2	0.79	1.17
	in	3.05	0.44	0.031	0.046
					Tooth Offset
					
PMX-014305	mm	76	12.7	0.89	0.89
	in	2.99	0.50	0.035	0.035
					Tooth Offset
					*Double Sided* *Chromium Coating* *Ribbed*

Compatible with All Brasseler USA® Reciprocator/Sternum Saw Systems

BRASSELER USA® | PROPRIETARY

Brasseler USA® Sternum Saw Blades - Proprietary

Compatible with All Brasseler USA® Reciprocator/Sternum Saw Systems

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
PMX-014901	mm	32	6.35	0.79	1.07
	in	1.26	0.25	0.031	0.042
 *Sterile*					
PMX-014901N	mm	32	6.35	0.79	1.07
	in	1.26	0.25	0.031	0.042
 *Non-Sterile*					
PMX-014902	mm	32	6.35	0.64	1.02
	in	1.26	0.25	0.025	0.040
 *Sterile*					
PMX-014902N	mm	32	6.35	0.64	1.02
	in	1.26	0.25	0.025	0.040
 *Non-Sterile*					

Brasseler USA® BSPMICRO™ Small Bone Power System
Pneumatic - Handpieces

Comparable to ConMed® Linvatec® System: Surgairtome Two®; All Brasseler USA® Small Bone Drill Systems

Order Number	Description
PM-M09-200	High Speed Drill for ConMed® Linvatec® Hose Connection
Replaces 5058-001	



Bur Guards Purchased Separately

Performance Specifications		Physical Characteristics	
Speed Range	0 - 95,000 rpm	Size (L x W x H)	6.75" x 0.7" x 1.0" (171.5 x 17.8 x 25.4 mm)
Torque	1.75 in-oz (1.24 N-cm)	Weight	0.41 lb (0.18 kg)
Operating Pressure	90-110 psi (6.3 - 7.7 kg/cm²; 6.2 - 7.6 Bar)		

Comparable to ConMed® Linvatec® System: Micro100™; All Brasseler USA® Small Bone Drill Systems

Order Number	Description
PM-M10-200	Medium Speed Drill for ConMed® Linvatec® Hose Connection
Replaces 5053-009	



Bur Guards Purchased Separately

Performance Specifications		Physical Characteristics	
Speed Range	0 - 25,000 rpm	Size (L x W x H)	6.25" x 0.7" x 1.0" (158.8 17.8 x 25.4 mm)
Torque	6.0 in-oz (4.24 N-cm)	Weight	0.39 lb (0.17 kg)
Operating Pressure	90-110 psi (6.3 - 7.7 kg/cm²; 6.2 - 7.6 Bar)		

Items not shown at actual size.

Brasseler USA® BSPMICRO™ Small Bone Power System
Pneumatic - Handpieces

Comparable to ConMed® Linvatec® System: Micro100™; All Brasseler USA® Small Bone Power Systems

Order Number	Description
PM-M11-200	Wiredriver for ConMed® Linvatec® Hose Connection
Replaces 5053-013	






Includes Wiredriver Guard

Includes Wiredriver Cleaning Brush

Performance Specifications		Physical Characteristics	
Speed Range	0 - 2,100 rpm	Size (L x W x H)	5.5" x 1.0" x 5.5" (139.7 x 25.4 x 139.7 mm)
Torque	56 in-oz (39.5 N-cm)	Weight	1.43 lb (0.65 kg)
Operating Pressure	90-110 psi (6.3 - 7.7 kg/cm²; 6.2 - 7.6 Bar)		
Wire / Pin Diameter Range	0.028" - 0.078" (0.7 - 2.0 mm)		

Note: 5/32" Jacobs® Chuck with Key available (order number PM-M11-935)

PM-M12-200	Sagittal Saw for ConMed® Linvatec® Hose Connection
Replaces 5053-011	



Includes Blade Wrench


Performance Specifications		Physical Characteristics	
Speed Range	0 - 18,000 cpm	Size (L x W x H)	6.75" x 0.7" x 1.0" (171.5 x 17.8 x 25.4 mm)
Oscillation Arc	4° Arc	Weight	0.42 lb (0.19 kg)
Operating Pressure	90-110 psi (6.3 - 7.7 kg/cm²; 6.2 - 7.6 Bar)		

Items not shown at actual size.

Brasseler USA® BSPMICRO™ Small Bone Power System
Pneumatic - Handpieces

Comparable to ConMed® Linvatec® System: Micro100™; All Brasseler USA® Small Bone Power Systems

Order Number	Description
PM-M13-200	Oscillating Saw for ConMed® Linvatec® Hose Connection
Replaces 5053-012	



Includes Blade Wrench

Performance Specifications		Physical Characteristics	
Speed Range	0 - 22,000 cpm	Size (L x W x H)	7.5" x 0.7" x 1.38" (190.5 x 17.8 x 35.0 mm)
Oscillation Arc	7° Arc	Weight	0.49 lb (0.22 kg)
Operating Pressure	90-110 psi (6.3 - 7.7 kg/cm²; 6.2 - 7.6 Bar)		

PM-M14-200	Reciprocating Saw for ConMed® Linvatec® Hose Connection
Replaces 5053-010	



Performance Specifications		Physical Characteristics	
Speed Range	0 - 18,000 rpm	Size (L x W x H)	7.25" x 0.7" x 1.0" (184.2 x 17.78 x 25.4 mm)
Blade Travel	0.100" (2.54 mm)	Weight	0.43 lb (0.20 kg)
Operating Pressure	90-110 psi (6.3 - 7.7 kg/cm²; 6.2 - 7.6 Bar)		


Items not shown at actual size.

Brasseler USA® BSPMICRO™ Small Bone Power System
Pneumatic - Drill Attachments

Comparable to ConMed® Linvatec® Small Bone/Micro Power System: Micro 100™ & Surgairtome Two®; Brasseler USA® & MicroAire® - Small Bone/Micro Power Systems

Order Number	Description
PM-M10-901	Bur Guard - Medium - Compatible with PM-M09-200 & PM-M10-200 Drills
Replaces 1375-012	
	*Recommended Bur Lengths: 44.5 mm - 69 mm*
PM-M10-902	Bur Guard - Long - Compatible with PM-M09-200 & PM-M10-200 Drills
Replaces 1375-011	
	*Recommended Bur Lengths: 70 mm - 94 mm*
PM-M10-903	Bur Guard - Extra-Long - Compatible with PM-M09-200 & PM-M10-200 Drills
Replaces 1375-023	
	*Recommended Bur Lengths: 95 mm - 112 mm*

Brasseler USA® BSPMICRO™ Small Bone Power System
Pneumatic - Wiredriver Attachment

Order Number	Description
PM-M11-935	5/32" Jacobs Chuck with Key - Compatible with PM-M11-200 Wiredriver
Not compatible with ConMed® Linvatec® Wiredriver catalog number 5053-013	
	*Includes Chuck Key*
Note: Not compatible with ConMed® Linvatec®Wiredriver catalog number 5053-013	

Items not shown at actual size.

Brasseler USA® BSPMICRO™ Small Bone Power System
Pneumatic - Accessories

Comparable to ConMed® Linvatec® Small Bone/Micro Power System: Micro 100™ & Surgairtome Two®; Brasseler USA® & MicroAire® - Small Bone/Micro Power Systems


Order Number	Description
KM-A90-200	Dual Air/Nitrogen Hose for ConMed® Linvatec® Hose Connection - 10 ft.
Replaces 5052-010	
KM-A90-200-15	Dual Air/Nitrogen Hose for ConMed® Linvatec® Hose Connection - 10 ft.
Replaces 5052-016	
	
KM-A90-201	Cleaning Plug/Cap for ConMed® Linvatec® Hose Connection - Compatible with all handpieces
Replaces N/A	
	*Optional Accessory*
Note: Available for DePuy® Synthes® hose connection - 10 ft. (order number PM-A90-501)	
MI-121-001	Adapter - DISS to Schrader
Replaces M322	
	
PM-M11-201	Wiredriver Guard
Replaces 5053-123	
	*Replacement Accessory*
PM-M11-202	Wiredriver Cleaning Brush
Replaces 5053-124	
	Replacement Accessory

Items not shown at actual size.

Comparable to ConMed® Linvatec® Small Bone/Micro Power System: Micro 100™ & Surgairtome Two®; Brasseler USA® & MicroAire® - Small Bone/Micro Power Systems

Brasseler USA® BSPMICRO™ Small Bone Power System
Pneumatic - Accessories





Comparable to ConMed® Linvatec® Small Bone/Micro Power System: Micro 100™ & Surgairtome Two®; Brasseler USA® & MicroAire® - Small Bone/Micro Power Systems

Order Number	Description
PM-M12-001	Blade Wrench - Compatible with PM-M12-200 & PM-M13-200 Saws
Replaces 1365-005	
	*Replacement Accessory*
PM-X08-001	5/32" Jacobs® Chuck Key - Compatible with PM M11-935 5/32" Jacobs® Chuck
Replaces 5044-999-53, 5044-99-053	
	*Replacement Accessory*

Items not shown at actual size.





Brasseler USA® Small Bone Saw Blades - Sagittal Replacements - ConMed® Linvatec®

Compatible with ConMed® Linvatec® Sagittal Saw Systems: MicroPower®, MicroChoice®, Micro 100™ & Micro E®; Brasseler USA®, MicroAire® and Smith & Nephew® Small Bone/Micro Sagittal Saw Systems

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM-3100C	mm	41.5	14	0.40	0.61
	in	1.63	0.55	0.016	0.024
Replaces 5023-033, 5023-133, 5023-233 *Replaces 5053-033, 5053-133, 5053-233*					
					*Coarse* *Straight Edge*
KM-3101	mm	25.7	9.5	0.40	0.60
	in	1.01	0.37	0.016	0.024
Replaces 5023-038, 5023-138, 5023-238 *Replaces 5053-038, 5053-138, 5053-238*					
					*Fine* *Straight Edge*
KM-3101C	mm	25.7	9.5	0.40	0.61
	in	1.01	0.37	0.016	0.024
Replaces 5023-043, 5023-143, 5023-243 *Replaces 5053-043, 5053-143, 5053-243*					
					*Coarse* *Straight Edge*
KM-3102	mm	25.7	4.5	0.40	0.60
	in	1.01	0.18	0.016	0.024
Replaces 5023-039, 5023-139, 5023-239 *Replaces 5053-039, 5053-139, 5053-239*					
					*Fine* *Straight Edge*





Brasseler USA® Small Bone Saw Blades - Sagittal Replacements - ConMed® Linvatec®

Compatible with ConMed® Linvatec® Sagittal Saw Systems: MicroPower®, MicroChoice®, Micro 100™ & Micro E®; Brasseler USA®, MicroAire® and Smith & Nephew® Small Bone/Micro Sagittal Saw Systems

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM-3104	mm	16.1	9.5	0.40	0.63
	in	0.63	0.37	0.016	0.025
Substitute for 5044-145					
					*Fine Straight Edge*
KM-3105	mm	16.1	4.5	0.40	0.63
	in	0.63	0.18	0.016	0.025
Substitute for 5023-044, 5023-144, 5023-244 *Substitute for 5053-044, 5053-144, 5053-244*					
					*Fine Straight Edge*
KM-3106	mm	25.7	5.5	0.40	0.61
	in	1.01	0.22	0.016	0.024
Replaces 5023-032, 5023-132, 5023-232 *Replaces 5053-032, 5053-132, 5053-232*					
					*Coarse Straight Edge*
KM-3107	mm	34.3	6	0.40	0.60
	in	1.35	0.24	0.016	0.024
Replaces 5023-041, 5023-141, 5023-241 *Replaces 5053-041, 5053-141, 5053-241*					
					*Fine Straight Edge*

Brasseler USA® Small Bone Saw Blades - Sagittal Replacements - ConMed® Linvatec®





Compatible with ConMed® Linvatec® Sagittal Saw Systems: MicroPower®, MicroChoice®, Micro 100™ & Micro E®; Brasseler USA®, MicroAire® and Smith & Nephew® Small Bone/Micro Sagittal Saw Systems

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM-3183	mm	25.7	9.5	0.40	0.60
	in	1.01	0.37	0.016	0.024
Replaces 5023-183					
					*Fine Straight Edge ACL Blade*
KM-3231	mm	41.5	19.5	0.40	0.61
	in	1.63	0.77	0.016	0.024
Replaces 5023-031, 5023-131, 5023-231 *Replaces 5053-031, 5053-131, 5053-231*					
					*Coarse Straight Edge*
KM-3237	mm	25.7	14	0.40	0.61
	in	1.01	0.55	0.016	0.024
Replaces 5023-037, 5023-137, 5023-237 *Replaces 5053-037, 5053-137, 5053-237*					
					*Coarse Straight Edge*
KM-3240	mm	41.5	9.5	0.40	0.60
	in	1.63	0.37	0.016	0.024
Replaces 5023-040, 5023-140, 5023-240 *Replaces 5053-040, 5053-140, 5053-240*					
					*Fine Straight Edge Tapered*

Compatible with ConMed® Linvatec® Small Bone/Micro Sagittal Saw Systems: MicroPower®, MicroChoice®, Micro 100™ & Micro E®; Brasseler USA®, MicroAire® and Smith & Nephew® Small Bone/Micro Sagittal Saw Systems





Brasseler USA® Small Bone Saw Blades - Oscillating Replacements - ConMed® Linvatec®

Compatible with ConMed® Linvatec® Oscillating Saw Systems: MicroPower®, MicroChoice®, Micro 100™ & Micro E®; Brasseler USA®, MicroAire® and Smith & Nephew® Small Bone/Micro Oscillating Saw Systems

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM-3000	mm	18.5	5.5	0.40	0.60
	in	0.73	0.22	0.016	0.024
Replaces 5023-062, 5023-162, 5023-262 *Replaces 5053-062, 5053-162, 5053-262*					
					*Fine* *Straight Edge*
KM-3001	mm	28.5	5.5	0.40	0.60
	in	1.12	0.22	0.016	0.024
Replaces 5023-064, 5023-164, 5023-264 *Replaces 5053-064, 5053-164, 5053-264*					
					*Fine* *Straight Edge*
KM-3002	mm	34.7	10	0.40	0.60
	in	1.37	0.39	0.016	0.024
Replaces 5023-069, 5023-169, 5023-269 *Replaces 5053-073, 5053-173, 5053-273*					
					*Fine* *Straight Edge*
KM-3003	mm	22	5.5	0.40	0.60
	in	0.87	0.22	0.016	0.024
Replaces N/A					
					*Fine* *Straight Edge*

Brasseler USA® Small Bone Saw Blades - Oscillating Replacements - ConMed® Linvatec®



Compatible with ConMed® Linvatec® Oscillating Saw Systems: MicroPower®, MicroChoice®, Micro 100™ & Micro E®; Brasseler USA®, MicroAire® and Smith & Nephew® Small Bone/Micro Oscillating Saw Systems

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM-3004	mm	27.9	9.5	0.40	0.60
	in	1.10	0.37	0.016	0.024
Replaces N/A					
					*Fine Straight Edge*
KM-3005	mm	18.5	10	0.40	0.60
	in	0.73	0.39	0.016	0.024
Replaces 5023-063, 5023-163, 5023-263 *Replaces 5053-063, 5053-163, 5053-263*					
					*Fine Straight Edge*
KM-3006	mm	12	5.5	0.40	0.60
	in	0.47	0.22	0.016	0.024
Replaces 5023-060, 5023-160, 5023-260 *Replaces 5053-060, 5053-160, 5053-260*					
					*Fine Straight Edge*
KM-3008	mm	28.5	18.5	0.40	0.60
	in	1.12	0.73	0.016	0.024
Replaces 5023-066, 5023-166, 5023-266 *Replaces 5053-066, 5053-166, 5053-266*					
					*Fine Radial Edge*

Compatible with ConMed® Linvatec® Small Bone/Micro Oscillating Saw Systems: MicroPower®, MicroChoice®, Micro 100™ & Micro E®; Brasseler USA®, MicroAire® and Smith & Nephew® Small Bone/Micro Oscillating Saw Systems





Brasseler USA® Small Bone Saw Blades - Oscillating Replacements - ConMed® Linvatec®

Compatible with ConMed® Linvatec® Oscillating Saw Systems: MicroPower®, MicroChoice®, Micro 100™ & Micro E®; Brasseler USA®, MicroAire® and Smith & Nephew® Small Bone/Micro Oscillating Saw Systems

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM-3261	mm	12	10	0.40	0.60
	in	0.47	0.39	0.016	0.024
Replaces 5023-061, 5023-161, 5023-261 *Replaces 5053-061, 5053-161, 5053-261*					
					*Fine* *Straight Edge*
KM-3265	mm	28.5	10	0.40	0.60
	in	1.12	0.39	0.016	0.024
Replaces 5023-065, 5023-165, 5023-265 *Replaces 5053-065, 5053-165, 5053-265*					
					*Fine* *Radial Edge*

Brasseler USA® Small Bone Saw Blades - Oscillating - Crescentic Replacements - ConMed® Linvatec®

Compatible with ConMed® Linvatec® Oscillating Saw Systems: MicroPower®, MicroChoice®, Micro 100™ & Micro E®; Brasseler USA®, MicroAire® and Smith & Nephew® Small Bone/Micro Oscillating Saw Systems

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM-3170	mm	12	9	0.40	0.60
	in	0.47	0.36	0.016	0.024
Replaces 5023-170, 5023-270 *Replaces 5053-170, 5053-270*					
 *Fine Crescentic Blade*					
KM-3171	mm	25.5	13.8	0.40	0.60
	in	1.00	0.55	0.016	0.024
Replaces 5023-171, 5023-271 *Replaces 5053-171, 5053-271*					
 *Fine Crescentic Blade*					
KM-3172	mm	32	18	0.40	0.60
	in	1.26	0.71	0.016	0.024
Replaces 5023-172, 5023-272 *Replaces 5053-172, 5053-272*					
 *Fine Crescentic Blade*					
KM-3176	mm	32	13.8	0.40	0.60
	in	1.26	0.55	0.016	0.024
Replaces 5023-176, 5023-276 *Replaces 5053-176, 5053-276*					
 *Fine Crescentic Blade*					

Brasseler USA® Small Bone Saw Blades - Reciprocating Replacements - ConMed® Linvatec®





Compatible with ConMed® Linvatec® Reciprocating Saw Systems: MicroPower®, MicroChoice®, Micro 100™ & Micro E®; Brasseler USA®, MicroAire® and Smith & Nephew® Small Bone/Micro Reciprocating Saw Systems

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM-060	mm	25.5	7.6	0.40	0.64
	in	1.00	0.30	0.016	0.025
Replaces 5053-020, 5053-120, 5053-220					
					*Flat Shank*
KM-070	mm	38	7.6	0.40	0.64
	in	1.50	0.30	0.016	0.025
Replaces 5053-021, 5053-121, 5053-221					
					*Flat Shank*
KM-54	mm	23.2	7.4	0.40	0.60
	in	0.913	0.29	0.016	0.024
Replaces 5053-054, 5053-154, 5053-254					
					*Round Shank*

Compatible with ConMed® Linvatec® Small Bone/Micro Reciprocating Saw Systems: MicroPower®, MicroChoice®, Micro 100™ & Micro E®; Brasseler USA®, MicroAire® and Smith & Nephew® Small Bone/Micro Reciprocating Saw Systems

Brasseler USA® Small Bone Rasps - Reciprocating Replacements - ConMed® Linvatec®



Compatible with ConMed® Linvatec® Reciprocating Saw Systems: MicroPower®, MicroChoice®, Micro 100™ & Micro E®; Brasseler USA®, MicroAire® and Smith & Nephew® Small Bone/Micro Reciprocating Saw Systems

Order Number	Unit	Length	Max. Width
KM-80	mm	11	5.5
	in	0.43	0.22
Replaces 5053-080, 5053-80			
			*Small Tear Round Shank*
KM-81	mm	13	6.9
	in	0.51	0.27
Replaces 5053-081, 5053-81			
			*Large Tear Round Shank*
KM-82	mm	11	5.5
	in	0.43	0.22
Replaces 5053-082, 5053-82			
			*Small Tear Cross-Cut Round Shank*
KM-83	mm	13	6.9
	in	0.51	0.27
Replaces 5053-083, 5053-83			
			*Large Tear Cross-Cut Round Shank*

Compatible with ConMed® Linvatec® Small Bone/Micro Reciprocating Saw Systems: MicroPower®, MicroChoice®, Micro 100™ & Micro E®; Brasseler USA®, MicroAire® and Smith & Nephew® Small Bone/Micro Reciprocating Saw Systems

Brasseler USA® Sternum Saw Blades
Replacement & Proprietary - ConMed® Linvatec®




Compatible with ConMed® Linvatec® Oscillating Saw Systems: VersiPower®, Series 4 , Series 3 & Orthair; ConMed® Linvatec® Micro 100™ Sagittal Saw System; ConMed® Linvatec® Repeat Sternotomy Saw System; Brasseler USA®, MicroAire® and Smith & Nephew® Small Bone/Micro Sagittal Saw Systems

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM-279	mm	39.5	55	0.40	0.79
	in	1.56	2.17	0.016	0.031
Replaces 5059-279					
				*Sterile* *Repeat Sternotomy Blade* *Opposing Teeth*	
KM-279PZ	mm	26	39	0.40	0.71
	in	1.02	1.54	0.016	0.028
Replaces N/A					
				*Sterile* *Repeat Sternotomy Blade*	

Compatible with ConMed® Linvatec® Oscillating Saw Systems: VersiPower®, Series 4, Series 3 & Orthair; ConMed® Linvatec® Small Bone/Micro Sagittal Saw System: Micro 100™; ConMed® Linvatec® Repeat Sternotomy Saw System; Brasseler USA®, MicroAire® and Smith & Nephew® Small Bone/Micro Sagittal Saw Systems







Brasseler USA® Sternum Saw Blades - Proprietary - ConMed® Linvatec®

Compatible with ConMed® Linvatec® Small Bone/Micro Sagittal Saw Systems: MicroPower®, MicroChoice®, Micro 100™ & Micro E®; Brasseler USA®, MicroAire® and Smith & Nephew® Small Bone/Micro Sagittal Saw Systems

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM-3179SN	mm	42.5	54	0.40	0.69
	in	1.67	2.13	0.016	0.027
Replaces N/A					
					*Coarse Opposing Teeth Non-Sterile*
KM-3231SN	mm	41.9	19	0.40	0.71
	in	1.65	0.75	0.016	0.028
Replaces N/A					
					*Non-Sterile*
KM-3231SS	mm	41.9	19	0.40	0.71
	in	1.65	0.75	0.016	0.028
Replaces N/A					
					*Sterile*

Brasseler USA® Small Bone/Micro Burs - Standard & Oral Surgery
2.35 mm Straight Shank - Replacements - ConMed® Linvatec®




Compatible with Small Bone/Micro Drill Systems: ConMed® Linvatec® - MicroPower®, MicroChoice®, Micro 100™, Micro E® & Surgairtome Two®; Brasseler USA® & MicroAire® - Small Bone/Micro Drill Systems

Order Number	Description	Unit	Total Length	Head Diameter	Head Length	No. of Flutes Grit Size
03-C0901	Oval - Carbide	mm	48.0	4.0	8.0	8
		in	1.89	0.16	0.31	
Replaces 5091-136, 5091-236						
						
03-C0905	Oval - Carbide	mm	48.0	5.5	10.2	10
		in	1.89	0.22	0.40	
Replaces 5091-138, 5091-238						
						
09-C0901	Oval - Carbide	mm	70.0	4.0	8.0	8
		in	2.76	0.16	0.31	
Replaces 5092-136, 5092-236						
						
09-C0905	Oval - Carbide	mm	70.0	5.5	10.2	10
		in	2.76	0.22	0.40	
Replaces 5092-138, 5092-238						
						
12-C0901	Oval - Carbide	mm	95.0	4.0	8.0	8
		in	3.74	0.16	0.31	
Replaces 5093-136, 5093-236						
						
12-C0905	Oval - Carbide	mm	95.0	5.5	10.2	10
		in	3.74	0.22	0.40	
Replaces 5093-138, 5093-238						
						

Compatible with Small Bone/Micro Drill Systems: ConMed® Linvatec® - MicroPower®, MicroChoice®, Micro 100™, Micro E® & Surgairtome Two®; Brasseler USA® & MicroAire® - Small Bone/Micro Drill Systems

Brasseler USA® Small Bone/Micro Burs - Standard & Oral Surgery
2.35 mm Straight Shank - Replacements - ConMed® Linvatec®






Compatible with Small Bone/Micro Drill Systems: ConMed® Linvatec® - MicroPower®, MicroChoice®, Micro 100™, Micro E® & Surgairtome Two®; Brasseler USA® & MicroAire® - Small Bone/Micro Drill Systems

Order Number	Description	Unit	Total Length	Head Diameter	Head Length	No. of Flutes Grit Size
04-C0101	Round - Carbide	mm	51.0	1.0	1.0	6
		in	2.01	0.04	0.04	
Replaces 5091-120, 5091-220						
						
04-C0103	Round - Carbide	mm	51.0	1.5	1.5	6
		in	2.01	0.06	0.06	
Replaces 5091-122, 5091-222						
						
04-C0104	Round - Carbide	mm	51.0	1.8	1.8	6
		in	2.01	0.07	0.07	
Replaces 5091-121, 5091-221						
						
04-C0105	Round - Carbide	mm	51.0	2.0	2.0	6
		in	2.01	0.08	0.08	
Replaces 5091-124, 5091-224						
						
04-C0106	Round - Carbide	mm	51.0	2.3	2.3	8
		in	2.01	0.09	0.09	
Replaces 5091-123, 5091-223, 5091-125, 5091-225						
						
04-C0107	Round - Carbide	mm	51.0	3.0	3.0	8
		in	2.01	0.12	0.12	
Replaces 5091-126, 5091-226						
						

Compatible with Small Bone/Micro Drill Systems: ConMed® Linvatec® - MicroPower®, MicroChoice®, Micro 100™, Micro E® & Surgairtome Two®; Brasseler USA® & MicroAire® - Small Bone/Micro Drill Systems

Brasseler USA® Small Bone/Micro Burs - Standard & Oral Surgery
2.35 mm Straight Shank - Replacements - ConMed® Linvatec®







Compatible with Small Bone/Micro Drill Systems: ConMed® Linvatec® - MicroPower®, MicroChoice®, Micro 100™, Micro E® & Surgairtome Two®; Brasseler USA® & MicroAire® - Small Bone/Micro Drill Systems

Order Number	Description	Unit	Total Length	Head Diameter	Head Length	No. of Flutes Grit Size
04-C0108	Round - Carbide	mm	51.0	4.0	4.0	8
		in	2.01	0.16	0.16	
Replaces 5091-128, 5091-228						
						
04-C0109	Round - Carbide	mm	51.0	5.0	5.0	10
		in	2.01	0.20	0.20	
Replaces 5091-130, 5091-230						
						
04-C0110	Round - Carbide	mm	51.0	6.0	6.0	8
		in	2.01	0.24	0.24	
Replaces M60R						
						
04-C0170	Round - Carbide	mm	51.0	6.5	6.5	10
		in	2.01	0.26	0.26	
Replaces 5091-132, 5091-232						
						
09-C0109	Round - Carbide	mm	70.0	5.0	5.0	10
		in	2.76	0.20	0.20	
Replaces 5092-130, 5092-230						
						
09-C0110	Round - Carbide	mm	70.0	6.0	6.0	8
		in	2.76	0.24	0.24	
Replaces L60R						
						

Compatible with Small Bone/Micro Drill Systems: ConMed® Linvatec® - MicroPower®, MicroChoice®, Micro 100™, Micro E® & Surgairtome Two®; Brasseler USA® & MicroAire® - Small Bone/Micro Drill Systems






Brasseler USA® Small Bone/Micro Burs - Standard & Oral Surgery
2.35 mm Straight Shank - Replacements - ConMed® Linvatec®

Compatible with Small Bone/Micro Drill Systems: ConMed® Linvatec® - MicroPower®, MicroChoice®, Micro 100™, Micro E® & Surgairtome Two®; Brasseler USA® & MicroAire® - Small Bone/Micro Drill Systems

Order Number	Description	Unit	Total Length	Head Diameter	Head Length	No. of Flutes Grit Size
09-C0170	Round - Carbide	mm	70.0	6.5	6.5	10
		in	2.76	0.26	0.26	
Replaces 5092-132, 5092-232						
						
10-C0101	Round - Carbide	mm	71.5	1.0	1.0	6
		in	2.81	0.04	0.04	
Replaces 5092-120, 5092-220						
						
10-C0103	Round - Carbide	mm	72.0	1.5	1.5	6
		in	2.83	0.06	0.06	
Replaces 5092-122, 5092-222						
						
10-C0105	Round - Carbide	mm	72.5	2.0	2.0	6
		in	2.85	0.08	0.08	
Replaces 5092-124, 5092-224						
						
10-C0107	Round - Carbide	mm	73.0	3.0	3.0	8
		in	2.87	0.12	0.12	
Replaces 5092-126, 5092-226						
						
10-C0108	Round - Carbide	mm	73.0	4.0	4.0	8
		in	2.87	0.16	0.16	
Replaces 5092-128, 5092-228						
						







Brasseler USA® Small Bone/Micro Burs - Standard & Oral Surgery
2.35 mm Straight Shank - Replacements - ConMed® Linvatec®

Compatible with Small Bone/Micro Drill Systems: ConMed® Linvatec® - MicroPower®, MicroChoice®, Micro 100™, Micro E® & Surgairtome Two®; Brasseler USA® & MicroAire® - Small Bone/Micro Drill Systems

Order Number	Description	Unit	Total Length	Head Diameter	Head Length	No. of Flutes Grit Size
12-C0105	Round - Carbide	mm	95.0	2.0	2.0	6
		in	3.74	0.08	0.08	
Replaces 5093-124, 5093-224						
						
12-C0108	Round - Carbide	mm	95.0	4.0	4.0	8
		in	3.74	0.16	0.16	
Replaces 5093-128, 5093-228						
						
12-C0109	Round - Carbide	mm	95.0	5.0	5.0	10
		in	3.74	0.20	0.20	
Replaces 5093-130, 5093-230						
						
04-C0601	Tapered - Carbide	mm	51.0	0.9	5.2	6
		in	2.01	0.035	0.20	
Replaces 5091-115, 5091-215						
						
04-C0606	Tapered - Cross Cut - Carbide	mm	51.0	1.2	4.2	6
		in	2.01	0.05	0.17	
Replaces N/A						
						
04-C0623	Tapered - Carbide	mm	51.0	1.2	6.0	6
		in	2.01	0.05	0.24	
Replaces N/A						
						

Brasseler USA® Small Bone/Micro Burs - Standard & Oral Surgery
2.35 mm Straight Shank - Replacements - ConMed® Linvatec®






Compatible with Small Bone/Micro Drill Systems: ConMed® Linvatec® - MicroPower®, MicroChoice®, Micro 100™, Micro E® & Surgairtome Two®; Brasseler USA® & MicroAire® - Small Bone/Micro Drill Systems

Order Number	Description	Unit	Total Length	Head Diameter	Head Length	No. of Flutes Grit Size
04-C0609	Tapered - Carbide	mm	51.0	1.5	10.0	6
		in	2.01	0.06	0.39	
Replaces 5091-102, 5091-202						
						
04-C0607	Tapered - Carbide	mm	51.0	1.6	4.3	6
		in	2.01	0.06	0.17	
Replaces 5091-118, 5091-218						
						
04-C0617	Tapered - Carbide	mm	51.0	2.0	7.5	6
		in	2.01	0.08	0.30	
Replaces 5091-106, 5091-206						
						
04-C0615	Tapered - Carbide	mm	51.0	2.1	4.8	6
		in	2.01	0.08	0.19	
Replaces N/A						
						
04-C0612	Tapered - Cross Cut - Carbide	mm	51.0	2.1	4.9	6
		in	2.01	0.08	0.19	
Replaces 5091-113, 5091-213						
						
06-C0619	Tapered - Carbide	mm	57.0	2.0	19.0	6
		in	2.24	0.08	0.75	
Replaces 5091-114, 5091-214						
						

Compatible with Small Bone/Micro Drill Systems: ConMed® Linvatec® - MicroPower®, MicroChoice®, Micro 100™, Micro E® & Surgairtome Two®; Brasseler USA® & MicroAire® - Small Bone/Micro Drill Systems

Brasseler USA® Small Bone/Micro Burs - Standard & Oral Surgery
2.35 mm Straight Shank - Replacements - ConMed® Linvatec®






Compatible with Small Bone/Micro Drill Systems: ConMed® Linvatec® - MicroPower®, MicroChoice®, Micro 100™, Micro E® & Surgairtome Two®; Brasseler USA® & MicroAire® - Small Bone/Micro Drill Systems

Order Number	Description	Unit	Total Length	Head Diameter	Head Length	No. of Flutes Grit Size
10-C0617	Tapered - Carbide	mm	73.0	2.0	7.5	6
		in	2.87	0.08	0.30	
Replaces 5092-106, 5092-206						
						
11-C0619	Tapered - Carbide	mm	80.0	2.0	19.0	6
		in	3.15	0.08	0.75	
Replaces 5092-114, 5092-214						
						
03-C0312	Straight - Cross Cut - Carbide	mm	48.0	4.0	10.0	6
		in	1.89	0.16	0.39	
Replaces 5091-154, 5091-254						
						
04-C0302	Straight - Cross Cut - Carbide	mm	51.0	1.0	5.0	6
		in	2.01	0.04	0.20	
Replaces 5091-101, 5091-201						
						
04-C0306	Straight - Cross Cut - Carbide	mm	51.0	1.5	7.5	6
		in	2.01	0.06	0.30	
Replaces 5091-104, 5091-204						
						
04-C0307	Straight - Carbide	mm	51.0	1.6	4.3	6
		in	2.01	0.06	0.17	
Replaces 5091-117, 5091-217						
						

Compatible with Small Bone/Micro Drill Systems: ConMed® Linvatec® - MicroPower®, MicroChoice®, Micro 100™, Micro E® & Surgairtome Two®; Brasseler USA® & MicroAire® - Small Bone/Micro Drill Systems







Brasseler USA® Small Bone/Micro Burs - Standard & Oral Surgery
2.35 mm Straight Shank - Replacements - ConMed® Linvatec®

Compatible with Small Bone/Micro Drill Systems: ConMed® Linvatec® - MicroPower®, MicroChoice®, Micro 100™, Micro E® & Surgairtome Two®; Brasseler USA® & MicroAire® - Small Bone/Micro Drill Systems

Order Number	Description	Unit	Total Length	Head Diameter	Head Length	No. of Flutes Grit Size
10-C0306	Straight - Carbide	mm	73.0	1.5	7.5	6
		in	2.87	0.06	0.30	
Replaces 5092-104, 5092-204						
						
10-C0310	Straight - Cross Cut - Carbide	mm	73.0	2.1	10.0	8
		in	2.87	0.08	0.39	
Replaces 5092-152, 5092-252						
						
03-D0135	Round - Diamond	mm	48.0	4.0	4.0	Medium
		in	1.89	0.16	0.16	
Replaces 5091-164, 5091-264						
						
04-D0139	Round - Diamond	mm	51.0	2.0	2.0	Medium
		in	2.01	0.08	0.08	
Replaces 5091-160, 5091-260						
						
04-D0133	Round - Diamond	mm	51.0	3.0	3.0	Medium
		in	2.01	0.12	0.12	
Replaces 5091-162, 5091-262						
						
09-D0135	Round - Diamond	mm	70.0	4.0	4.0	Medium
		in	2.76	0.16	0.16	
Replaces 5092-164, 5092-264						
						

Brasseler USA® Small Bone/Micro Burs - Standard & Oral Surgery
2.35 mm Straight Shank - Replacements - ConMed® Linvatec®







Compatible with Small Bone/Micro Drill Systems: ConMed® Linvatec® - MicroPower®, MicroChoice®, Micro 100™, Micro E® & Surgairtome Two®; Brasseler USA® & MicroAire® - Small Bone/Micro Drill Systems

Order Number	Description	Unit	Total Length	Head Diameter	Head Length	No. of Flutes Grit Size
09-D0141	Round - Diamond	mm	70.0	5.0	5.0	Coarse
		in	2.76	0.20	0.20	
Replaces 5092-166, 5092-266						
						
09-D0138	Round - Diamond	mm	70.0	6.0	6.0	Coarse
		in	2.76	0.24	0.24	
Replaces 5092-168, 5092-268						
						
10-D0139	Round - Diamond	mm	73.0	2.0	2.0	Medium
		in	2.87	0.08	0.08	
Replaces 5092-160, 5092-260						
						
10-D0133	Round - Diamond	mm	73.0	3.0	3.0	Medium
		in	2.87	0.12	0.12	
Replaces 5092-162, 5092-262						
						
08-S1802	Lindemann - Stainless Steel	mm	67.0	2.3	25.0	4
		in	2.64	0.09	0.98	
Replaces 5091-112, 5091-212						
						
09-S0151	Round - Stainless Steel	mm	70.0	1.8	1.8	8
		in	2.76	0.07	0.07	
Replaces N/A						
						

Compatible with Small Bone/Micro Drill Systems: ConMed® Linvatec® - MicroPower®, MicroChoice®, Micro 100™, Micro E® & Surgairtome Two®; Brasseler USA® & MicroAire® - Small Bone/Micro Drill Systems

Brasseler USA® Small Bone/Micro Burs - Standard & Oral Surgery
2.35 mm Straight Shank - Replacements - ConMed® Linvatec®





Compatible with Small Bone/Micro Drill Systems: ConMed® Linvatec® - MicroPower®, MicroChoice®, Micro 100™, Micro E® & Surgairtome Two®; Brasseler USA® & MicroAire® - Small Bone/Micro Drill Systems

Order Number	Description	Unit	Total Length	Head Diameter	Head Length	No. of Flutes Grit Size
09-S0115	Round - Stainless Steel	mm	70.0	2.4	2.4	8
		in	2.76	0.091	0.091	
Replaces N/A						
						
09-S0120	Round - Stainless Steel	mm	70.0	4.0	4.0	12
		in	2.76	0.16	0.16	
Replaces N/A						
						
12-S0153	Round - Stainless Steel	mm	95.0	3.1	3.1	10
		in	3.74	0.12	0.12	
Replaces N/A						
						
04-S1501	Shannon Style - Tapered - Stainless Steel	mm	51.0	2.3	12.0	4
		in	2.01	0.09	0.47	
						
06-S1601	Swanson Reamer - Stainless Steel	mm	57.0	2.0	10.0	5
		in	2.24	0.08	0.39	
Replaces 5091-142, 5091-242						
						
07-S1602	Swanson Reamer - Stainless Steel	mm	62.0	3.0	13.5	5
		in	2.44	0.12	0.53	
Replaces 5091-143, 5091-243						
						

Compatible with Small Bone/Micro Drill Systems: ConMed® Linvatec® - MicroPower®, MicroChoice®, Micro 100™, Micro E® & Surgairtome Two®; Brasseler USA® & MicroAire® - Small Bone/Micro Drill Systems





Brasseler USA® Small Bone/Micro Burs - Standard & Oral Surgery
2.35 mm Straight Shank - Replacements - ConMed® Linvatec®

Compatible with Small Bone/Micro Drill Systems: ConMed® Linvatec® - MicroPower®, MicroChoice®, Micro 100™, Micro E® & Surgairtome Two®; Brasseler USA® & MicroAire® - Small Bone/Micro Drill Systems

Order Number	Description	Unit	Total Length	Head Diameter	Head Length	No. of Flutes Grit Size
07-S1605	*Swanson Reamer - Stainless Steel*	*mm*	*62.0*	*4.0*	*16.5*	*6*
		in	*2.44*	*0.16*	*0.65*	
Replaces 5091-144, 5091-244						
						
04-S1701	Wire Pass Drill - Stainless Steel	mm	51.0	1.0	19.0	2
		in	2.01	0.04	0.75	
Replaces 5091-147, 5091-247						
						
04-S1703	Wire Pass Drill - Stainless Steel	mm	51.0	1.5	19.0	2
		in	2.01	0.059	0.75	
Replaces 5091-148, 5091-248						
						
04-S1704	Wire Pass Drill - Stainless Steel	mm	51.0	2.0	19.0	2
		in	2.01	0.079	0.75	
Replaces 5091-149, 5091-249						
						

Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating
BR2000™ (Aggressive Cut) - Proprietary (PMX-012600 Series - Brasseler USA®)

Compatible with All Brasseler USA® Sagittal/Oscillator Saw Systems


Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
PMX-012600	mm	90	12.5	1.19	1.19
	in	3.54	0.49	0.047	0.047
No Tooth Offset 					
PMX-012601	mm	90	12.5	0.89	0.89
	in	3.54	0.49	0.035	0.035
No Tooth Offset 					
PMX-012602	mm	90	12.5	0.99	0.99
	in	3.54	0.49	0.039	0.039
No Tooth Offset 					
PMX-012603	mm	90	12.5	1.27	1.27
	in	3.54	0.49	0.050	0.050
No Tooth Offset 					

Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating
BR2000™ (Aggressive Cut) - Proprietary (PMX-012600 Series - Brasseler USA®)

Compatible with All Brasseler USA® Sagittal/Oscillator Saw Systems


Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
PMX-012604	mm	90	12.5	1.37	1.37
	in	3.54	0.49	0.054	0.054

No Tooth Offset




PMX-012610	mm	100	19	1.27	1.27
	in	3.94	0.75	0.050	0.050

No Tooth Offset




PMX-012611	mm	75	19	0.89	0.89
	in	2.95	0.75	0.035	0.035

No Tooth Offset



PMX-012612	mm	90	19	0.89	0.89
	in	3.54	0.75	0.035	0.035

No Tooth Offset




Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating
BR2000™ (Aggressive Cut) - Proprietary (PMX-012600 Series - Brasseler USA®)

Compatible with All Brasseler USA® Sagittal/Oscillator Saw Systems


Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
PMX-012613	mm	90	19	1.27	1.27
	in	3.54	0.75	0.050	0.050

No Tooth Offset




PMX-012614	mm	90	19	1.37	1.37
	in	3.54	0.75	0.054	0.054

No Tooth Offset




PMX-012615	mm	100	19	1.19	1.19
	in	3.94	0.75	0.047	0.047

No Tooth Offset



PMX-012616	mm	90	19	0.99	0.99
	in	3.54	0.75	0.039	0.039

No Tooth Offset




Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating
BR2000™ (Aggressive Cut) - Proprietary (PMX-012600 Series - Brasseler USA®)

Compatible with All Brasseler USA® Sagittal/Oscillator Saw Systems


Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
PMX-012620	mm	100	25	1.27	1.27
	in	3.94	0.98	0.050	0.050

No Tooth Offset




PMX-012621	mm	75	25	0.89	0.89
	in	2.95	0.98	0.035	0.035

No Tooth Offset




PMX-012622	mm	90	25	0.89	0.89
	in	3.54	0.98	0.035	0.035

No Tooth Offset



PMX-012623	mm	90	25	0.99	0.99
	in	3.54	0.98	0.039	0.039

No Tooth Offset




Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating
BR2000™ (Aggressive Cut) - Proprietary (PMX-012600 Series - Brasseler USA®)

Compatible with All Brasseler USA® Sagittal/Oscillator Saw Systems


Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
PMX-012624	mm	90	25	1.19	1.19
	in	3.54	0.98	0.047	0.047

No Tooth Offset




Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
PMX-012625	mm	90	25	1.27	1.27
	in	3.54	0.98	0.050	0.050

No Tooth Offset




Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
PMX-012625	mm	90	25	1.27	1.27
	in	3.54	0.98	0.050	0.050

No Tooth Offset



Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
PMX-012627	mm	90	25	1.47	1.47
	in	3.54	0.98	0.058	0.058

No Tooth Offset




Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating
BR2000™ (Aggressive Cut) - Proprietary (PMX-012600 Series - Brasseler USA®)

Compatible with All Brasseler USA® Sagittal/Oscillator Saw Systems


Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
PMX-012628	mm	95	19	1.37	1.37
	in	3.74	0.75	0.054	0.054

No Tooth Offset



PMX-012629	mm	90	25	0.99	0.99
	in	3.54	0.98	0.039	0.039


No Tooth Offset



Flared Blade

PMX-012630	mm	90	25	1.19	1.19
	in	3.54	0.98	0.047	0.047


No Tooth Offset



Flared Blade

PMX-012631	mm	90	25	1.37	1.37
	in	3.54	0.98	0.054	0.054

No Tooth Offset




Flared Blade

Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating
BR2000™ (Aggressive Cut) - Proprietary (PMX-012600 Series - Brasseler USA®)

Compatible with All Brasseler USA® Sagittal/Oscillator Saw Systems

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
PMX-012632	mm	90	25	1.47	1.47
	in	3.54	0.98	0.058	0.058


No Tooth Offset



Flared Blade

PMX-012633	mm	90	31	0.99	0.99
	in	3.54	1.22	0.039	0.039


No Tooth Offset



Flared Blade

PMX-012634	mm	90	31	1.37	1.37
	in	3.54	1.22	0.054	0.054





No Tooth Offset



Flared Blade





Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating
BR2000™ (Aggressive Cut) - Proprietary (BR1 Series - Stryker®)

Compatible with Stryker® Sagittal Saw Systems: 7, 6, 5, 4, 2000 & EHD

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
BR1-1290-35	mm	90	12.5	0.89	0.89
	in	3.54	0.49	0.035	0.035
Substitute for Stryker® 6113-089-090; ConMed® Linvatec® STK130-089-90					
No Tooth Offset 					
BR1-1290-39	mm	90	12.5	0.99	0.99
	in	3.54	0.49	0.039	0.039
Substitute for Stryker® 6113-097-090; ConMed® Linvatec® STK130-100-90					
No Tooth Offset 					
BR1-1290-47	mm	90	12.5	1.19	1.19
	in	3.54	0.49	0.047	0.047
Substitute for Stryker® 6113-119-090, 2108-352-000, 2108-352; ConMed® Linvatec® STK130-119-90					
No Tooth Offset 					
BR1-1290-50	mm	90	12.5	1.27	1.27
	in	3.54	0.49	0.050	0.050
Substitute for Stryker® 6113-127-090, 2108-356-000, 2108-356; ConMed® Linvatec® STK130-127-90					
No Tooth Offset 					





Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating
BR2000™ (Aggressive Cut) - Proprietary (BR1 Series - Stryker®)

Compatible with Stryker® Sagittal Saw Systems: 7, 6, 5, 4, 2000 & EHD

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
BR1-1290-54	mm	90	12.5	1.37	1.37
	in	3.54	0.49	0.054	0.054
Substitute for Stryker® 6113-137-090; ConMed® Linvatec® STK130-137-90					
No Tooth Offset 					
BR1-1990-35	mm	90	19	0.89	0.89
	in	3.54	0.75	0.035	0.035
Substitute for Stryker® 6118-089-090; ConMed® Linvatec® STK190-089-90					
No Tooth Offset 					
BR1-1990-39	mm	90	19	0.99	0.99
	in	3.54	0.75	0.039	0.039
Substitute for Stryker® 6118-097-090; ConMed® Linvatec® STK190-100-90					
No Tooth Offset 					
BR1-1990-47	mm	90	19	1.19	1.19
	in	3.54	0.75	0.047	0.047
Substitute for Stryker® 6118-119-090; ConMed® Linvatec® STK190-119-90					
No Tooth Offset 					





Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating
BR2000™ (Aggressive Cut) - Proprietary (BR1 Series - Stryker®)

Compatible with Stryker® Sagittal Saw Systems: 7, 6, 5, 4, 2000 & EHD

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
BR1-19100-47	mm	100	19	1.19	1.19
	in	3.94	0.75	0.047	0.047
Substitute for Stryker® 6118-119-100; ConMed® Linvatec® STK190-119-105					
No Tooth Offset 					
BR1-1990-50	mm	90	19	1.27	1.27
	in	3.54	0.75	0.050	0.050
Substitute for Stryker® 6118-127-090, 2108-382-000, 2108-382; ConMed® Linvatec® STK190-127-90					
No Tooth Offset 					
BR1-19100-50	mm	100	19	1.27	1.27
	in	3.94	0.75	0.050	0.050
Substitute for Stryker® 6118-127-100, 2108-385-000, 2108-385; ConMed® Linvatec® STK190-127-105					
No Tooth Offset 					
BR1-19110-50	mm	110	19	1.27	1.27
	in	4.33	0.75	0.050	0.050
Substitute for Stryker® 6118-127-110					
No Tooth Offset 					

Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating
BR2000™ (Aggressive Cut) - Proprietary (BR1 Series - Stryker®)

Compatible with Stryker® Sagittal Saw Systems: 7, 6, 5, 4, 2000 & EHD


Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
BR1-1990-54	mm	90	19	1.37	1.37
	in	3.54	0.75	0.054	0.054
Substitute for Stryker® 6118-137-090; ConMed® Linvatec® STK190-137-90					
No Tooth Offset 					
BR1-19100-54	mm	100	19	1.37	1.37
	in	3.94	0.75	0.054	0.054
Substitute for Stryker® 6118-137-100; ConMed® Linvatec® STK190-137-105					
No Tooth Offset 					
BR1-2190-39F	mm	90	21	0.99	0.99
	in	3.54	0.83	0.039	0.039
Substitute for Stryker® 6221-100-090; ConMed® Linvatec® STK193-100-90					
No Tooth Offset  *Flared Blade*					
BR1-2190-47F	mm	90	21	1.19	1.19
	in	3.54	0.83	0.047	0.047
Substitute for Stryker® to 6221-119-090, 4221-120-085; ConMed® Linvatec® STK193-119-90					
No Tooth Offset  *Flared Blade*					

Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating
BR2000™ (Aggressive Cut) - Proprietary (BR1 Series - Stryker®)

Compatible with Stryker® Sagittal Saw Systems: 7, 6, 5, 4, 2000 & EHD

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
BR1-2190-50F	mm	90	21	1.27	1.27
	in	3.54	0.83	0.050	0.050
Substitute for Stryker® 6221-127-090, 2108-382-001, 2108-382-1, 2108-382-003, 21080382-3; ConMed® Linvatec® STK193-127-90					


No Tooth Offset



Flared Blade

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
BR1-2190-50F	mm	90	21	1.27	1.27
	in	3.54	0.83	0.050	0.050
Substitute for Stryker® 6221-127-090, 2108-382-001, 2108-382-1, 2108-382-003, 21080382-3; ConMed® Linvatec® STK193-127-90					


No Tooth Offset



Flared Blade


Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
BR1-2590-35	mm	90	25	0.89	0.89
	in	3.54	0.98	0.035	0.035
Substitute for Stryker® 6125-089-090, 2108-302-000, 2108-302; ConMed® Linvatec® STK250-089-90					

No Tooth Offset



Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
BR1-2590-39	mm	90	25	0.99	0.99
	in	3.54	0.98	0.039	0.039
Substitute for Stryker® 6125-097-090, 2108-393-006, 2108-393-6; ConMed® Linvatec® STK250-100-90					

No Tooth Offset




Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating
BR2000™ (Aggressive Cut) - Proprietary (BR1 Series - Stryker®)

Compatible with Stryker® Sagittal Saw Systems: 7, 6, 5, 4, 2000 & EHD


Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
BR1-2590-39F	mm	90	25	0.99	0.99
	in	3.54	0.98	0.039	0.039
Substitute for Stryker® 2108-393-005, 2108-393-5					
BR1-2590-47	mm	90	25	1.19	1.19
	in	3.54	0.98	0.047	0.047
Substitute for Stryker® 6125-119-090, 2108-351-000, 2108-351; ConMed® Linvatec® STK250-119-90					
BR1-2590-47F	mm	90	25	1.19	1.19
	in	3.54	0.98	0.047	0.047
Substitute for Stryker® 2108-351-002, 2108-351-2					
BR1-2590-50	mm	90	25	1.27	1.27
	in	3.54	0.98	0.050	0.050
Substitute for Stryker® 6125-127-090, 2108-376-002, 2108-386-2; ConMed® Linvatec® STK250-127-90					

No Tooth Offset




Flared Blade

No Tooth Offset




No Tooth Offset



Flared Blade

No Tooth Offset




Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating
BR2000™ (Aggressive Cut) - Proprietary (BR1 Series - Stryker®)

Compatible with Stryker® Sagittal Saw Systems: 7, 6, 5, 4, 2000 & EHD


Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
BR1-25100-50	mm	100	25	1.27	1.27
	in	3.94	0.98	0.050	0.050
Substitute for Stryker® 6125-127-100 & 2108-328-000, 2108-328					

No Tooth Offset



BR1-2590-50F	mm	90	25	1.27	1.27
	in	3.54	0.98	0.050	0.050
Substitute for Stryker® 2108-383-000, 2108-383					


No Tooth Offset



Flared Blade


BR1-2590-54	mm	90	25	1.37	1.37
	in	3.54	0.98	0.054	0.054
Substitute for Stryker® 6125-137-090; ConMed® Linvatec® STK250-137-90					

No Tooth Offset



BR1-2590-54F	mm	90	25	1.37	1.37
	in	3.54	0.98	0.054	0.054
Substitute for N/A					

No Tooth Offset




Flared Blade

Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating
BR2000™ (Aggressive Cut) - Proprietary (BR1 Series - Stryker®)

Compatible with Stryker® Sagittal Saw Systems: 7, 6, 5, 4, 2000 & EHD


Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
BR1-2590-58	mm	90	25	1.47	1.47
	in	3.54	0.98	0.058	0.058
Substitute for Stryker® 6125-147-090; ConMed® Linvatec® STK250-147-90					

No Tooth Offset



BR1-2590-58F	mm	90	25	1.47	1.47
	in	3.54	0.98	0.058	0.058
Substitute for N/A					


No Tooth Offset



Flared Blade

BR1-3165-39F	mm	65	31	0.99	0.99
	in	2.56	1.22	0.039	0.039
Substitute for N/A					

No Tooth Offset




Flared Blade

Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating
BR2000™ (Aggressive Cut) - Proprietary - (K7 Series - ConMed® Linvatec®)

Compatible with ConMed® Linvatec® Oscillating Saw Systems: Hall 50™, MPower®, PowerPro® & VersiPower® Plus

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
K7-1270-50F	mm	70	12.5	1.27	1.27
	in	2.76	0.49	0.050	0.050
Substitute for ConMed® Linvatec® 5071-354					


No Tooth Offset



Flared Blade


K7-1290-35	mm	90	12.5	0.89	0.89
	in	3.54	0.49	0.035	0.035
Substitute for ConMed® Linvatec® 5071-340, T130-089-90, TN130-089-90, V130-089-90					

No Tooth Offset




K7-1290-47	mm	90	12.5	1.19	1.19
	in	3.54	0.49	0.047	0.047
Substitute for ConMed® Linvatec® 5071-343, T130-119-90, TN130-119-90, V130-119-90					

No Tooth Offset







K7-1290-50	mm	90	12.5	1.27	1.27
	in	3.54	0.49	0.050	0.050
Substitute for ConMed® Linvatec® 5071-344, T130-127-90, TN130-127-90, V130-127-90					

No Tooth Offset







Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating
BR2000™ (Aggressive Cut) - Proprietary - (K7 Series - ConMed® Linvatec®)

Compatible with ConMed® Linvatec® Oscillating Saw Systems: Hall 50™, MPower®, PowerPro® & VersiPower® Plus

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
K7-1990-35	mm	90	19	0.89	0.89
	in	3.54	0.75	0.035	0.035
Substitute for ConMed® Linvatec® 5071-300, T190-089-90, TN190-089-90, V190-089-90					
				*No Tooth Offset*	
K7-1990-47	mm	90	19	1.19	1.19
	in	3.54	0.75	0.047	0.047
Substitute for ConMed® Linvatec® 5071-303, T190-119-90, TN190-119-90, V190-119-90					
				*No Tooth Offset*	
K7-1990-50	mm	90	19	1.27	1.27
	in	3.54	0.75	0.050	0.050
Substitute for ConMed® Linvatec® 5071-304, T190-127-90, TN190-127-90, V190-127-90					
				*No Tooth Offset*	
K7-1990-54	mm	90	19	1.37	1.37
	in	3.54	0.75	0.054	0.054
Substitute for ConMed® Linvatec® 5071-305, T190-137-90, TN190-137-90, V190-137-90					
				*No Tooth Offset*	





Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating
BR2000™ (Aggressive Cut) - Proprietary - (K7 Series - ConMed® Linvatec®)

Compatible with ConMed® Linvatec® Oscillating Saw Systems: Hall 50™, MPower®, PowerPro® & VersiPower® Plus

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
K7-2190-39F	mm	90	21	0.99	0.99
	in	3.54	0.83	0.039	0.039
Substitute for ConMed® Linvatec® 5071-311, T193-100-90, TN193-100-90, V193-100-90					
 *No Tooth Offset* *Flared Blade*					
K7-2190-47F	mm	90	21	1.19	1.19
	in	3.54	0.83	0.047	0.047
Substitute for ConMed® Linvatec® 5071-313, T193-119-90, TN193-119-90, V193-119-90					
 *No Tooth Offset* *Flared Blade*					
K7-2190-50F	mm	90	21	1.27	1.27
	in	3.54	0.83	0.050	0.050
Substitute for ConMed® Linvatec® 5071-314, T193-127-90, TN193-127-90, V193-127-90					
 *No Tooth Offset* *Flared Blade*					
K7-2190-54F	mm	90	21	1.37	1.37
	in	3.54	0.83	0.054	0.054
Substitute for ConMed® Linvatec® 5071-315, T193-137-90, TN193-137-90, V193-137-90					
 *No Tooth Offset* *Flared Blade*					



Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating
BR2000™ (Aggressive Cut) - Proprietary - (K7 Series - ConMed® Linvatec®)

Compatible with ConMed® Linvatec® Oscillating Saw Systems: Hall 50™, MPower®, PowerPro® & VersiPower® Plus

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
K7-2590-35	mm	90	25	0.89	0.89
	in	3.54	0.98	0.035	0.035
Substitute for ConMed® Linvatec® 5071-320, T250-089-90, TN250-089-90, V250-089-90					
					*No Tooth Offset*
K7-2590-39	mm	90	25	0.99	0.99
	in	3.54	0.98	0.039	0.039
Substitute for ConMed® Linvatec® 5071-321, T250-100-90, TN250-100-90, V250-100-90					
					*No Tooth Offset*
K7-2590-47	mm	90	25	1.19	1.19
	in	3.54	0.98	0.047	0.047
Substitute for ConMed® Linvatec® 5071-323, T250-119-90, TN250-119-90, V250-119-90					
					*No Tooth Offset*
K7-2590-50	mm	90	25	1.27	1.27
	in	3.54	0.98	0.050	0.050
Substitute for ConMed® Linvatec® 5071-324, T250-127-90, TN250-127-90, V250-127-90					
					*No Tooth Offset*





Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating
BR2000™ (Aggressive Cut) - Proprietary - (K7 Series - ConMed® Linvatec®)

Compatible with ConMed® Linvatec® Oscillating Saw Systems: Hall 50™, MPower®, PowerPro® & VersiPower® Plus

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
K7-2590-54	mm	90	25	1.37	1.37
	in	3.54	0.98	0.054	0.054
Substitute for ConMed® Linvatec® 5071-325, T250-137-90, TN250-137-90, V250-137-90					
				*No Tooth Offset*	
K7-2590-58	mm	90	25	1.47	1.47
	in	3.54	0.98	0.058	0.058
Substitute for ConMed® Linvatec® 5071-326, T250-147-90, TN250-147-90, V250-147-90					
				*No Tooth Offset*	





Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating
BR2000™ (Aggressive Cut) - Proprietary - (K5 Series - DePuy® Synthes®)

Compatible with DePuy® Synthes® Large Bone Oscillating Saw Systems: Air Power Line, Battery Power Line, Compact Air Drive & Trauma Recon System (TRS) Sagittal Saw; Zimmer® Biomet® Large Bone Oscillating Saw System: Universal

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
K5-1290-35	mm	90	12.5	0.89	0.89
	in	3.54	0.49	0.035	0.035
Substitute for DePuy® Synthes® 05.002.201S, 05.003.100S; Zimmer® Biomet® 13-0900-89A-F1					
No Tooth Offset 					
K5-1290-39	mm	90	12.5	0.99	0.99
	in	3.54	0.49	0.039	0.039
Substitute for DePuy® Synthes® 05.002.405S, 05.003.102S; Zimmer® Biomet® 13-0901-00A-F1					
No Tooth Offset 					
K5-1290-47	mm	90	12.5	1.19	1.19
	in	3.54	0.49	0.047	0.047
Substitute for DePuy® Synthes® 05.002.202S, 05.003.104S; Zimmer® Biomet® 13-0901-19A-F1					
No Tooth Offset 					
K5-1290-50	mm	90	12.5	1.27	1.27
	in	3.54	0.49	0.050	0.050
Substitute for DePuy® Synthes® 05.002.203S, 05.003.106S; Zimmer® Biomet® 13-0901-27A-F1					
No Tooth Offset 					

Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating
BR2000™ (Aggressive Cut) - Proprietary - (K5 Series - DePuy® Synthes®)

Compatible with DePuy® Synthes® Large Bone Oscillating Saw Systems: Air Power Line, Battery Power Line, Compact Air Drive & Trauma Recon System (TRS) Sagittal Saw; Zimmer® Biomet® Large Bone Oscillating Saw System: Universal


Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
K5-1290-54	mm	90	12.5	1.37	1.37
	in	3.54	0.49	0.054	0.054
Substitute for DePuy® Synthes® 05.002.204S, 05.003.107S; Zimmer® Biomet® 13-0901-37A-F1					
No Tooth Offset 					
K5-1990-35	mm	90	19	0.89	0.89
	in	3.54	0.75	0.035	0.035
Substitute for DePuy® Synthes® 05.002.001S, 05.003.110S; Zimmer® Biomet® 19-0900-89A-F1					
No Tooth Offset 					
K5-1990-39	mm	90	19	0.99	0.99
	in	3.54	0.75	0.039	0.039
Substitute for DePuy® Synthes® 05.002.007S, 05.003.112S; Zimmer® Biomet® 19-0901-00A-F1					
No Tooth Offset 					
K5-1990-47	mm	90	19	1.19	1.19
	in	3.54	0.75	0.047	0.047
Substitute for DePuy® Synthes® 05.002.002S, 05.003.114S; Zimmer® Biomet® 19-0901-19A-G1					
No Tooth Offset 					

Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating
BR2000™ (Aggressive Cut) - Proprietary - (K5 Series - DePuy® Synthes®)

Compatible with DePuy® Synthes® Large Bone Oscillating Saw Systems: Air Power Line, Battery Power Line, Compact Air Drive & Trauma Recon System (TRS) Sagittal Saw; Zimmer® Biomet® Large Bone Oscillating Saw System: Universal


Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
K5-1990-50	mm	90	19	1.27	1.27
	in	3.54	0.75	0.050	0.050
Substitute for DePuy® Synthes® 05.002.003S, 05.003.116S; Zimmer® Biomet® 19-0901-27A-F1, 19-0901-27A-G1					

No Tooth Offset




K5-1990-54	mm	90	19	1.37	1.37
	in	3.54	0.75	0.054	0.054
Substitute for DePuy® Synthes® 05.002.004S, 05.003.117S; Zimmer® Biomet® 19-0901-37A-G1					

No Tooth Offset



K5-2190-39F	mm	90	21	0.99	0.99
	in	3.54	0.83	0.039	0.039
Substitute for DePuy® Synthes® 05.002.306S, 05.003.122S; Zimmer® Biomet® 21-0901-00A-L1					


No Tooth Offset



Flared Blade

K5-2190-47F	mm	90	21	1.19	1.19
	in	3.54	0.83	0.047	0.047
Substitute for DePuy® Synthes® 05.002.302S, 05.003.124S; Zimmer® Biomet® 21-0901-19A-V1					





No Tooth Offset



Flared Blade





Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating
BR2000™ (Aggressive Cut) - Proprietary - (K5 Series - DePuy® Synthes®)

Compatible with DePuy® Synthes® Large Bone Oscillating Saw Systems: Air Power Line, Battery Power Line, Compact Air Drive & Trauma Recon System (TRS) Sagittal Saw; Zimmer® Biomet® Large Bone Oscillating Saw System: Universal

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
K5-2190-50F	mm	90	21	1.27	1.27
	in	3.54	0.83	0.050	0.050
Substitute for DePuy® Synthes® 05.002.303S, 05.003.126S; Zimmer® Biomet® 21-0901-27A-V1					
				*No Tooth Offset* *Flared Blade*	
K5-2190-54F	mm	90	21	1.37	1.37
	in	3.54	0.83	0.054	0.054
Substitute for DePuy® Synthes® 05.002.304S, 05.003.127S; Substitute for Zimmer® Biomet® 21-0901-37A-V1					
				*No Tooth Offset* *Flared Blade*	
K5-2590-35	mm	90	25	0.89	0.89
	in	3.54	0.98	0.035	0.035
Substitute for DePuy® Synthes® 05.002.101S, 05.003.130S; Zimmer® Biomet® 25-0900-89A-F1					
				*No Tooth Offset*	
K5-2590-39	mm	90	25	0.99	0.99
	in	3.54	0.98	0.039	0.039
Substitute for DePuy® Synthes® 05.002.106S, 05.003.132S; Zimmer® Biomet® 25-0901-00A-F1					
				*No Tooth Offset*	

Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating
BR2000™ (Aggressive Cut) - Proprietary - (K5 Series - DePuy® Synthes®)

Compatible with DePuy® Synthes® Large Bone Oscillating Saw Systems: Air Power Line, Battery Power Line, Compact Air Drive & Trauma Recon System (TRS) Sagittal Saw; Zimmer® Biomet® Large Bone Oscillating Saw System: Universal

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
K5-2590-47	mm	90	25	1.19	1.19
	in	3.54	0.98	0.047	0.047
Substitute for DePuy® Synthes® 05.002.102S, 05.003.134S; Zimmer® Biomet® 25-0901-19A-B1, 25-0901-19A-F1, 25-0901-19A-G1					
					*No Tooth Offset*
K5-2590-50	mm	90	25	1.27	1.27
	in	3.54	0.98	0.050	0.050
Substitute for DePuy® Synthes® 05.002.103S, 05.003.136S; Zimmer® Biomet® 25-0901-27A-B1, 25-0901-27A-F1, 25-0901-27A-G1					
					*No Tooth Offset*
K5-2590-54	mm	90	25	1.37	1.37
	in	3.54	0.98	0.054	0.054
Substitute for DePuy® Synthes® 05.002.104S, 05.003.137S; Zimmer® Biomet® 25-0901-37A-B1, 25-0901-37A-G1					
					*No Tooth Offset*
K5-2590-58	mm	90	25	1.47	1.47
	in	3.54	0.98	0.058	0.058
Substitute for DePuy® Synthes® 05.002.105S, 05.003.139S; Zimmer® Biomet® 25-0901-47A-B1					
					*No Tooth Offset*

Brasseler USA® K-Wires - Smooth/Plain

Fabricated from precision ground 316L implant grade stainless steel (ASTM F 138).



1. Single Trocar
3-Sided Point; Point on One End



2. Double Trocar
3-Sided Point; Point on Both Ends



3. Single Diamond
2-Sided Point; Point on One End



4. Double Diamond
2-Sided Point; Point on Both Ends

Point Style	Diameter		Order Number					
			4" Length		6" Length		9" Length	
	mm	in	Non-Sterile (6/pk)	Sterile (1/pk)	Non-Sterile (6/pk)	Sterile (1/pk)	Non-Sterile (6/pk)	Sterile (1/pk)
1.	0.7	.028	**KM172-14-28**	**KM172-14-28S**	**KM172-16-28**	**KM172-16-28S**	–	–
	0.9	.035	**KM172-14-35**	**KM172-14-35S**	**KM172-16-35**	**KM172-16-35S**	**KM172-19-35**	**KM172-19-35S**
	1.1	.045	**KM172-14-45**	**KM172-14-45S**	**KM172-16-45**	**KM172-16-45S**	**KM172-19-45**	**KM172-19-45S**
	1.4	.054	**KM172-14-54**	**KM172-14-54S**	**KM172-16-54**	**KM172-16-54S**	**KM172-19-54**	**KM172-19-54S**
	1.6	.062	**KM172-14-62**	**KM172-14-62S**	**KM172-16-62**	**KM172-16-62S**	**KM172-19-62**	**KM172-19-62S**
2.	0.7	.028	**KM172-24-28**	**KM172-24-28S**	**KM172-26-28**	**KM172-26-28S**	**KM172-29-28**	**KM172-29-28S**
	0.9	.035	**KM172-24-35**	**KM172-24-35S**	**KM172-26-35**	**KM172-26-35S**	**KM172-29-35**	**KM172-29-35S**
	1.1	.045	**KM172-24-45**	**KM172-24-45S**	**KM172-26-45**	**KM172-26-45S**	**KM172-29-45**	**KM172-29-45S**
	1.4	.054	**KM172-24-54**	**KM172-24-54S**	**KM172-26-54**	**KM172-26-54S**	**KM172-29-54**	**KM172-29-54S**
	1.6	.062	**KM172-24-62**	**KM172-24-62S**	**KM172-26-62**	**KM172-26-62S**	**KM172-29-62**	**KM172-29-62S**
3.	0.7	.028	–	–	**KM172-36-28**	–	**KM172-39-28**	–
	0.9	.035	–	–	**KM172-36-35**	–	**KM172-39-35**	–
	1.1	.045	–	–	**KM172-36-45**	–	**KM172-39-45**	–
	1.4	.054	–	–	–	–	**KM172-39-54**	–
	1.6	.062	–	–	**KM172-36-62**	–	**KM172-39-62**	–
4.	0.7	.028	**KM172-44-28**	**KM172-44-28S**	**KM172-46-28**	**KM172-46-28S**	**KM172-49-28**	**KM172-49-28S**
	0.9	.035	**KM172-44-35**	**KM172-44-35S**	**KM172-46-35**	**KM172-46-35S**	**KM172-49-35**	**KM172-49-35S**
	1.1	.045	**KM172-44-45**	**KM172-44-45S**	**KM172-46-45**	**KM172-46-45S**	**KM172-49-45**	**KM172-49-45S**
	1.4	.054	**KM172-44-54**	**KM172-44-54S**	**KM172-46-54**	**KM172-46-54S**	**KM172-49-54**	**KM172-49-54S**
	1.6	.062	**KM172-44-62**	**KM172-44-62S**	**KM172-46-62**	**KM172-46-62S**	**KM172-49-62**	**KM172-49-62S**

Sterilization Parameters

Steam Sterilization Type	Minimum Temperature	Minimum Exposure Time	Minimum Dry Time
Pre-Vacuum (Wrapped)	*270°F (132°C)*	*4 minutes*	*30 minutes*
Gravity (Wrapped)	*270°F (132°C)*	*15 minutes*	*15 minutes*

- All cycles require a minimum of 30 minutes dry time.
- Observe AAMI and hospital guidelines for steam sterilization and the sterilizer manufacturer's written instructions for cycle parameters and load configurations.

Items not shown at actual size.

Brasseler USA® K-Wires - Smooth / Plain - Extra Sharp

Fabricated from precision ground 316L Implant grade stainless steel (ASTM F 138).



4. Double Diamond
2-Sided Point; Point on Both Ends

Point Style	Diameter		Order Number	
			4" Length	6" Length
	mm	in	Sterile (1/pk)	Sterile (1/pk)
4.	0.7	.028	**KM172-44-28ESS**	**–**
	0.9	.035	**KM172-44-35ESS**	**–**
	1.1	.045	**KM172-44-45ESS**	**KM172-46-45ESS**
	1.6	.062	**KM172-44-62ESS**	**KM172-46-62ESS**

Sterilization Parameters

Steam Sterilization Type	Minimum Temperature	Minimum Exposure Time	Minimum Dry Time
Pre-Vacuum (Wrapped)	*270°F (132°C)*	*4 minutes*	*30 minutes*
Gravity (Wrapped)	*270°F (132°C)*	*15 minutes*	*15 minutes*

- All cycles require a minimum of 30 minutes dry time.
- Observe AAMI and hospital guidelines for steam sterilization and the sterilizer manufacturer's written instructions for cycle parameters and load configurations.

Items not shown at actual size.

Brasseler USA® K-Wires - Fully Threaded

Fabricated from precision ground 316L implant grade stainless steel (ASTM F 138).



1. Single Trocar
3-Sided Point; Point on One End



2. Double Trocar
3-Sided Point; Point on Both Ends



3. Single Diamond
2-Sided Point; Point on One End



4. Double Diamond
2-Sided Point; Point on Both Ends

Point Style	Diameter		Order Number 9" Length	
	mm	in	Non-Sterile (6/pk)	Sterile (1/pk)
1.	0.9	.035	**KM173-19-35**	**KM173-19-35S**
	1.1	.045	**KM173-19-45**	**KM173-19-45S**
	1.4	.054	–	–
	1.6	.062	**KM173-19-62**	**KM173-19-62S**
2.	0.9	.035	**KM173-29-35**	**KM173-29-35S**
	1.1	.045	**KM173-29-45**	**KM173-29-45S**
	1.4	.054	**KM173-29-54**	**KM173-29-54S**
	1.6	.062	**KM173-29-62**	**KM173-29-62S**
3.	0.9	.035	**KM173-39-35**	**KM173-39-35S**
	1.1	.045	**KM173-39-45**	**KM173-39-45S**
	1.4	.054	**KM173-39-54**	**KM173-39-54S**
	1.6	.062	**KM173-39-62**	**KM173-39-62S**
4.	0.9	.035	**KM173-49-35**	**KM173-49-35S**
	1.1	.045	**KM173-49-45**	**KM173-49-45S**
	1.4	.054	**KM173-49-54**	**KM173-49-54S**
	1.6	.062	**KM173-49-62**	**KM173-49-62S**

Sterilization Parameters

Steam Sterilization Type	Minimum Temperature	Minimum Exposure Time	Minimum Dry Time
Pre-Vacuum (Wrapped)	*270°F (132°C)*	*4 minutes*	*30 minutes*
Gravity (Wrapped)	*270°F (132°C)*	*15 minutes*	*15 minutes*

- All cycles require a minimum of 30 minutes dry time.
- Observe AAMI and hospital guidelines for steam sterilization and the sterilizer manufacturer's written instructions for cycle parameters and load configurations.

Items not shown at actual size.

Brasseler USA® Steinmann Pins - Smooth/Plain

Fabricated from precision ground 316L implant grade stainless steel (ASTM F 138).



1. Single Trocar
3-Sided Point; Point on One End



2. Double Trocar
3-Sided Point; Point on Both Ends



3. Single Diamond
2-Sided Point; Point on One End



4. Double Diamond
2-Sided Point; Point on Both Ends

Point Style	Diameter		Order Number 9" Length	
	mm	in	Non-Sterile (6/pk)	Sterile (1/pk)
1.	2.0	5/64	**KM168-19-56**	**KM168-19-56S**
	2.4	3/32	**KM168-19-33**	**KM168-19-33S**
	2.8	7/64	**KM168-19-76**	**KM168-19-76S**
	3.2	1/8	**KM168-19-18**	**KM168-19-18S**
	3.6	9/64	**KM168-19-96**	**KM168-19-96S**
	4.0	5/32	**KM168-19-53**	**KM168-19-53S**
	4.8	3/16	**KM168-19-31**	**KM168-19-31S**
2.	2.0	5/64	**KM168-29-56**	**KM168-29-56S**
	2.4	3/32	**KM168-29-33**	**KM168-29-33S**
	2.8	7/64	**KM168-29-76**	**KM168-29-76S**
	3.2	1/8	**KM168-29-18**	**KM168-29-18S**
	3.6	9/64	**KM168-29-96**	**KM168-29-96S**
	4.0	5/32	**KM168-29-53**	**KM168-29-53S**
	4.8	3/16	**KM168-29-31**	**KM168-29-31S**

Point Style	Diameter		Order Number 9" Length	
	mm	in	Non-Sterile (6/pk)	Sterile (1/pk)
3.	2.0	5/64	**KM168-39-56**	**KM168-39-56S**
	2.4	3/32	**KM168-39-33**	**KM168-39-33S**
	2.8	7/64	**KM168-39-76**	**KM168-39-76S**
	3.2	1/8	**KM168-39-18**	**KM168-39-18S**
	3.6	9/64	**KM168-39-96**	**KM168-39-96S**
	4.0	5/32	**KM168-39-53**	**KM168-39-53S**
	4.8	3/16	**KM168-39-31**	**KM168-39-31S**
4.	2.0	5/64	**KM168-49-56**	**KM168-49-56S**
	2.4	3/32	**KM168-49-33**	**KM168-49-33S**
	2.8	7/64	**KM168-49-76**	**KM168-49-76S**
	3.2	1/8	**KM168-49-18**	**KM168-49-18S**
	3.6	9/64	**KM168-49-96**	**KM168-49-96S**
	4.0	5/32	**KM168-49-53**	**KM168-49-53S**
	4.8	3/16	**KM168-49-31**	**KM168-49-31S**

Sterilization Parameters


Steam Sterilization Type	Minimum Temperature	Minimum Exposure Time	Minimum Dry Time
Pre-Vacuum (Wrapped)	*270°F (132°C)*	*4 minutes*	*30 minutes*
Gravity (Wrapped)	*270°F (132°C)*	*15 minutes*	*30 minutes*

- All cycles require a minimum of 30 minutes dry time.
- Observe AAMI and hospital guidelines for steam sterilization and the sterilizer manufacturer's written instructions for cycle parameters and load configurations.

Items not shown at actual size.

Brasseler USA® Steinmann Pins - Fully Threaded


Fabricated from precision ground 316L implant grade stainless steel (ASTM F 138).




1. Single Trocar
3-Sided Point; Point on One End



2. Double Trocar
3-Sided Point; Point on Both Ends



3. Single Diamond
2-Sided Point; Point on One End



4. Double Diamond
2-Sided Point; Point on Both Ends

Point Style	Diameter		Order Number 9" Length	
	mm	in	Non-Sterile (6/pk)	Sterile (1/pk)
1.	2.0	5/64	**KM169-19-56**	**KM169-19-56S**
	2.4	3/32	**KM169-19-33**	**KM169-19-33S**
	2.8	7/64	**KM169-19-76**	**KM169-19-76S**
	3.2	1/8	**KM169-19-18**	**KM169-19-18S**
	3.6	9/64	**KM169-19-96**	**KM169-19-96S**
	4.0	5/32	**KM169-19-53**	**KM169-19-53S**
	4.8	3/16	**KM169-19-31**	**KM169-19-31S**
2.	2.0	5/64	**KM169-29-56**	**KM169-29-56S**
	2.4	3/32	**KM169-29-33**	**KM169-29-33S**
	2.8	7/64	**KM169-29-76**	**KM169-29-76S**
	3.2	1/8	**KM169-29-18**	**KM169-29-18S**
	3.6	9/64	**KM169-29-96**	**KM169-29-96S**
	4.0	5/32	**KM169-29-53**	**KM169-29-53S**
	4.8	3/16	**KM169-29-31**	**KM169-29-31S**

Point Style	Diameter		Order Number 9" Length	
	mm	in	Non-Sterile (6/pk)	Sterile (1/pk)
3.	2.0	5/64	**KM169-39-56**	**KM169-39-56S**
	2.4	3/32	**KM169-39-33**	**KM169-39-33S**
	2.8	7/64	**KM169-39-76**	**KM169-39-76S**
	3.2	1/8	**KM169-39-18**	**KM169-39-18S**
	3.6	9/64	**KM169-39-96**	**KM169-39-96S**
	4.0	5/32	**KM169-39-53**	**KM169-39-53S**
	4.8	3/16	**KM169-39-31**	**KM169-39-31S**
4.	2.0	5/64	**KM169-49-56**	**KM169-49-56S**
	2.4	3/32	**KM169-49-33**	**KM169-49-33S**
	2.8	7/64	**KM169-49-76**	**KM169-49-76S**
	3.2	1/8	**KM169-49-18**	**KM169-49-18S**
	3.6	9/64	**KM169-49-96**	**KM169-49-96S**
	4.0	5/32	**KM169-49-53**	**KM169-49-53S**
	4.8	3/16	**KM169-49-31**	**KM169-49-31S**

Sterilization Parameters

Steam Sterilization Type	Minimum Temperature	Minimum Exposure Time	Minimum Dry Time
Pre-Vacuum (Wrapped)	*270°F (132°C)*	*4 minutes*	*30 minutes*
Gravity (Wrapped)	*270°F (132°C)*	*15 minutes*	*30 minutes*

- All cycles require a minimum of 30 minutes dry time.
- Observe AAMI and hospital guidelines for steam sterilization and the sterilizer manufacturer's written instructions for cycle parameters and load configurations.

Items not shown at actual size.

Brasseler USA® Sterilization Trays - K-Wires & Steinmann Pins

Fabricated from anodized aluminum.



Order Number		KM-9701
Non-Sterile (1/pk)		
Product Description		K-Wire Sterilization Tray
Threaded & Plain Lengths	mm	101.6 - 228.6
	in	4 - 9
K-Wire Diameters	mm	.7, .9, 1.1, 1.4, 1.6
	in	.028, .035, .045, .054, .062
# of K-Wires ea.		Up to 8 per size
Steinmann Pin Diameters	mm	–
	in	–
# of Steinmann Pins ea.		–



Order Number		KM-9702
Non-Sterile (1/pk)		
Product Description		Steinmann Pin Sterilization Tray
Threaded & Plain Lengths	mm	101.6 - 228.6
	in	4 - 9
K-Wire Diameters	mm	–
	in	–
# of K-Wires ea.		–
Steinmann Pin Diameters	mm	2.0, 2.4, 2.8, 3.2, 3.6, 4.0, 4.8
	in	5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16
# of Steinmann Pins ea.		Up to 5 per size












Order Number		KM-9703
Non-Sterile (1/pk)		
Product Description		K-Wire & Steinmann Pin Sterilization Tray
Threaded & Plain Lengths	mm	101.6 - 228.6
	in	4 - 9
K-Wire Diameters	mm	.7, .9, 1.1, 1.4, 1.6
	in	.028, .035, .045, .054, .062
# of K-Wires ea.		Up to 4 per size
Steinmann Pin Diameters	mm	2.0, 2.4, 2.8, 3.2, 3.6, 4.0, 4.8
	in	5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16
# of Steinmann Pins ea.		Up to 4 per size

Items not shown at actual size. Dimensions for each sterilization tray are 11" x 4.125" x 1.375" (L x W x H).

Brasseler USA® Twist Drills - Standard - 5 Inch Length

Fabricated from autoclavable stainless steel.

Order Number		Diameter	
Non-Sterile (6/pk)	Sterile (1/pk)	mm	in
KM166-00-00	**KM166-10-00**	1.6	1/16
			
KM166-00-01	**KM166-10-01**	2.0	5/64
			
KM166-00-02	**KM166-10-02**	2.4	3/32
			
KM166-00-03	**KM166-10-03**	2.8	7/64
			
KM166-00-04	**KM166-10-04**	3.2	1/8
			
KM166-00-05	**KM166-10-05**	3.6	9/64
			
KM166-00-06	**KM166-10-06**	4.0	5/32
			
KM166-00-07	**KM166-10-07**	4.8	3/16
			
KM166-00-08	**KM166-10-08**	6.4	1/4
			

Sterilization Parameters



Steam Sterilization Type	Minimum Temperature	Minimum Exposure Time	Minimum Dry Time
Pre-Vacuum (Wrapped)	*270°F (132°C)*	*4 minutes*	*30 minutes*
Gravity (Wrapped)	*270°F (132°C)*	*15 minutes*	*30 minutes*

- All cycles require a minimum of 30 minutes dry time.
- Observe AAMI and hospital guidelines for steam sterilization and the sterilizer manufacturer's written instructions for cycle parameters and load configurations.

Brasseler USA® Quick Connect Twist Drills - Solid Replacements - DePuy® Synthes®

Compatible with DePuy® Synthes® Quick Connect Coupling

Fabricated from autoclavable stainless steel. Features one piece construction.








Order Number		Replaces		Diameter (mm)	Total Length (mm)	Effective Length (mm)	Number of Flutes
Non-Sterile (1/pk)	Sterile* (1/pk)	Non-Sterile	Sterile				
KM166-310-11	**KM166-310-11S**	310.11	310.11S	1.1	60	35	2
							
KM166-310-15	**KM166-310-15S**	310.15	310.15S	1.5	87	61	2
							
KM166-310-16	**KM166-310-16S**	310.16	310.16S	1.5	111	86	2
							
KM166-310-19	**KM166-310-19S**	310.19	310.19S	2.0	100	75	2
							
KM166-310-21	**KM166-310-21S**	310.21	310.21S	2.0	125	100	2
							
KM166-310-23	**KM166-310-23S**	310.23	310.23S	2.5	181	156	2
						*TiN - Titanium Nitride Coating*	
KM166-310-25	**KM166-310-25S**	310.25	310.25S	2.5	111	86	2
						*TiN - Titanium Nitride Coating*	
KM166-310-26	**KM166-310-26S**	310.26	310.26S	2.7	102	76	2
							

Items not shown at actual size

Brasseler USA® Quick Connect Twist Drills - Solid Replacements - DePuy® Synthes®

Compatible with DePuy® Synthes® Quick Connect Coupling

Fabricated from autoclavable stainless steel. Features one piece construction.





Order Number		Replaces		Diameter (mm)	Total Length (mm)	Effective Length (mm)	Number of Flutes
Non-Sterile (1/pk)	Sterile* (1/pk)	Non-Sterile	Sterile				
KM166-310-28	**KM166-310-28S**	310.28	310.28S	2.7	126	100	2
							
KM166-310-29	**KM166-310-29S**	310.29	310.29S	3.2	196	170	2
							
KM166-310-31	**KM166-310-31S**	310.31	310.31S	3.2	147	121	2
							
KM166-310-35	**KM166-310-35S**	310.35	310.35S	3.5	112	86	2
							
KM166-310-37	**KM166-310-37S**	310.37	310.37S	3.5	196	171	2
							
KM166-310-44	**KM166-310-44S**	310.44	310.44S	4.5	147	121	2
							
KM166-310-48	**KM166-310-48S**	310.48	310.48S	4.5	195	170	2
							
KM166-310-288	**N/A**	310.288	N/A	2.8	165	140	2
							

Items not shown at actual size

Brasseler USA® Quick Connect Twist Drills - Solid Replacements - DePuy® Synthes®

Compatible with DePuy® Synthes® Quick Connect Coupling

Fabricated from autoclavable stainless steel. Features one piece construction.

Order Number		Replaces		Diameter (mm)	Total Length (mm)	Effective Length (mm)	Number of Flutes
Non-Sterile (1/pk)	Sterile* (1/pk)	Non-Sterile	Sterile				
KM166-310-509	**N/A**	310.509	N/A	1.8	110	85	2
							
KM166-310-530	**KM166-310-530S**	310.530	310.530S	2.4	100	75	2
							
KM166-315-28	**N/A**	315.28	N/A	2.7	127	102	3
							
KM166-323-062	**N/A**	323.062	N/A	2.0	140	1145	3
							
KM166-324-214	**N/A**	324.214	N/A	2.8	197	171	3
							
KM166-357-407	**N/A**	357.407	N/A	4.0	260	235	3
							

Sterilization Parameters

Steam Sterilization Type	Minimum Temperature	Minimum Exposure Time	Minimum Dry Time
Pre-Vacuum (Wrapped)	*270°F (132°C)*	*4 minutes*	*30 minutes*
Gravity (Wrapped)	*270°F (132°C)*	*15 minutes*	*30 minutes*





- All cycles require a minimum of 30 minutes dry time.
- Observe AAMI and hospital guidelines for steam sterilization and the sterilizer manufacturer's written instructions for cycle parameters and load configurations.

Items not shown at actual size


Brasseler USA® Quick Connect Twist Drills - Cannulated Replacements - DePuy® Synthes®

Compatible with DePuy® Synthes® Quick Connect Coupling

Fabricated from autoclavable stainless steel. Features one piece construction.

Order Number Non-Sterile (1/pk)	Replaces (Non-Sterile)	Diameter (mm)	Cannulation (mm)	Total Length (mm)	Effective Length (mm)	Number of Flutes
KM166-310-65	310.65	3.2	1.7	170	139	3
						
KM166-310-66	310.66	4.5	1.7	170	139	3
						
KM166-310-67	310.67	2.7	1.4	160	130	3
						
KM166-310-68	310.68	3.5	1.4	160	130	3
						
KM166-310-221	310.221	2.0	1.2	150	50	3
						

Note: Because of their hollow cross section, cannulated drill bits are more susceptible to breakage than solid drill bits of the same diameter. Use less axial force, avoid bending and advance the drill bit slowly to minimize the possibility of breakage.



Sterilization Parameters

Steam Sterilization Type	Minimum Temperature	Minimum Exposure Time	Minimum Dry Time
Pre-Vacuum (Wrapped)	*270°F (132°C)*	*4 minutes*	*30 minutes*
Gravity (Wrapped)	*270°F (132°C)*	*15 minutes*	*30 minutes*


- All cycles require a minimum of 30 minutes dry time.
- Observe AAMI and hospital guidelines for steam sterilization and the sterilizer manufacturer's written instructions for cycle parameters and load configurations.

Items not shown at actual size

Brasseler USA® Orthopaedic Pin / Drill Packs Replacements - DePuy® Synthes®

Compatible with DePuy® Synthes® Knee Instrumentation Systems

Fabricated from 17-4 stainless steel.




Order Number	Product Description	Diameter		Length		Packaging
		in	mm	in	mm	
BMA-S90006S	Fixation Pin (Round End & Trocar Point)	1/8	3.1	3.0	76.2	4 Pins Per Pack - Sterile
Replaces 2490-95-000, 2490-95						
						
BMA-S90007S	Fixation Pin (Triangular End & Trocar Point) & Twist Drills (Round End)	1/8	3.1	3.0	76.2	4 Pins & 2 Drills Per Pack - Sterile
Replaces 86-4192, 86-4192-000						
						

Items not shown at actual size.

Brasseler USA® Orthopaedic Pin / Drill Packs - Replacements - Stryker®

Compatible with Stryker® Knee Instrumentation Systems

Fabricated from 17-4 stainless steel.

Order Number	Product Description	Diameter		Length		Packaging
		in	mm	in	mm	
BMA-S90008S	Headless Pin (Square End & Trocar Point)	1/8	3.1	3.5	88.9	4 Pins Per Pack - Sterile
Replaces 7650-2038, 7650-1038						
						
BMA-S90010S	Headless Pin, Fluted (Square End & Trocar Point)	1/8	3.1	3.2	88.9	4 Pins Per Pack - Sterile
Replaces 7650-2038A, 7650-1038A						
						
BMA-S90012S	Headless Pin (Square End & Trocar Point)	1/8	3.1	3.0	76.2	4 Pins Per Pack - Sterile
Replaces 6541-4-003, 6541-004-003						
						


Items not shown at actual size.

Brasseler USA® Orthopaedic Pin / Drill Packs – Replacements - Zimmer® Biomet®

Compatible with Zimmer® Biomet® Knee Instrumentation Systems

Fabricated from 17-4 stainless steel.

Order Number	Product Description	Diameter		Length		Packaging
		in	mm	in	mm	
ZB00-5901-020-00	Headless Drill Pin (Hex End & Trocar Point)	1/8	3.2	2.95	75.0	4 Pins Individually Sterile Packaged Per Box
Replaces 00-5901-020-00						



Items not shown at actual size.

Brasseler USA® Guide Wire Replacement - DePuy® Synthes®

Compatible with DePuy® Synthes® 4.0 Cannulated Screw



Fabricated from 17-4 stainless steel.

Order Number	Product Description	Diameter		Length		Packaging
		in	mm	in	mm	
BR900-722	Threaded Guide Wire with Diamond Point	0.049	1.25	5.9	150.0	1 Pin Per Pack - Non-Sterile
Replaces 900.722						
						

Items not shown at actual size.

Brasseler USA® Cast Cutter Saw Blades

Blades cut both plaster and synthetic casting materials.


Order Number	Cut Depth		Cut Width		Material Thickness		Cut Thickness	
Non-Sterile (1/pk)	mm	in	mm	in	mm	in	mm	in
KM-500	20	0.80	63.5	2.5	.60	0.024	1.00	0.040
								
KM-505	20	0.80	63.5	2.5	.60	0.024	.80	0.030
								

Items not shown at actual size.

Brasseler USA® Metal Inventory Control Cabinets


Order Number	Width (w)		Height (h)		Depth (d)	
	cm	in	cm	in	cm	in
19-416	43.2	17.0	28.0	11.0	28.0	11.0

Sixteen Drawers



19-909	43.2	17.0	28.0	11.0	28.0	11.0

Nine Drawers



Items not shown at actual size.

BRASSELER USA®

Table of Contents











Index		
Cross Reference		117 - 137
Large Bone Saw Blades		
	Compatible with Stryker® Sagittal Saw Systems: 7, 6, 5, 4, 2000 & EHD	138 - 162
	Compatible with Stryker® Reciprocating Saw Systems: 7, 6, 5, 4, 2000, EHD & OrthoPower	163 - 164
Accessories - Orthopaedic Pin/Drill Packs		
	Compatible with Stryker® Knee Instrumentation Systems	165
Small Bone Saw Blades/Rasps		
	Compatible with Stryker® Oscillating & Sagittal Saw Systems: SABO®, Cordless Driver (Sagittal Saw Attachment), RemB™, CORE, TPS™ & Command 2	166 - 174
	Compatible with Stryker® Reciprocating Saw Systems: RemB™, CORE, TPS™ & Command 2	175 - 176
	Compatible with Stryker® Oscillating Saw System: Micro	177
	Compatible with Stryker® Reciprocating Saw System: Micro	178 - 179

Table of Contents

Sternum Saw Blades		
	Compatible with Stryker® Sternum Saw Systems: 7, 6, 5, 4, 2000, EHD & OrthoPower	180 - 181
	Compatible with Stryker® Sagittal Saw Systems: 7, 6, 5, 4, 2000 & EHD	182
High Speed Burs		
	Compatible with High Speed Drill Systems: Stryker® CORE & TPS™; ConMed® Linvatec® UltraPower®; Medtronic® Midas Rex® Classic I & II	183 - 187
Standard & Oral Surgery Burs		
	Compatible with Stryker® Micro Drill Systems: RemB™, CORE, TPS™ & Command 2	188 - 198
	Compatible with Stryker® Impaction Drills: 100K, CMD, CORE & Oral Max	199 - 201

Command 2, CORE, OrthoPower, RemB™, SABO®, Stryker® and TPS™ are trademarks of Stryker Corporation or its affiliates.
ConMed®, Linvatec® and UltraPower® are registered trademarks of CONMED Corporation or its affiliates.
Medtronic® and Midas Rex® are registered trademarks of Medtronic, Inc., or its affiliates.
Synvasive® is a registered trademark of Synvasive Technology, Inc., or its affiliates.
Brasseler USA® and BR2000™ are trademarks of Peter Brasseler Holdings, LLC, or its affiliates.

Cross Reference

Stryker®	Brasseler USA®	Page Number(s)
700351	KM166-310-23	104, 297
700358	KM166-310-31	105, 298
700359	KM166-310-44	105, 298
702449	KM166-310-67	107, 300
702450	KM166-310-68	107, 300
702453	KM166-310-221	104, 297
5120-10-30	KM-M330U	184, 253, 325
5130-10-30	KM-AM330U	186, 255, 327
5220-10-30	KM-M330U	184, 253, 325
5230-10-30	KM-AM330U	186, 255, 327
5300-4-28	KM172-24-28S	97
5300-6-28	KM172-26-28S	97
5300-9-28	KM172-29-28S	97
1675113	KM-802	179
1675115	KM-801	179
1675116	KM-800	179
2108100	BR2108-100	151
2108102	BR2108-102	151
2108103	BR2108-103	151
2108105	BR2108-105	151
2108109	BR2108-109	152
2108110	BR2108-110	152
2108111	BR2108-111	153
2108113	BR2108-113	153
2108115	BR2108-115	153
2108118	BR2108-118	153
2108120	BR2108-120	154
2108125	BR2108-125	154
2108140	BR2108-140	154
2108145	BR2108-145	154
2108148	BR2108-148	155
2108150	BR2108-150	155
2108151	BR2108-151	155
2108152	BR2108-152	155
2108155	BR2108-155	156
2108156	BR2108-156	156

Stryker®	Brasseler USA®	Page Number(s)
2108158	BR2108-158	156
2108160	BR2108-160	156
2108176	BR2108-176	157
2108177	BR2108-177	157
2108182	BR2108-182	157
2108183	BR2108-183	157
2108185	BR2108-185	158
2108189	BR2108-189	158
2108193	BR2108-193	158
2108195	BR2108-195	159
2108197	BR2108-197	159
2108218	BR2108-218	159
2108302	BR1-2590-35	83, 142
2108328	BR1-25100-50	85, 144
2108351	BR1-2590-47	84, 143
2108352	BR1-1290-47	79, 138
2108356	BR1-1290-50	79, 138
2108377	BR1-2590-50	84, 143
2108382	BR1-1990-50	81, 140
2108383	BR1-2590-50F	85, 144
2108385	BR1-19100-50	81, 140
2296351	KM3-51	166, 170
5500935	KM173-29-35S	99
5500945	KM173-29-45S	99
5500954	KM173-29-54S	99
5500962	KM173-29-62S	99
21081023	BR1-2590-35	83, 142
21081028	BR1-2590-35	83, 142
21081079	BR2108-107-9	152
21081091	BR1-1990-35	80, 139
21081094	BR1-1990-50	81, 140
21081101	BR1-25100-50	85, 144
21081102	BR1-2590-50	84, 143
21081104	BR1-25100-50	85, 144
21081106	BR1-2590-50	84, 143
21081511	BR1-2590-47	84, 143

Cross Reference

Stryker®	Brasseler USA®	Page Number(s)
21081526	BR1-1290-35	79, 138
21081621	BR1-2590-50	84, 143
21081762	BR1-2590-58	86, 145
21081763	BR1-2590-58	86, 145
21081826	BR1-1990-50	81, 140
21081851	BR1-19100-50	81, 140
21081852	BR1-19100-50	81, 140
21083512	BR1-2590-47F	84, 143
21083762	BR1-2590-50	84, 143
21083821	BR1-2190-50F	83, 142
21083822	BR1-2190-54F	142
21083823	BR1-2190-50F	83, 142
21083935	BR1-2590-39F	84, 143
21083936	BR1-2590-39	83, 142
22963101	KM3-101	166
22963102	KM3-102	166
22963103	KM3-103	166
22963104	KM3-104	166
22963105	KM3-105	167
22963106	KM3-106	167
22963108	KM3-108	167
22963111	KM3-111	167
22963114	KM3-114	167
22963115	KM3-115	168
22963125	KM3-125	168
22963206	KM3-206	168
22963212	KM3-212	168
22963225	KM3-225	168
22963254	KM3-254	169
22963410	KM3-410	169
22963411	KM3-411	169
22963412	KM3-412	169
22963413	KM3-413	169
22963414	KM3-414	169
22963511	KM3-511	170
22963525	KM3-525	170

Stryker®	Brasseler USA®	Page Number(s)
27710250	14-C0109	189
27796276	KM-276R	163
29697102	ST296-97-102	181
29697102	ST296-97-102N	181
29897100	KM-97	180
29897100	KM-97N	180
29897101	KM-98	180
29897101	KM-98N	180
41188975	BR4118-089-075	146
41188990	BR4118-089-090	147
41258975	BR4125-089-075	148
51201030	KM-M330U	184, 253, 325
51201040	KM-M340U	185, 254, 326
51201050	KM-M35U	185, 254, 326
51201060	KM-M33U	186, 255, 327
51201240	KM-M340DU	184, 253, 325
51208030	KM-M52U	183, 252, 324
51301030	KM-AM330U	186, 255, 327
51301050	KM-AM35U	186, 255, 327
51301075	KM-AM32U	187, 256, 328
52201030	KM-M330U	184, 253, 325
52201040	KM-M340U	185, 254, 326
52201050	KM-M35U	185, 254, 326
52201060	KM-M33U	186, 255, 327
52301030	KM-AM330U	186, 255, 327
52301050	KM-AM35U	186, 255, 327
52301075	KM-AM32U	187, 256, 328
53013060	KM-3006	54, 241
53013061	KM-3261	55, 242
53013062	KM-3000	53, 240
53013063	KM-3005	54, 241
53013064	KM-3001	53, 240
53013065	KM-3265	55, 242
53013066	KM-3008	54, 241
53013073	KM-3002	53, 240
53023060	KM-3006	54, 241

Cross Reference

Stryker®	Brasseler USA®	Page Number(s)
53023061	KM-3261	55, 242
53023062	KM-3000	53, 240
53023063	KM-3005	54, 241
53023064	KM-3001	53, 240
53023065	KM-3265	55, 242
53023066	KM-3008	54, 241
53023073	KM-3002	53, 240
54201050	KM-M35U	185, 254, 326
54208030	KM-M52U	183, 252, 324
54301050	KM-AM35U	186, 255, 327
61138990	BR1-1290-35	79, 138
61139790	BR1-1290-39	79, 138
61188990	BR1-1990-35	80, 139
61189790	BR1-1990-39	80, 139
61258990	BR1-2590-35	83, 142
61259790	BR1-2590-39	83, 142
65414003	BMA-S90012S	109, 165
76501038	BMA-S90008S	109, 165
76502038	BMA-S90008S	109, 165
210810709	BR2108-107-9	152
210835102	BR1-2590-47F	84, 143
210837602	BR1-2590-50	84, 143
210838201	BR1-2190-50F	83, 142
210838202	BR1-2190-54F	142
210838203	BR1-2190-50F	83, 142
210839305	BR1-2590-39F	84, 143
210839306	BR1-2590-39	83, 142
229633101	KM33-101	171
229633102	KM33-102	171
229633103	KM33-103	171
229633104	KM33-104	171
229633105	KM33-105	171
229633106	KM33-106	172
229633108	KM33-108	172
229633111	KM33-111	172
229633114	KM33-114	172

Stryker®	Brasseler USA®	Page Number(s)
229633115	KM33-115	172
229633125	KM33-125	173
229633206	KM33-206	173
229633212	KM33-212	173
229633225	KM33-225	173
229633410	KM33-410	173
229633411	KM33-411	174
229633412	KM33-412	174
229633413	KM33-413	174
229633414	KM33-414	174
229633521	KM33-521	174
277010062	14-C0901	188
277010212	14-C0606	190
277010216	14-C0608	190
277010221	14-C0616	190
277010225	14-C0105	188
277010230	14-C0107	189
277010240	14-C0108	189
277010250	14-C0109	189
277010418	14-C0104	188
277010423	14-C0106	188
277082085	KM166-00-05	103
0277096250	KM-250R	163
277096250	KM-250R	163
0277096275	KM-275R	163
277096275	KM-275R	163
0277096276	KM-276R	163
277096276	KM-276R	163
0277096277	KM-277R	163
277096277	KM-277R	163
0277096300	KM-300R	164
277096300	KM-300R	164
0277096325	KM-325R	164
277096325	KM-325R	164
296097102	ST296-97-102	181
296097102	ST296-97-102N	181

Cross Reference

Stryker®	Brasseler USA®	Page Number(s)
0298097100	KM-97	180
298097100	KM-97	180
0298097100	KM-97N	180
298097100	KM-97N	180
0298097101	KM-98	180
298097101	KM-98	180
0298097101	KM-98N	180
298097101	KM-98N	180
411112790	BR4111-127-090	146
411114775	BR4111-147-075	146
411808975	BR4118-089-075	146
411808990	BR4118-089-090	147
411811990	BR4118-119-090	147
411812790	BR4118-127-090	147
411813590	BR4118-135-090	148
411813790	BR4118-137-090	148
411889075	BR4118-089-075	146
411889090	BR4118-089-090	147
412508975	BR4125-089-075	148
412512790	BR4125-127-090	149
412513590	BR4125-135-090	149
412513790	BR4125-137-090	149
412514790	BR4125-147-090	150
412589075	BR4125-089-075	148
510037113	KM5100-37-113	176
510037114	KM5100-37-114	176
510037115	KM5100-37-115	176
510037116	KM5100-37-116	176
512010730	KM-M8U	183, 252, 324
512015140	KM-U295	184, 253, 325
513010730	KM-AM8U	183, 252, 324
522010730	KM-M8U	183, 252, 324
523010730	KM-AM8U	183, 252, 324
542010730	KM-M8U	183, 252, 324
543010730	KM-AM8U	183, 252, 324
611308990	BR1-1290-35	79, 138

Stryker®	Brasseler USA®	Page Number(s)
611309790	BR1-1290-39	79, 138
611311990	BR1-1290-47	79, 138
611312790	BR1-1290-50	79, 138
611313790	BR1-1290-54	80, 139
611389090	BR1-1290-35	79, 138
611397090	BR1-1290-39	79, 138
611808990	BR1-1990-35	80, 139
611809790	BR1-1990-39	80, 139
611811990	BR1-1990-47	80, 139
611812790	BR1-1990-50	81, 140
611813790	BR1-1990-54	82, 141
611889090	BR1-1990-35	80, 139
611897090	BR1-1990-39	80, 139
612508990	BR1-2590-35	83, 142
612509790	BR1-2590-39	83, 142
612511990	BR1-2590-47	84, 143
612512790	BR1-2590-50	84, 143
612513790	BR1-2590-54	85, 144
612514790	BR1-2590-58	86, 145
612589090	BR1-2590-35	83, 142
612597090	BR1-2590-39	83, 142
620797101	ST6207-97-101	180
620797101	ST6207-97-101N	180
621312770	BR11-2608	162
622110090	BR1-2190-39F	82, 141
622111990	BR1-2190-47F	82, 141
622112790	BR1-2190-50F	83, 142
622113790	BR1-2190-54F	142
1607002001	14-S0402	191
1607002003	14-S0909	193
1607002005	14-S1201	194
1607002035	14-S0903	193
1607002047	15-S1101	192
1607002057	14-S0201	192
1607002103	14-C0308	190
1608002001	16-S0402	192

Cross Reference

Stryker®	Brasseler USA®	Page Number(s)
1608002003	16-S0909	194
1608002005	16-S1201	194
1608002007	16-S0103	194
1608002009	16-S0115	194
1608002011	16-S0117	195
1608002013	16-S0123	196
1608002021	16-S1801	192
1608002035	16-S0903	193
1608002043	19-S1802	193
1608002055	16-S0120	195
1608002059	18-S1703	198
1608002061	19-S1705	198
1608002063	18-S1701	198
1608002071	16-S1702	198
1608002101	16-S1401	197
1608002131	16-S1601	197
1608002133	17-S1602	192
1608002135	17-S1603	197
1608006087	16-D0130	190
1608006089	16-D0131	191
1608006091	16-D0132	191
1608006093	16-D0134	191
1608006095	16-D0135	191
1608006099	16-D0137	191
1608006137	16-S0108	195
1608006139	16-S0122	196
1608006141	16-S0109	196
1608006143	16-S0110	196
1608006145	16-S0126	197
1608006147	16-S0106	194
1608006149	16-S0107	195
1608006151	16-S0119	195
1608006153	16-S0121	196
1608006163	16-S0116	195
1608006165	16-S0118	196
1608006167	16-S0621	197

Stryker®	Brasseler USA®	Page Number(s)
2108100000	BR2108-100	151
2108102000	BR2108-102	151
2108102003	BR1-2590-35	83, 142
2108102008	BR1-2590-35	83, 142
2108103000	BR2108-103	151
2108105000	BR2108-105	151
2108107009	BR2108-107-9	152
2108109000	BR2108-109	152
2108109001	BR1-1990-35	80, 139
2108109004	BR1-1990-50	81, 140
2108110000	BR2108-110	152
2108110001	BR1-25100-50	85, 144
2108110002	BR1-2590-50	84, 143
2108110004	BR1-25100-50	85, 144
2108110006	BR1-2590-50	84, 143
2108111000	BR2108-111	153
2108113000	BR2108-113	153
2108115000	BR2108-115	153
2108118000	BR2108-118	153
2108120000	BR2108-120	154
2108125000	BR2108-125	154
2108140000	BR2108-140	154
2108145000	BR2108-145	154
2108148000	BR2108-148	155
2108150000	BR2108-150	155
2108151000	BR2108-151	155
2108151001	BR1-2590-47	84, 143
2108152000	BR2108-152	155
2108152006	BR1-1290-35	79, 138
2108155000	BR2108-155	156
2108156000	BR2108-156	156
2108158000	BR2108-158	156
2108160000	BR2108-160	156
2108162001	BR1-2590-50	84, 143
2108176000	BR2108-176	157
2108176002	BR1-2590-58	86, 145

Cross Reference

Stryker®	Brasseler USA®	Page Number(s)
2108176003	BR1-2590-58	86, 145
2108177000	BR2108-177	157
2108182000	BR2108-182	157
2108182006	BR1-1990-50	81, 140
2108183000	BR2108-183	157
2108185000	BR2108-185	158
2108185001	BR1-19100-50	81, 140
2108185002	BR1-19100-50	81, 140
2108189000	BR2108-189	158
2108193000	BR2108-185	158
2108193000	BR2108-193	158
2108195000	BR2108-195	159
2108197000	BR2108-197	159
2108218000	BR2108-218	159
2108302000	BR1-2590-35	83, 142
2108328000	BR1-25100-50	85, 144
2108351000	BR1-2590-47	84, 143
2108351002	BR1-2590-47F	84, 143
2108352000	BR1-1290-47	79, 138
2108356000	BR1-1290-50	79, 138
2108376002	BR1-2590-50	84, 143
2108382000	BR1-1990-50	81, 140
2108382001	BR1-2190-50F	83, 142
2108382002	BR1-2190-54F	142
2108382003	BR1-2190-50F	83, 142
2108383000	BR1-2590-50F	85, 144
2108385000	BR1-19100-50	81, 140
2108393005	BR1-2590-39F	84, 143
2108393006	BR1-2590-39	83, 142
2296003051	KM3-51	166, 170
2296003101	KM3-101	166
2296003102	KM3-102	166
2296003103	KM3-103	166
2296003104	KM3-104	166
2296003105	KM3-105	167
2296003106	KM3-106	167

Stryker®	Brasseler USA®	Page Number(s)
2296003108	KM3-108	167
2296003111	KM3-111	167
2296003114	KM3-114	167
2296003115	KM3-115	168
2296003125	KM3-125	168
2296003206	KM3-206	168
2296003212	KM3-212	168
2296003225	KM3-225	168
2296003254	KM3-254	169
2296003410	KM3-410	169
2296003411	KM3-411	169
2296003412	KM3-412	169
2296003413	KM3-413	169
2296003414	KM3-414	169
2296003511	KM3-511	170
2296003525	KM3-525	170
2296033101	KM33-101	171
2296033102	KM33-102	171
2296033103	KM33-103	171
2296033104	KM33-104	171
2296033105	KM33-105	171
2296033106	KM33-106	172
2296033108	KM33-108	172
2296033111	KM33-111	172
2296033114	KM33-114	172
2296033115	KM33-115	172
2296033125	KM33-125	173
2296033206	KM33-206	173
2296033212	KM33-212	173
2296033225	KM33-225	173
2296033410	KM33-410	173
2296033411	KM33-411	174
2296033412	KM33-412	174
2296033413	KM33-413	174
2296033414	KM33-414	174
2296033521	KM33-521	174

Cross Reference

Stryker®	Brasseler USA®	Page Number(s)
2296100212	KMS94701N	199
2296100216	KMS94702N	199
2296100221	KMS94703N	199
2296100321	KMS94703LN	200
2296101026	KMS95901N	201
2296101212	KMS95701N	200
2296101216	KMS95702N	200
2296101316	KMS95702LN	200
2296101421	KMS951703LN	200
2296101423	KMS958N	200
4111119090	BR4111-119-090	146
4111127090	BR4111-127-090	146
4111147075	BR4111-147-075	146
4118089075	BR4118-089-075	146
4118089090	BR4118-089-090	147
4118119090	BR4118-119-090	147
4118127090	BR4118-127-090	147
4118127100	BR4118-127-100	147
4118135090	BR4118-135-090	148
4118137090	BR4118-137-090	148
4125089075	BR4125-089-075	148
4125119090	BR4125-119-090	148
4125127090	BR4125-127-090	149
4125127100	BR4125-127-100	149
4125135090	BR4125-135-090	149
4125137090	BR4125-137-090	149
4125147090	BR4125-147-090	150
4221120085	BR1-2190-47F	82, 141
5100037113	KM5100-37-113	176
5100037114	KM5100-37-114	176
5100037115	KM5100-37-115	176
5100037116	KM5100-37-116	176
5100137123	KM5100-137-123	175
5100137133	KM5100-137-133	175
5100137233	KM5100-137-233	175
5120130250	KM-M51U	183, 252, 324

Stryker®	Brasseler USA®	Page Number(s)
5130107030	KM-AM8U	183, 252, 324
5230107030	KM-AM8U	183, 252, 324
5430107030	KM-AM8U	183, 252, 324
6113089090	BR1-1290-35	79, 138
6113097090	BR1-1290-39	79, 138
6113119090	BR1-1290-47	79, 138
6113127090	BR1-1290-50	79, 138
6113137090	BR1-1290-54	80, 139
6118089090	BR1-1990-35	80, 139
6118097090	BR1-1990-39	80, 139
6118119090	BR1-1990-47	80, 139
6118119100	BR1-19100-47	81, 140
6118127090	BR1-1990-50	81, 140
6118127100	BR1-19100-50	81, 140
6118127110	BR1-19110-50	81, 140
6118137090	BR1-1990-54	82, 141
6118137100	BR1-19100-54	82, 142
6125089090	BR1-2590-35	83, 142
6125097090	BR1-2590-39	83, 142
6125119090	BR1-2590-47	84, 143
6125127090	BR1-2590-50	84, 143
6125127100	BR1-25100-50	85, 144
6125137090	BR1-2590-54	85, 144
6125147090	BR1-2590-58	86, 145
6207097101	ST6207-97-101	180
6207097101	ST6207-97-101N	180
6213127070	BR11-2608	162
6221100090	BR1-2190-39F	82, 141
6221119090	BR1-2190-47F	82, 141
6221127090	BR1-2190-50F	83, 142
6221137090	BR1-2190-54F	142
6541004003	BMA-S90012S	109, 165
0277082085S1	KM166-10-02	103
0277-082-085S1	KM166-10-02	103
0277082085S2	KM166-10-03	103
0277-082-085S2	KM166-10-03	103

Cross Reference

Stryker®	Brasseler USA®	Page Number(s)
0277082085S3	KM166-10-00	103
0277-082-085S3	KM166-10-00	103
0277082085S4	KM166-10-01	103
0277-082-085S4	KM166-10-01	103
0277082085S5	KM166-00-03	103
0277-082-085S5	KM166-00-03	103
0277082085S7	KM166-00-01	103
0277-082-085S7	KM166-00-01	103
0277-082-086	KM166-00-05	103
0277082086S1	KM166-10-05	103
0277-082-086S1	KM166-10-05	103
0277082086S2	KM166-10-06	103
0277-082-086S2	KM166-10-06	103
0277082086S4	KM166-10-07	103
0277-082-086S4	KM166-10-07	103
0277082086S5	KM166-00-02	103
0277-082-086S5	KM166-00-02	103
0277082087S1	KM166-10-04	103
0277-082-087S1	KM166-10-04	103
0277082087S2	KM166-10-03	103
0277-082-087S2	KM166-10-03	103
0277082087S6	KM166-00-04	103
0277-082-087S6	KM166-00-04	103
0277082087S7	KM166-10-08	103
0277-082-087S7	KM166-10-08	103
027708285S1	KM166-10-02	103
0277-082-85S1	KM166-10-02	103
027708285S2	KM166-10-03	103
0277-082-85S2	KM166-10-03	103
027708285S3	KM166-10-00	103
0277-082-85S3	KM166-10-00	103
027708285S4	KM166-10-01	103
0277-082-85S4	KM166-10-01	103
027708285S5	KM166-00-03	103
0277-082-85S5	KM166-00-03	103
027708285S7	KM166-00-01	103

Stryker®	Brasseler USA®	Page Number(s)
0277-082-85S7	KM166-00-01	103
027708286S1	KM166-10-05	103
0277-082-86S1	KM166-10-05	103
027708286S2	KM166-10-06	103
0277-082-86S2	KM166-10-06	103
027708286S4	KM166-10-07	103
0277-082-86S4	KM166-10-07	103
027708286S5	KM166-00-02	103
0277-082-86S5	KM166-00-02	103
027708287S1	KM166-10-04	103
0277-082-87S1	KM166-10-04	103
027708287S6	KM166-10-04	103
0277-082-87S6	KM166-10-04	103
027708287S7	KM166-10-08	103
0277-082-87S7	KM166-10-08	103
0277-096-250	KM-250R	163
0277-096-275	KM-275R	163
0277-096-300	KM-300R	164
0277-096-325	KM-325R	164
0277-96-250	KM-250R	163
0277-96-275	KM-275R	163
0277-96-300	KM-300R	164
0277-96-325	KM-325R	164
0298-097-100	KM-97	180
0298-097-100	KM-97N	180
0298097100S3	KM-278	330
0298097100S3	KM-278N	330
0298-097-100S3	KM-278	330
0298-097-100S3	KM-278N	330
0298-097-101	KM-98	180
0298-097-101	KM-98N	180
05002001S	K5-1990-35	93, 288, 317
05002105S	K5-2590-58	96, 291, 320
1346-001-000	KM172-14-35	97
1346-002-000	KM172-16-35	97
1346-003-000	KM172-14-45	97

Cross Reference

Stryker®	Brasseler USA®	Page Number(s)
1346-004-000	KM172-16-45	97
1346-005-000	KM172-14-62	97
1346-006-000	KM172-16-62	97
1346-026-000	KM172-16-28	97
1346-1	KM172-24-35	97
1346-2	KM172-26-35	97
1346-26	KM172-24-28	97
1346-3	KM172-24-45	97
1346-4	KM172-26-45	97
1346-5	KM172-24-62	97
1346-6	KM172-26-62	97
1346-9-1	KM172-29-28	97
1346-9-2	KM172-29-35	97
1346-9-3	KM172-29-45	97
1346-9-4	KM172-29-62	97
1607-002-001	14-S0402	191
1607-002-003	14-S0909	193
1607-002-005	14-S1201	194
1607-002-035	14-S0903	193
1607-002-047	15-S1101	192
1607-002-057	14-S0201	192
1607-002-103	14-C0308	190
1607-2-1	14-S0402	191
1607-2-103	14-C0308	190
1607-2-3	14-S0909	193
1607-2-35	14-S0903	193
1607-2-47	15-S1101	192
1607-2-5	14-S1201	194
1607-2-57	14-S0201	192
1608-002-001	16-S0402	192
1608-002-003	16-S0909	194
1608-002-005	16-S1201	194
1608-002-007	16-S0103	194
1608-002-009	16-S0115	194
1608-002-011	16-S0117	195
1608-002-013	16-S0123	196

Stryker®	Brasseler USA®	Page Number(s)
1608-002-021	16-S1801	192
1608-002-035	16-S0903	193
1608-002-043	19-S1802	193
1608-002-055	16-S0120	195
1608-002-059	18-S1703	198
1608-002-061	19-S1705	198
1608-002-063	18-S1701	198
1608-002-071	16-S1702	198
1608-002-101	16-S1401	197
1608-002-131	16-S1601	197
1608-002-133	17-S1602	192
1608-002-135	17-S1603	197
1608-006-087	16-D0130	190
1608-006-089	16-D0131	191
1608-006-091	16-D0132	191
1608-006-093	16-D0134	191
1608-006-095	16-D0135	191
1608-006-099	16-D0137	191
1608-006-137	16-S0108	195
1608-006-139	16-S0122	196
1608-006-141	16-S0109	196
1608-006-143	16-S0110	196
1608-006-145	16-S0126	197
1608-006-147	16-S0106	194
1608-006-149	16-S0107	195
1608-006-151	16-S0119	195
1608-006-153	16-S0121	196
1608-006-163	16-S0116	195
1608-006-165	16-S0118	196
1608-006-167	16-S0621	197
1608-2-1	16-S0402	192
1608-2-101	16-S1401	197
1608-2-11	16-S0117	195
1608-2-13	16-S0123	196
1608-2-131	16-S1601	197
1608-2-133	17-S1602	192

Cross Reference

Stryker®	Brasseler USA®	Page Number(s)
1608-2-135	17-S1603	197
1608-2-21	16-S1801	192
1608-2-3	16-S0909	194
1608-2-35	16-S0903	193
1608-2-43	19-S1802	193
1608-2-5	16-S1201	194
1608-2-55	16-S0120	195
1608-2-59	18-S1703	198
1608-2-61	19-S1705	198
1608-2-63	18-S1701	198
1608-2-7	16-S0103	194
1608-2-71	16-S1702	198
1608-2-9	16-S0115	194
1608-6-137	16-S0108	195
1608-6-139	16-S0122	196
1608-6-141	16-S0109	196
1608-6-143	16-S0110	196
1608-6-145	16-S0126	197
1608-6-147	16-S0106	194
1608-6-149	16-S0107	195
1608-6-151	16-S0119	195
1608-6-153	16-S0121	196
1608-6-163	16-S0116	195
1608-6-165	16-S0118	196
1608-6-167	16-S0621	197
1608-6-87	16-D0130	190
1608-6-89	16-D0131	191
1608-6-91	16-D0132	191
1608-6-93	16-D0134	191
1608-6-95	16-D0135	191
1608-6-99	16-D0137	191
1675-113	KM-802	179
1675-115	KM-801	179
1675-116	KM-800	179
1675-133	KM-062	178
2107-107-09	BR2108-107-9	152

Stryker®	Brasseler USA®	Page Number(s)
2108-100	BR2108-100	151
2108-100-000	BR2108-100	151
2108-102	BR2108-102	151
2108-102-000	BR2108-102	151
2108-102-003	BR1-2590-35	83, 142
2108-102-008	BR1-2590-35	83, 142
2108-102-3	BR1-2590-35	83, 142
2108-102-8	BR1-2590-35	83, 142
2108-103	BR2108-103	151
2108-103-000	BR2108-103	151
2108-105	BR2108-105	151
2108-105-000	BR2108-105	151
2108107004S1	BR2108-107-4S1	152
2108-107-004S1	BR2108-107-4S1	152
2108-107-009	BR2108-107-9	152
21081074S1	BR2108-107-4S1	152
2108-107-4S1	BR2108-107-4S1	152
21081074SI	BR2108-107-4S1	152
2108-107-4SI	BR2108-107-4S1	152
2108-107-9	BR2108-107-9	152
2108-109	BR2108-109	152
2108-109-000	BR2108-109	152
2108109000S11	BR5072-181	160
2108-109-000S11	BR5072-181	160
2108-109-001	BR1-1990-35	80, 139
2108-109-004	BR1-1990-50	81, 140
2108-109-1	BR1-1990-35	80, 139
2108-109-4	BR1-1990-50	81, 140
2108-110	BR2108-110	152
2108-110-000	BR2108-110	152
2108-110-001	BR1-25100-50	85, 144
2108-110-002	BR1-2590-50	84, 143
2108-110-004	BR1-25100-50	85, 144
2108-110-006	BR1-2590-50	84, 143
2108-110-1	BR1-25100-50	85, 144
2108-110-2	BR1-2590-50	84, 143

Cross Reference

Stryker®	Brasseler USA®	Page Number(s)
2108-110-4	BR1-25100-50	85, 144
2108-110-6	BR1-2590-50	84, 143
2108-111	BR2108-111	153
2108-111-000	BR2108-111	153
2108-113	BR2108-113	153
2108-113-000	BR2108-113	153
2108-115	BR2108-115	153
2108-115-000	BR2108-115	153
2108-118	BR2108-118	153
2108-118-000	BR2108-118	153
2108-120	BR2108-120	154
2108-120-000	BR2108-120	154
2108-125	BR2108-125	154
2108-125-000	BR2108-125	154
2108-140	BR2108-140	154
2108-140-000	BR2108-140	154
2108-145	BR2108-145	154
2108-145-000	BR2108-145	154
2108-148	BR2108-148	155
2108-148-000	BR2108-148	155
2108-150	BR2108-150	155
2108-150-000	BR2108-150	155
2108-151	BR2108-151	155
2108-151-000	BR2108-151	155
2108-151-001	BR1-2590-47	84, 143
2108-151-1	BR1-2590-47	84, 143
2108-152	BR2108-152	155
2108-152-000	BR2108-152	155
2108-152-006	BR1-1290-35	79, 138
2108-152-6	BR1-1290-35	79, 138
2108-155	BR2108-155	156
2108-155-000	BR2108-155	156
2108-156	BR2108-156	156
2108-156-000	BR2108-156	156
2108-158	BR2108-158	156
2108-158-000	BR2108-158	156

Stryker®	Brasseler USA®	Page Number(s)
2108-160	BR2108-160	156
2108-160-000	BR2108-160	156
2108-162-001	BR1-2590-50	84, 143
2108-162-1	BR1-2590-50	84, 143
2108-176	BR2108-176	157
2108-176-000	BR2108-176	157
2108-176-002	BR1-2590-58	86, 145
2108-176-003	BR1-2590-58	86, 145
2108-176-2	BR1-2590-58	86, 145
2108-176-3	BR1-2590-58	86, 145
2108-177	BR2108-177	157
2108-177-000	BR2108-177	157
2108-182	BR2108-182	157
2108-182-000	BR2108-182	157
2108-182-006	BR1-1990-50	81, 140
2108-182-6	BR1-1990-50	81, 140
2108-183	BR2108-183	157
2108-183-000	BR2108-183	157
2108-185	BR2108-185	158
2108-185-000	BR2108-185	158
2108-185-001	BR1-19100-50	81, 140
2108-185-002	BR1-19100-50	81, 140
2108-185-1	BR1-19100-50	81, 140
2108-185-2	BR1-19100-50	81, 140
2108-189	BR2108-189	158
2108-189-000	BR2108-189	158
2108-193	BR2108-193	158
2108-193-000	BR2108-185	158
2108-193-000	BR2108-193	158
2108-195	BR2108-195	159
2108-195-000	BR2108-195	159
2108-197	BR2108-197	159
2108-197-000	BR2108-197	159
2108-218	BR2108-218	159
2108-218-000	BR2108-218	159
2108-302	BR1-2590-35	83, 142

Cross Reference

Stryker®	Brasseler USA®	Page Number(s)
2108-302-000	BR1-2590-35	83, 142
2108-328	BR1-25100-50	85, 144
2108-328-000	BR1-25100-50	85, 144
2108-351	BR1-2590-47	84, 143
2108-351-000	BR1-2590-47	84, 143
2108-351-002	BR1-2590-47F	84, 143
2108-351-02	BR1-2590-47F	84, 143
2108-351-2	BR1-2590-47F	84, 143
2108-352	BR1-1290-47	79, 138
2108-352-000	BR1-1290-47	79, 138
2108-356	BR1-1290-50	79, 138
2108-356-000	BR1-1290-50	79, 138
2108-376-002	BR1-2590-50	84, 143
2108-376-02	BR1-2590-50	84, 143
2108-376-2	BR1-2590-50	84, 143
2108-377	BR1-2590-50	84, 143
2108-382	BR1-1990-50	81, 140
2108-382-000	BR1-1990-50	81, 140
2108-382-001	BR1-2190-50F	83, 142
2108-382-002	BR1-2190-54F	142
2108-382-003	BR1-2190-50F	83, 142
2108-382-01	BR1-2190-50F	83, 142
2108-382-02	BR1-2190-54F	142
2108-382-03	BR1-2190-50F	83, 142
2108-382-1	BR1-2190-50F	83, 142
2108-382-2	BR1-2190-54F	142
2108-382-3	BR1-2190-50F	83, 142
2108-383	BR1-2590-50F	85, 144
2108-383-000	BR1-2590-50F	85, 144
2108-385	BR1-19100-50	81, 140
2108-385-000	BR1-19100-50	81, 140
2108-393-005	BR1-2590-39F	84, 143
2108-393-006	BR1-2590-39	83, 142
2108-393-05	BR1-2590-39F	84, 143
2108-393-06	BR1-2590-39	83, 142
2108-393-5	BR1-2590-39F	84, 143

Stryker®	Brasseler USA®	Page Number(s)
2108-393-6	BR1-2590-39	83, 142
2296-003-051	KM3-51	166, 170
2296-003-101	KM3-101	166
2296-003-102	KM3-102	166
2296-003-103	KM3-103	166
2296-003-104	KM3-104	166
2296-003-105	KM3-105	167
2296-003-106	KM3-106	167
2296-003-108	KM3-108	167
2296-003-111	KM3-111	167
2296-003-114	KM3-114	167
2296-003-115	KM3-115	168
2296-003-125	KM3-125	168
2296-003-206	KM3-206	168
2296-003-212	KM3-212	168
2296-003-225	KM3-225	168
2296-003-254	KM3-254	169
2296-003-410	KM3-410	169
2296-003-411	KM3-411	169
2296-003-412	KM3-412	169
2296-003-413	KM3-413	169
2296-003-414	KM3-414	169
2296-003-51	KM3-51	166, 170
2296-003-511	KM3-511	170
2296-003-525	KM3-525	170
2296-033-101	KM33-101	171
2296-033-102	KM33-102	171
2296-033-103	KM33-103	171
2296-033-104	KM33-104	171
2296-033-105	KM33-105	171
2296-033-106	KM33-106	172
2296-033-108	KM33-108	172
2296-033-111	KM33-111	172
2296-033-114	KM33-114	172
2296-033-115	KM33-115	172
2296-033-125	KM33-125	173

Cross Reference

Stryker®	Brasseler USA®	Page Number(s)
2296-033-206	KM33-206	173
2296-033-212	KM33-212	173
2296-033-225	KM33-225	173
2296-033-410	KM33-410	173
2296-033-411	KM33-411	174
2296-033-412	KM33-412	174
2296-033-413	KM33-413	174
2296-033-414	KM33-414	174
2296-033-521	KM33-521	174
2296-100-026	KM94901N	200
2296-100-212	KMS94701N	199
2296-100-216	KMS94702N	199
2296-100-221	KMS94703N	199
2296-100-321	KMS94703LN	200
2296-101-026	KMS95901N	201
2296-101-212	KMS95701N	200
2296-101-216	KMS95702N	200
2296-101-316	KMS95702LN	200
2296-101-421	KMS951703LN	200
2296-101-423	KMS958N	200
2296-3-101	KM3-101	166
2296-3-102	KM3-102	166
2296-3-103	KM3-103	166
2296-3-104	KM3-104	166
2296-3-105	KM3-105	167
2296-3-106	KM3-106	167
2296-3-108	KM3-108	167
2296-3-111	KM3-111	167
2296-3-114	KM3-114	167
2296-3-115	KM3-115	168
2296-3-125	KM3-125	168
2296-3-206	KM3-206	168
2296-3-212	KM3-212	168
2296-3-225	KM3-225	168
2296-3-254	KM3-254	169
2296-33-101	KM33-101	171

Stryker®	Brasseler USA®	Page Number(s)
2296-33-102	KM33-102	171
2296-33-103	KM33-103	171
2296-33-104	KM33-104	171
2296-33-105	KM33-105	171
2296-33-106	KM33-106	172
2296-33-108	KM33-108	172
2296-33-111	KM33-111	172
2296-33-114	KM33-114	172
2296-33-115	KM33-115	172
2296-33-125	KM33-125	173
2296-33-206	KM33-206	173
2296-33-212	KM33-212	173
2296-33-225	KM33-225	173
2296-33-410	KM33-410	173
2296-33-411	KM33-411	174
2296-33-412	KM33-412	174
2296-33-413	KM33-413	174
2296-33-414	KM33-414	174
2296-33-521	KM33-521	174
2296-3-410	KM3-410	169
2296-3-411	KM3-411	169
2296-3-412	KM3-412	169
2296-3-413	KM3-413	169
2296-3-414	KM3-414	169
2296-3-51	KM3-51	166, 170
2296-3-511	KM3-511	170
2296-3-525	KM3-525	170
277-010-062	14-C0901	188
277-010-212	14-C0606	190
277-010-216	14-C0608	190
277-010-221	14-C0616	190
277-010-225	14-C0105	188
277-010-230	14-C0107	189
277-010-240	14-C0108	189
277-010-250	14-C0109	189
277-010-418	14-C0104	188

Cross Reference

Stryker®	Brasseler USA®	Page Number(s)
277-010-423	14-C0106	188
277082085S1	KM166-10-02	103
277-082-085S1	KM166-10-02	103
277082085S2	KM166-10-03	103
277-082-085S2	KM166-10-03	103
277082085S3	KM166-10-00	103
277-082-085S3	KM166-10-00	103
277082085S4	KM166-10-01	103
277-082-085S4	KM166-10-01	103
277082085S5	KM166-00-03	103
277-082-085S5	KM166-00-03	103
277082085S7	KM166-00-01	103
277-082-085S7	KM166-00-01	103
277082086S1	KM166-10-05	103
277-082-086S1	KM166-10-05	103
277082086S2	KM166-10-06	103
277-082-086S2	KM166-10-06	103
277082086S4	KM166-10-07	103
277-082-086S4	KM166-10-07	103
277082086S5	KM166-00-02	103
277-082-086S5	KM166-00-02	103
277082087S1	KM166-10-04	103
277-082-087S1	KM166-10-04	103
277082087S6	KM166-10-04	103
277-082-087S6	KM166-10-04	103
277082087S7	KM166-10-08	103
277-082-087S7	KM166-10-08	103
27708285S1	KM166-10-02	103
277-082-85S1	KM166-10-02	103
277-082-85S2	KM166-10-03	103
27708285S3	KM166-10-00	103
277-082-85S3	KM166-10-00	103
27708285S4	KM166-10-01	103
277-082-85S4	KM166-10-01	103
27708285S5	KM166-00-03	103
277-082-85S5	KM166-00-03	103

Stryker®	Brasseler USA®	Page Number(s)
27708285S7	KM166-00-01	103
277-082-85S7	KM166-00-01	103
27708286S1	KM166-10-05	103
277-082-86S1	KM166-10-05	103
27708286S2	KM166-10-06	103
277-082-86S2	KM166-10-06	103
27708286S4	KM166-10-07	103
277-082-86S4	KM166-10-07	103
27708286S5	KM166-00-02	103
277-082-86S5	KM166-00-02	103
27708287S1	KM166-10-04	103
277-082-87S1	KM166-10-04	103
27708287S6	KM166-10-04	103
277-082-87S6	KM166-10-04	103
27708287S7	KM166-10-08	103
277-082-87S7	KM166-10-08	103
27708585S2	KM166-10-03	103
277-096-250	KM-250R	163
277-096-275	KM-275R	163
277-096-276	KM-276R	163
277-096-277	KM-277R	163
277-096-300	KM-300R	164
277-096-325	KM-325R	164
277-10-212	14-C0606	190
277-10-216	14-C0608	190
277-10-221	14-C0616	190
277-10-225	14-C0105	188
277-10-230	14-C0107	189
277-10-240	14-C0108	189
277-10-250	14-C0109	189
277-10-418	14-C0104	188
277-10-423	14-C0106	188
277-10-62	14-C0901	188
277-31-103	KM-103S	177
277-31-412	KM-412S	177
277-31-413	KM-413S	177

Cross Reference

Stryker®	Brasseler USA®	Page Number(s)
277-31-414	KM-414S	177
2778285S1	KM166-10-02	103
277-82-85S1	KM166-10-02	103
2778285S2	KM166-10-03	103
277-82-85S2	KM166-10-03	103
2778285S3	KM166-10-00	103
277-82-85S3	KM166-10-00	103
2778285S4	KM166-10-01	103
277-82-85S4	KM166-10-01	103
2778285S5	KM166-00-03	103
277-82-85S5	KM166-00-03	103
2778285S7	KM166-00-01	103
277-82-85S7	KM166-00-01	103
2778286S1	KM166-10-05	103
277-82-86S1	KM166-10-05	103
2778286S2	KM166-10-06	103
277-82-86S2	KM166-10-06	103
2778286S4	KM166-10-07	103
277-82-86S4	KM166-10-07	103
2778286S5	KM166-00-02	103
277-82-86S5	KM166-00-02	103
2778287S1	KM166-10-04	103
277-82-87S1	KM166-10-04	103
2778287S6	KM166-10-04	103
277-82-87S6	KM166-10-04	103
2778287S7	KM166-10-08	103
277-82-87S7	KM166-10-08	103
277-96-250	KM-250R	163
277-96-275	KM-275R	163
277-96-276	KM-276R	163
277-96-277	KM-277R	163
277-96-300	KM-300R	164
277-96-325	KM-325R	164
296-097-102	ST296-97-102	181
296-097-102	ST296-97-102N	181
296-97-102	ST296-97-102	181

Stryker®	Brasseler USA®	Page Number(s)
296-97-102	ST296-97-102N	181
298-097-100	KM-97	180
298-097-100	KM-97N	180
298-097-101	KM-98	180
298-097-101	KM-98N	180
298-97-100	KM-97	180
298-97-100	KM-97N	180
29897100S3	KM-278	330
29897100S3	KM-278N	330
298-97-100S3	KM-278	330
298-97-100S3	KM-278N	330
298-97-101	KM-98	180
298-97-101	KM-98N	180
3593-1-090	KM169-19-56	101
3593-2-090	KM169-19-33	101
3593-3-090	KM169-19-76	101
3593-4-090	KM169-19-18	101
3593-5-090	KM169-19-96	101
3593-6-090	KM169-19-53	101
3593-7-090	KM169-19-31	101
3594-1-090	KM169-39-56	101
3594-2-090	KM169-39-33	101
3594-3-090	KM169-39-76	101
3594-4-090	KM169-39-18	101
3594-5-090	KM169-39-96	101
3594-6-090	KM169-39-53	101
3594-7-090	KM169-39-31	101
3595-1-090	KM169-49-56	101
3595-2-090	KM169-49-33	101
3595-3-090	KM169-49-76	101
3595-4-090	KM169-49-18	101
3595-5-090	KM169-49-96	101
3595-6-090	KM169-49-53	101
3595-7-090	KM169-49-31	101
3596-1-090	KM173-19-35	99
3596-2-090	KM173-19-45	99

Cross Reference

Stryker®	Brasseler USA®	Page Number(s)
3596-3-090	KM173-19-62	99
3596-4-090	KM173-39-35	99
3596-5-090	KM173-39-45	99
3596-6-090	KM173-39-62	99
3597-1-090	KM173-29-35	99
3597-2-090	KM173-29-45	99
3597-3-090	KM173-29-62	99
3597-4-090	KM173-49-35	99
3597-5-090	KM173-49-45	99
3597-6-090	KM173-49-62	99
3598-1-090	KM169-29-56	101
3598-2-090	KM169-29-33	101
3598-3-090	KM169-29-76	101
3598-4-090	KM169-29-18	101
3598-5-090	KM169-29-96	101
3598-6-090	KM169-29-53	101
3598-7-090	KM169-29-31	101
3710-1-090	KM168-49-56	100
3710-2-090	KM168-49-33	100
3710-3-090	KM168-49-76	100
3710-4-090	KM168-49-18	100
3710-5-090	KM168-49-96	100
3710-6-090	KM168-49-53	100
3710-7-090	KM168-49-31	100
3711-1-090	KM168-29-56	100
3711-2-090	KM168-29-33	100
3711-3-090	KM168-29-76	100
3711-4-090	KM168-29-18	100
3711-5-090	KM168-29-96	100
3711-6-090	KM168-29-53	100
3711-7-090	KM168-29-31	100
3713-1-090	KM172-29-35	97
3713-2-090	KM172-29-45	97
3713-3-090	KM172-29-62	97
3713-4-090	KM172-49-35	97
3713-5-090	KM172-49-45	97

Stryker®	Brasseler USA®	Page Number(s)
3713-6-090	KM172-49-62	97
3715-1-040	KM172-24-35	97
3715-2-040	KM172-24-45	97
3715-3-040	KM172-24-62	97
3715-5-040	KM172-44-28	97
3715-6-040	KM172-44-35	97
3715-7-040	KM172-44-45	97
3715-8-040	KM172-44-62	97
3810-1-090	KM168-39-56	100
3810-2-090	KM168-39-33	100
3810-3-090	KM168-39-76	100
3810-4-090	KM168-39-18	100
3810-5-090	KM168-39-96	100
3810-6-090	KM168-39-53	100
3810-7-090	KM168-39-31	100
3811-1-090	KM168-19-56	100
3811-2-090	KM168-19-33	100
3811-3-090	KM168-19-76	100
3811-4-090	KM168-19-18	100
3811-5-090	KM168-19-96	100
3811-6-090	KM168-19-53	100
3811-7-090	KM168-19-31	100
3813-1-090	KM172-19-35	97
3813-2-090	KM172-19-45	97
3813-3-090	KM172-19-62	97
3813-4-090	KM172-39-35	97
3813-5-090	KM172-39-45	97
3813-6-090	KM172-39-62	97
4111-119-090	BR4111-119-090	146
4111-127-090	BR4111-127-090	146
4111-127-90	BR4111-127-090	146
4111-147-075	BR4111-147-075	146
4111-147-75	BR4111-147-075	146
4118-089-075	BR4118-089-075	146
4118-089-090	BR4118-089-090	147
4118-089-75	BR4118-089-075	146

Cross Reference

Stryker®	Brasseler USA®	Page Number(s)
4118-089-90	BR4118-089-090	147
4118-119-090	BR4118-119-090	147
4118-119-90	BR4118-119-090	147
4118-127-090	BR4118-127-090	147
4118-127-100	BR4118-127-100	147
4118-127-90	BR4118-127-090	147
4118-135-090	BR4118-135-090	148
4118-135-90	BR4118-135-090	148
4118-137-090	BR4118-137-090	148
4118-137-90	BR4118-137-090	148
4118-89-075	BR4118-089-075	146
4118-89-090	BR4118-089-090	147
4118-89-75	BR4118-089-075	146
4118-89-90	BR4118-089-090	147
4125-089-075	BR4125-089-075	148
4125-089-75	BR4125-089-075	148
4125-119-090	BR4125-119-090	148
4125-127-090	BR4125-127-090	149
4125-127-100	BR4125-127-100	149
4125-127-90	BR4125-127-090	149
4125-135-090	BR4125-135-090	149
4125-135-90	BR4125-135-090	149
4125-137-090	BR4125-137-090	149
4125-137-90	BR4125-137-090	149
4125-147-090	BR4125-147-090	150
4125-147-90	BR4125-147-090	150
4125-89-075	BR4125-089-075	148
4125-89-75	BR4125-089-075	148
4221-120-085	BR1-2190-47F	82, 141
5100-037-113	KM5100-37-113	176
5100-037-114	KM5100-37-114	176
5100-037-115	KM5100-37-115	176
5100-037-116	KM5100-37-116	176
5100-137-123	KM5100-137-123	175
5100-137-133	KM5100-137-133	175
5100-137-233	KM5100-137-233	175

Stryker®	Brasseler USA®	Page Number(s)
5100-37-113	KM5100-37-113	176
5100-37-114	KM5100-37-114	176
5100-37-115	KM5100-37-115	176
5100-37-116	KM5100-37-116	176
5110-15-40	KM5110-15-40	184, 253, 325
5120-10-230	KM5120-10-230	185, 254, 326
5120-10-240	KM5120-10-240	185, 254, 326
5120-10-40	KM-M340U	185, 254, 326
5120-10-50	KM-M35U	185, 254, 326
5120-10-60	KM-M33U	186, 255, 327
5120-107-30	KM-M8U	183, 252, 324
5120-12-40	KM-M340DU	184, 253, 325
5120-130-250	KM-M51U	183, 252, 324
5120-15-140	KM-U295	184, 253, 325
5120-80-30	KM-M52U	183, 252, 324
5130-10-240	KM5130-10-240	186, 255, 327
5130-10-250	KM5130-10-250	187, 256, 328
5130-10-50	KM-AM35U	186, 255, 327
5130-107-030	KM-AM8U	183, 252, 324
5130-107-30	KM-AM8U	183, 252, 324
5130-10-75	KM-AM32U	187, 256, 328
5220-10-230	KM5120-10-230	185, 254, 326
5220-10-240	KM5120-10-240	185, 254, 326
5220-10-40	KM-M340U	185, 254, 326
5220-10-50	KM-M35U	185, 254, 326
5220-10-60	KM-M33U	186, 255, 327
5220-107-30	KM-M8U	183, 252, 324
5230-10-240	KM5130-10-240	186, 255, 327
5230-10-250	KM5130-10-250	187, 256, 328
5230-10-50	KM-AM35U	186, 255, 327
5230-107-030	KM-AM8U	183, 252, 324
5230-107-30	KM-AM8U	183, 252, 324
5230-10-75	KM-AM32U	187, 256, 328
5300-10-131	06-S1601	70, 266
5300-10-133	07-S1602	70, 266
5300-10-135	07-S1605	71, 267

Cross Reference

Stryker®	Brasseler USA®	Page Number(s)
5300-10-210	04-C0302	67, 263
5300-10-214	04-C0306	67, 263
5300-10-216	04-C0307	67, 263
5300-10-303	04-D0139	68, 264
5300-10-307	03-D0135	68, 264
5300-10-41	08-S1802	69, 265
5300-10-503	04-C0103	62, 258
5300-10-504	04-C0104	62, 258
5300-10-505	04-C0105	62, 258
5300-10-506	04-C0106	62, 258
5300-10-507	04-C0106	62, 258
5300-10-509	04-C0107	62, 258
5300-10-511	04-C0108	63, 259
5300-10-513	04-C0109	63, 259
5300-10-516	04-C0170	63, 259
5300-10-59	04-S1701	71, 267
5300-10-63	04-S1703	71, 267
5300-10-704	04-C0623	66, 262
5300-10-708	04-C0609	66, 262
5300-10-71	04-S1704	71, 267
5300-10-710	04-C0607	66, 262
5300-10-714	04-C0617	66, 262
5300-10-716	06-C0619	66, 262
5300-10-718	04-C0615	66, 262
5300-10-719	04-C0612	66, 262
5300-10-901	03-C0901	61, 257
5300-10-903	03-C0905	61, 257
5300-10-925	03-C0312	67, 263
5300-20-214	10-C0306	68, 264
5300-20-303	10-D0139	69, 265
5300-20-305	10-D0133	69, 265
5300-20-307	09-D0135	68, 264
5300-20-309	09-D0141	69, 265
5300-20-311	09-D0138	69, 265
5300-20-501	10-C0101	64, 260
5300-20-503	10-C0103	64, 260

Stryker®	Brasseler USA®	Page Number(s)
5300-20-505	10-C0105	64, 260
5300-20-509	10-C0107	64, 260
5300-20-511	10-C0108	64, 260
5300-20-513	09-C0109	63, 259
5300-20-516	09-C0110	63, 259
5300-20-714	10-C0617	67, 263
5300-20-716	11-C0619	67, 263
5300-20-901	09-C0901	61, 257
5300-20-903	09-C0905	61, 257
5300-20-921	10-C0310	68, 264
5300-30-505	12-C0105	65, 261
5300-30-511	12-C0108	65, 261
5300-30-513	12-C0109	65, 261
5300-30-901	12-C0901	61, 257
5300-30-903	12-C0905	61, 257
5300-4-35	KM172-24-35S	97
5300-4-45	KM172-24-45S	97
5300-4-54	KM172-24-54S	97
5300-4-62	KM172-24-62S	97
5300-6-35	KM172-26-35S	97
5300-6-45	KM172-26-45S	97
5300-6-54	KM172-26-54S	97
5300-6-62	KM172-26-62S	97
5300-9-35	KM172-29-35S	97
5300-9-45	KM172-29-45S	97
5300-9-54	KM172-29-54S	97
5300-9-62	KM172-29-62S	97
5301-10-117	70-C0170	268
5301-10-118	70-C0109	268
5301-10-119	70-C0108	268
5301-10-125	71-C0170	269
5301-10-126	71-C0109	268
5301-10-127	71-C0108	268
5301-10-128	71-C0107	268
5301-10-140	75-S0150	269
5301-10-142	75-S0151	270

Cross Reference

Stryker®	Brasseler USA®	Page Number(s)
5301-10-145	72-C0108	269
5301-10-146	72-C0107	269
5301-10-147	71-D0141	270
5301-10-148	71-D0135	270
5301-10-150	72-D0141	270
5301-10-152	72-D0135	270
5301-10-158	75-D0128	271
5301-10-159	72-D0133	270
5301-10-160	75-D0143	271
5301-10-161	75-D0142	271
5301-10-162	75-D0139	271
5301-10-164	75-S0101	269
5301-10-166	75-S0148	269
5301-10-50	KM-450	233
5301-10-51	KM-251	232
5301-10-52	KM-452	233
5301-10-53	KM-453	234
5301-10-54	KM-454	234
5301-10-56	KM-256	232
5301-10-74	KM-274	232
5301-20-58	KM-458	235
5301-20-59	KM-459	235
5301-20-60	KM-460	235
5301-20-61	KM-461	235
5301-20-73	KM-473	236
5301-25-122	KM-22K	246
5301-25-31	KM-3231	52, 239
5301-25-32	KM-3106	51, 238
5301-25-33	KM-3100C	50, 237
5301-25-37	KM-3237	52, 239
5301-25-38	KM-3101	50, 237
5301-25-39	KM-3102	50, 237
5301-25-40	KM-3240	52, 239
5301-25-41	KM-3107	51, 238
5301-25-43	KM-3101C	50, 237
5301-30-170	KM-3170	56, 243

Stryker®	Brasseler USA®	Page Number(s)
5301-30-171	KM-3171	56, 243
5301-30-172	KM-3172	56, 243
5301-30-176	KM-3176	56, 243
5301-30-60	KM-3006	54, 241
5301-30-61	KM-3261	55, 242
5301-30-62	KM-3000	53, 240
5301-30-63	KM-3005	54, 241
5301-30-64	KM-3001	53, 240
5301-30-65	KM-3265	55, 242
5301-30-66	KM-3008	54, 241
5301-30-73	KM-3002	53, 240
5301-35-20	KM-060	57, 244
5301-35-21	KM-070	57, 244
5301-35-54	KM-54	57, 244
5301-40-279	KM-279	59, 250
5301-40-32	KM-32	249
5301-40-33	KM-31	249
5302-25-31	KM-3231	52, 239
5302-25-32	KM-3106	51, 238
5302-25-33	KM-3100C	50, 237
5302-25-37	KM-3237	52, 239
5302-25-38	KM-3101	50, 237
5302-25-39	KM-3102	50, 237
5302-25-40	KM-3240	52, 239
5302-25-41	KM-3107	51, 238
5302-25-43	KM-3101C	50, 237
5302-30-60	KM-3006	54, 241
5302-30-61	KM-3261	55, 242
5302-30-62	KM-3000	53, 240
5302-30-63	KM-3005	54, 241
5302-30-64	KM-3001	53, 240
5302-30-65	KM-3265	55, 242
5302-30-66	KM-3008	54, 241
5302-30-73	KM-3002	53, 240
5305-25-121	KM-21K	246
5305-25-122	KM-22K	246

Cross Reference

Stryker®	Brasseler USA®	Page Number(s)
5305-25-123	KM-23K	246
5305-25-124	KM-24K	246
5305-25-131	KM-31K	247
5305-25-133	KM-33K	247
5305-25-134	KM-34K	247
5310-40-110	KM-7010	329
5330-40-119	70-C0108	268
5330-50-118	70-C0109	268
5330-65-117	70-C0170	268
5338-30-128	71-C0107	268
5338-40-127	71-C0108	268
5338-40-148	71-D0135	270
5338-50-126	71-C0109	268
5338-50-147	71-D0141	270
5338-65-125	71-C0170	269
5348-10-158	75-D0128	271
5348-10-164	75-S0101	269
5348-15-140	75-S0150	269
5348-20-142	75-S0151	270
5348-20-162	75-D0139	271
5348-30-146	72-C0107	269
5348-30-159	72-D0133	270
5348-40-145	72-C0108	269
5348-40-152	72-D0135	270
5348-50-150	72-D0141	270
5348-5-161	75-D0142	271
5348-5-166	75-S0148	269
5348-7-160	75-D0143	271
5420-10-50	KM-M35U	185, 254, 326
5420-107-30	KM-M8U	183, 252, 324
5420-80-30	KM-M52U	183, 252, 324
5430-10-50	KM-AM35U	186, 255, 327
5430-107-030	KM-AM8U	183, 252, 324
5430-107-30	KM-AM8U	183, 252, 324
5500-119-20	KM169-29-56S	101
5500-119-24	KM169-29-33S	101

Stryker®	Brasseler USA®	Page Number(s)
5500-119-28	KM169-29-76S	101
5500-119-32	KM169-29-18S	101
5500-119-36	KM169-29-96S	101
5500-119-40	KM169-29-53S	101
5500-119-48	KM169-29-31S	101
5500-19-20	KM168-29-56S	100
5500-19-24	KM168-29-33S	100
5500-19-28	KM168-29-76S	100
5500-19-32	KM168-29-18S	100
5500-19-36	KM168-29-96S	100
5500-19-40	KM168-29-53S	100
5500-19-48	KM168-29-31S	100
5500-219-20	KM168-49-56S	100
5500-219-24	KM168-49-33S	100
5500-219-28	KM168-49-76S	100
5500-219-32	KM168-49-18S	100
5500-219-36	KM168-49-96S	100
5500-219-40	KM168-49-53S	100
5500-219-48	KM168-49-31S	100
5500-319-20	KM169-49-56S	101
5500-319-24	KM169-49-33S	101
5500-319-28	KM169-49-76S	101
5500-319-32	KM169-49-18S	101
5500-319-36	KM169-49-96S	101
5500-319-40	KM169-49-53S	101
5500-319-48	KM169-49-31S	101
5500-9-35	KM173-29-35S	99
5500-9-45	KM173-29-45S	99
5500-9-54	KM173-29-54S	99
5500-9-62	KM173-29-62S	99
6113-089-090	BR1-1290-35	79, 138
6113-089-90	BR1-1290-35	79, 138
6113-097-090	BR1-1290-39	79, 138
6113-097-90	BR1-1290-39	79, 138
6113-119-090	BR1-1290-47	79, 138
6113-119-90	BR1-1290-47	79, 138





Cross Reference

Stryker®	Brasseler USA®	Page Number(s)
6113-127-090	BR1-1290-50	79, 138
6113-127-90	BR1-1290-50	79, 138
6113-137-090	BR1-1290-54	80, 139
6113-137-90	BR1-1290-54	80, 139
6113-89-090	BR1-1290-35	79, 138
6113-89-90	BR1-1290-35	79, 138
6113-97-090	BR1-1290-39	79, 138
6113-97-90	BR1-1290-39	79, 138
6118-089-090	BR1-1990-35	80, 139
6118-089-90	BR1-1990-35	80, 139
6118-097-090	BR1-1990-39	80, 139
6118-097-90	BR1-1990-39	80, 139
6118-119-090	BR1-1990-47	80, 139
6118-119-100	BR1-19100-47	81, 140
6118-119-90	BR1-1990-47	80, 139
6118-127-090	BR1-1990-50	81, 140
6118-127-100	BR1-19100-50	81, 140
6118-127-110	BR1-19110-50	81, 140
6118-127-90	BR1-1990-50	81, 140
6118-137-090	BR1-1990-54	82, 141
6118-137-100	BR1-19100-54	82, 142
6118-137-90	BR1-1990-54	82, 141
6118-89-090	BR1-1990-35	80, 139
6118-89-90	BR1-1990-35	80, 139
6118-97-090	BR1-1990-39	80, 139
6118-97-90	BR1-1990-39	80, 139
6125-089-090	BR1-2590-35	83, 142
6125-089-90	BR1-2590-35	83, 142
6125-097-090	BR1-2590-39	83, 142
6125-097-90	BR1-2590-39	83, 142
6125-119-090	BR1-2590-47	84, 143
6125-119-90	BR1-2590-47	84, 143
6125-127-090	BR1-2590-50	84, 143
6125-127-100	BR1-25100-50	85, 144
6125-127-90	BR1-2590-50	84, 143
6125-137-090	BR1-2590-54	85, 144

Stryker®	Brasseler USA®	Page Number(s)
6125-137-90	BR1-2590-54	85, 144
6125-147-090	BR1-2590-58	86, 145
6125-147-90	BR1-2590-58	86, 145
6125-89-090	BR1-2590-35	83, 142
6125-89-90	BR1-2590-35	83, 142
6125-97-090	BR1-2590-39	83, 142
6125-97-90	BR1-2590-39	83, 142
6207-097-101	ST6207-97-101	180
6207-097-101	ST6207-97-101N	180
6207-97-101	ST6207-97-101	180
6207-97-101	ST6207-97-101N	180
6213-127-070	BR11-2608	162
6213-127-70	BR11-2608	162
6221-100-090	BR1-2190-39F	82, 141
6221-100-90	BR1-2190-39F	82, 141
6221-119-090	BR1-2190-47F	82, 141
6221-119-90	BR1-2190-47F	82, 141
6221-127-090	BR1-2190-50F	83, 142
6221-127-90	BR1-2190-50F	83, 142
6221-137-090	BR1-2190-54F	142
6221-137-90	BR1-2190-54F	142
6541-004-003	BMA-S90012S	109, 165
6541-4-003	BMA-S90012S	109, 165
7650-1038	BMA-S90008S	109, 165
76501038A	BMA-S90010S	109, 165
7650-1038A	BMA-S90010S	109, 165
7650-2038	BMA-S90008S	109, 165
76502038A	BMA-S90010S	109, 165
7650-2038A	BMA-S90010S	109, 165
840-022-000	KM-500	112
840-20-100	KM-500	112
840-25	KM-500	112
840-25-100	KM-500	112
840-40-250	KM-500	112
840-40-350	KM-500	112

Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating
BR2000™ (Aggressive Cut) - Proprietary (BR1 Series - Stryker®)

Compatible with Stryker® Sagittal Saw Systems: 7, 6, 5, 4, 2000 & EHD


Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
BR1-1290-35	mm	90	12.5	0.89	0.89
	in	3.54	0.49	0.035	0.035
Substitute for Stryker® 6113-089-090; ConMed® Linvatec® STK130-089-90					
No Tooth Offset 					
BR1-1290-39	mm	90	12.5	0.99	0.99
	in	3.54	0.49	0.039	0.039
Substitute for Stryker® 6113-097-090; ConMed® Linvatec® STK130-100-90					
No Tooth Offset 					
BR1-1290-47	mm	90	12.5	1.19	1.19
	in	3.54	0.49	0.047	0.047
Substitute for Stryker® 6113-119-090, 2108-352-000, 2108-352; ConMed® Linvatec® STK130-119-90					
No Tooth Offset 					
BR1-1290-50	mm	90	12.5	1.27	1.27
	in	3.54	0.49	0.050	0.050
Substitute for Stryker® 6113-127-090, 2108-356-000, 2108-356; ConMed® Linvatec® STK130-127-90					
No Tooth Offset 					

Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating BR2000™ (Aggressive Cut) - Proprietary (BR1 Series - Stryker®)

Compatible with Stryker® Sagittal Saw Systems: 7, 6, 5, 4, 2000 & EHD


Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
BR1-1290-54	mm	90	12.5	1.37	1.37
	in	3.54	0.49	0.054	0.054
Substitute for Stryker® 6113-137-090; ConMed® Linvatec® STK130-137-90					

No Tooth Offset




BR1-1990-35	mm	90	19	0.89	0.89
	in	3.54	0.75	0.035	0.035
Substitute for Stryker® 6118-089-090; ConMed® Linvatec® STK190-089-90					

No Tooth Offset




BR1-1990-39	mm	90	19	0.99	0.99
	in	3.54	0.75	0.039	0.039
Substitute for Stryker® 6118-097-090; ConMed® Linvatec® STK190-100-90					

No Tooth Offset



BR1-1990-47	mm	90	19	1.19	1.19
	in	3.54	0.75	0.047	0.047
Substitute for Stryker® 6118-119-090; ConMed® Linvatec® STK190-119-90					

No Tooth Offset




Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating
BR2000™ (Aggressive Cut) - Proprietary (BR1 Series - Stryker®)

Compatible with Stryker® Sagittal Saw Systems: 7, 6, 5, 4, 2000 & EHD


Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
BR1-19100-47	mm	100	19	1.19	1.19
	in	3.94	0.75	0.047	0.047
Substitute for Stryker® 6118-119-100; ConMed® Linvatec® STK190-119-105					

No Tooth Offset




BR1-1990-50	mm	90	19	1.27	1.27
	in	3.54	0.75	0.050	0.050
Substitute for Stryker® 6118-127-090, 2108-382-000, 2108-382; ConMed® Linvatec® STK190-127-90					

No Tooth Offset




BR1-19100-50	mm	100	19	1.27	1.27
	in	3.94	0.75	0.050	0.050
Substitute for Stryker® 6118-127-100, 2108-385-000, 2108-385; ConMed® Linvatec® STK190-127-105					

No Tooth Offset







BR1-19110-50	mm	110	19	1.27	1.27
	in	4.33	0.75	0.050	0.050
Substitute for Stryker® 6118-127-110					

No Tooth Offset







Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating BR2000™ (Aggressive Cut) - Proprietary (BR1 Series - Stryker®)

Compatible with Stryker® Sagittal Saw Systems: 7, 6, 5, 4, 2000 & EHD

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
BR1-1990-54	mm	90	19	1.37	1.37
	in	3.54	0.75	0.054	0.054
Substitute for Stryker® 6118-137-090; ConMed® Linvatec® STK190-137-90					
No Tooth Offset 					
BR1-19100-54	mm	100	19	1.37	1.37
	in	3.94	0.75	0.054	0.054
Substitute for Stryker® 6118-137-100; ConMed® Linvatec® STK190-137-105					
No Tooth Offset 					
BR1-2190-39F	mm	90	21	0.99	0.99
	in	3.54	0.83	0.039	0.039
Substitute for Stryker® 6221-100-090; ConMed® Linvatec® STK193-100-90					
No Tooth Offset  *Flared Blade*					
BR1-2190-47F	mm	90	21	1.19	1.19
	in	3.54	0.83	0.047	0.047
Substitute for Stryker® to 6221-119-090, 4221-120-085; ConMed® Linvatec® STK193-119-90					
No Tooth Offset  *Flared Blade*					

Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating
BR2000™ (Aggressive Cut) - Proprietary (BR1 Series - Stryker®)

Compatible with Stryker® Sagittal Saw Systems: 7, 6, 5, 4, 2000 & EHD


Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
BR1-2190-50F	mm	90	21	1.27	1.27
	in	3.54	0.83	0.050	0.050
Substitute for Stryker® 6221-127-090, 2108-382-001, 2108-382-1, 2108-382-003, 21080382-3; ConMed® Linvatec® STK193-127-90					
 *No Tooth Offset* *Flared Blade*					
BR1-2190-54F	mm	90	21	1.37	1.37
	in	3.54	0.83	0.054	0.054
Substitute for Stryker® 6221-137-090, 2108-382-002, 2108-382-2; ConMed® Linvatec® STK193-137-90					
 *No Tooth Offset* *Flared Blade*					
BR1-2590-35	mm	90	25	0.89	0.89
	in	3.54	0.98	0.035	0.035
Substitute for Stryker® 6125-089-090, 2108-302-000, 2108-302; ConMed® Linvatec® STK250-089-90					
 *No Tooth Offset*					
BR1-2590-39	mm	90	25	0.99	0.99
	in	3.54	0.98	0.039	0.039
Substitute for Stryker® 6125-097-090, 2108-393-006, 2108-393-6; ConMed® Linvatec® STK250-100-90					
 *No Tooth Offset*					

Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating BR2000™ (Aggressive Cut) - Proprietary (BR1 Series - Stryker®)

Compatible with Stryker® Sagittal Saw Systems: 7, 6, 5, 4, 2000 & EHD

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
BR1-2590-39F	mm	90	25	0.99	0.99
	in	3.54	0.98	0.039	0.039
Substitute for Stryker® 2108-393-005, 2108-393-5					


No Tooth Offset



Flared Blade


BR1-2590-47	mm	90	25	1.19	1.19
	in	3.54	0.98	0.047	0.047
Substitute for Stryker® 6125-119-090, 2108-351-000, 2108-351; ConMed® Linvatec® STK250-119-90					

No Tooth Offset



BR1-2590-47F	mm	90	25	1.19	1.19
	in	3.54	0.98	0.047	0.047
Substitute for Stryker® 2108-351-002, 2108-351-2					


No Tooth Offset



Flared Blade

BR1-2590-50	mm	90	25	1.27	1.27
	in	3.54	0.98	0.050	0.050
Substitute for Stryker® 6125-127-090, 2108-376-002, 2108-386-2; ConMed® Linvatec® STK250-127-90					


No Tooth Offset



Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating BR2000™ (Aggressive Cut) - Proprietary (BR1 Series - Stryker®)


Compatible with Stryker® Sagittal Saw Systems: 7, 6, 5, 4, 2000 & EHD

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
BR1-25100-50	mm	100	25	1.27	1.27
	in	3.94	0.98	0.050	0.050
Substitute for Stryker® 6125-127-100 & 2108-328-000, 2108-328					



No Tooth Offset


Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
BR1-2590-50F	mm	90	25	1.27	1.27
	in	3.54	0.98	0.050	0.050
Substitute for Stryker® 2108-383-000, 2108-383					



No Tooth Offset


Flared Blade

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
BR1-2590-54	mm	90	25	1.37	1.37
	in	3.54	0.98	0.054	0.054
Substitute for Stryker® 6125-137-090; ConMed® Linvatec® STK250-137-90					



No Tooth Offset

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
BR1-2590-54F	mm	90	25	1.37	1.37
	in	3.54	0.98	0.054	0.054
Substitute for N/A					



No Tooth Offset


Flared Blade

Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating BR2000™ (Aggressive Cut) - Proprietary (BR1 Series - Stryker®)

Compatible with Stryker® Sagittal Saw Systems: 7, 6, 5, 4, 2000 & EHD


Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
BR1-2590-58	mm	90	25	1.47	1.47
	in	3.54	0.98	0.058	0.058
Substitute for Stryker® 6125-147-090; ConMed® Linvatec® STK250-147-90					

No Tooth Offset



BR1-2590-58F	mm	90	25	1.47	1.47
	in	3.54	0.98	0.058	0.058
Substitute for N/A					


No Tooth Offset



Flared Blade

BR1-3165-39F	mm	65	31	0.99	0.99
	in	2.56	1.22	0.039	0.039
Substitute for N/A					





No Tooth Offset



Flared Blade





Brasseler USA® Large Bone Saw Blades - Sagittal (Aggressive Cut) Replacements - Stryker®

Compatible with Stryker® Sagittal Saw Systems: 7, 6, 5, 4, 2000 & EHD

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
BR4111-119-090	mm	90	11	0.99	1.19
	in	3.54	0.43	0.039	0.047
Replaces 4111-119-090					
Tooth Offset 					
BR4111-127-090	mm	90	11	1.14	1.27
	in	3.54	0.43	0.045	0.050
Replaces 4111-127-090					
Tooth Offset 					
BR4111-147-075	mm	75	11	1.37	1.47
	in	2.95	0.43	0.054	0.058
Replaces 4111-147-075					
Tooth Offset 					
BR4118-089-075	mm	75	18	0.79	0.89
	in	2.95	0.71	0.031	0.035
Replaces 4118-089-075					
Tooth Offset 					





Brasseler USA® Large Bone Saw Blades - Sagittal (Aggressive Cut) Replacements - Stryker®

Compatible with Stryker® Sagittal Saw Systems: 7, 6, 5, 4, 2000 & EHD

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
BR4118-089-090	mm	90	18	0.79	0.89
	in	3.54	0.71	0.031	0.035
Replaces 4118-089-090					
Tooth Offset 					
BR4118-119-090	mm	90	18	0.99	1.19
	in	3.54	0.71	0.039	0.047
Replaces 4118-119-090					
Tooth Offset 					
BR4118-127-090	mm	90	18	1.14	1.27
	in	3.54	0.71	0.045	0.050
Replaces 4118-127-090					
Tooth Offset 					
BR4118-127-100	mm	100	18	1.14	1.27
	in	3.94	0.71	0.045	0.050
Replaces 4118-127-100					
Tooth Offset 					

Brasseler USA® Large Bone Saw Blades - Sagittal (Aggressive Cut) Replacements - Stryker®

Compatible with Stryker® Sagittal Saw Systems: 7, 6, 5, 4, 2000 & EHD


Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
BR4118-135-090	mm	90	18	1.19	1.35
	in	3.54	0.71	0.047	0.053
Replaces 4118-135-090					
Tooth Offset 					
BR4118-137-090	mm	90	18	1.27	1.37
	in	3.54	0.71	0.050	0.054
Replaces 4118-137-090					
Tooth Offset 					
BR4125-089-075	mm	75	25	0.79	0.89
	in	2.95	0.98	0.031	0.035
Replaces 4125-089-075					
Tooth Offset 					
BR4125-119-090	mm	90	25	0.99	1.19
	in	3.54	0.98	0.039	0.047
Replaces 4125-119-090					
Tooth Offset 					

Brasseler USA® Large Bone Saw Blades - Sagittal (Aggressive Cut) Replacements - Stryker®

Compatible with Stryker® Sagittal Saw Systems: 7, 6, 5, 4, 2000 & EHD


Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
BR4125-127-090	mm	90	25	1.14	1.27
	in	3.54	0.98	0.045	0.050
Replaces 4125-127-090					

Tooth Offset




BR4125-127-100	mm	100	25	1.14	1.27
	in	3.94	0.98	0.045	0.050
Replaces 4125-127-100					

Tooth Offset




BR4125-135-090	mm	90	25	1.19	1.35
	in	3.54	0.98	0.047	0.053
Replaces 4125-135-090					

Tooth Offset





BR4125-137-090	mm	90	25	1.27	1.37
	in	3.54	0.98	0.050	0.054
Replaces 4125-137-090					

Tooth Offset







Brasseler USA® Large Bone Saw Blades - Sagittal (Aggressive Cut) Replacements - Stryker®

Compatible with Stryker® Sagittal Saw Systems: 7, 6, 5, 4, 2000 & EHD

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
BR4125-147-090	mm	90	25	1.37	1.47
	in	3.54	0.98	0.054	0.058
Replaces 4125-147-090					
					*Tooth Offset*
BR2108-107-4S1	mm	60	35	1.19	1.35
	in	2.36	1.38	0.047	0.053
Replaces 2108-107-4S1 & 2108-107-4SI					
					*Tooth Offset*





Brasseler USA® Large Bone Saw Blades - Sagittal Replacements - Stryker®

Compatible with Stryker® Sagittal Saw Systems: 7, 6, 5, 4, 2000 & EHD

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
BR2108-100	mm	70	25	0.64	0.99
	in	2.76	0.98	0.025	0.039
Replaces 2108-100-000, 2108-100					
Tooth Offset 					
BR2108-102	mm	85	25	0.89	0.94
	in	3.35	0.98	0.035	0.037
Replaces 2108-102-000, 2108-102					
Tooth Offset 					
BR2108-103	mm	90	12.5	0.89	0.99
	in	3.54	0.49	0.035	0.039
Replaces 2108-103-000, 2108-103					
Tooth Offset 					
BR2108-105	mm	70	25	0.89	0.94
	in	2.76	0.98	0.035	0.037
Replaces 2108-105-000, 2108-105					
Tooth Offset 					





Brasseler USA® Large Bone Saw Blades - Sagittal Replacements - Stryker®

Compatible with Stryker® Sagittal Saw Systems: 7, 6, 5, 4, 2000 & EHD

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
BR2108-107-4S1	mm	60	35	1.19	1.35
	in	2.36	1.38	0.047	0.053
Replaces 2108-107-4S1 & 2108-107-4SI					
				*Tooth Offset* *Aggressive Cut*	
BR2108-107-9	mm	60	34.5	0.79	0.79
	in	2.36	1.36	0.031	0.031
Replaces 2108-107-009, 2108-107-9					
				*No Tooth Offset*	
BR2108-109	mm	80	21	0.89	0.94
	in	3.15	0.83	0.035	0.037
Replaces 2108-109-000, 2108-109					
				*Tooth Offset*	
BR2108-110	mm	70	25	1.27	1.47
	in	2.76	0.98	0.050	0.058
Replaces 2108-110-000, 2108-110					
				*Tooth Offset*	





Brasseler USA® Large Bone Saw Blades - Sagittal Replacements - Stryker®

Compatible with Stryker® Sagittal Saw Systems: 7, 6, 5, 4, 2000 & EHD

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
BR2108-111	mm	75	25	1.27	1.47
	in	2.95	0.98	0.050	0.058
Replaces 2108-111-000, 2108-111					
Tooth Offset 					
BR2108-113	mm	30	16.5	1.27	1.65
	in	1.18	0.65	0.050	0.065
Replaces 2108-113-000, 2108-113					
Tooth Offset 					
BR2108-115	mm	70	18.5	0.79	0.91
	in	2.76	0.73	0.031	0.036
Replaces 2108-115-000, 2108-115					
Tooth Offset 					
BR2108-118	mm	75	25	1.27	1.27
	in	2.95	0.98	0.050	0.050
Replaces 2108-118-000, 2108-118					
No Tooth Offset  *Diamond Tooth Design*					





Brasseler USA® Large Bone Saw Blades - Sagittal Replacements - Stryker®

Compatible with Stryker® Sagittal Saw Systems: 7, 6, 5, 4, 2000 & EHD

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
BR2108-120	mm	60	18.5	0.64	0.97
	in	2.36	0.73	0.025	0.038
Replaces 2108-120-000, 2108-120					
					*Tooth Offset*
BR2108-125	mm	45	42	0.64	1.02
	in	1.77	1.65	0.025	0.040
Replaces 2108-125-000, 2108-125					
					*Tooth Offset*
BR2108-140	mm	55	29	0.64	1.02
	in	2.17	1.14	0.025	0.040
Replaces 2108-140-000, 2108-140					
					*Tooth Offset*
BR2108-145	mm	20	9	0.64	0.79
	in	0.79	0.35	0.025	0.031
Replaces 2108-145-000, 2108-145					
					*Tooth Offset*





Brasseler USA® Large Bone Saw Blades - Sagittal Replacements - Stryker®

Compatible with Stryker® Sagittal Saw Systems: 7, 6, 5, 4, 2000 & EHD

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
BR2108-148	mm	30	9	0.64	0.79
	in	1.18	0.35	0.025	0.031
Replaces 2108-148-000, 2108-148					
Tooth Offset 					
BR2108-150	mm	70	12.5	0.64	0.99
	in	2.76	0.49	0.025	0.039
Replaces 2108-150-000, 2108-150					
Tooth Offset 					
BR2108-151	mm	85	25	1.19	1.19
	in	3.35	0.98	0.047	0.047
Replaces 2108-151-000, 2108-151					
No Tooth Offset  *Diamond Tooth Design*					
BR2108-152	mm	80	12.5	1.19	1.19
	in	3.15	0.49	0.047	0.047
Replaces 2108-152-000, 2108-152					
No Tooth Offset  *Diamond Tooth Design*					





Brasseler USA® Large Bone Saw Blades - Sagittal Replacements - Stryker®

Compatible with Stryker® Sagittal Saw Systems: 7, 6, 5, 4, 2000 & EHD

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
BR2108-155	mm	70	12.5	1.27	1.45
	in	2.76	0.49	0.050	0.057
Replaces 2108-155-000, 2108-155					
Tooth Offset 					
BR2108-156	mm	75	12.5	1.27	1.45
	in	2.95	0.49	0.050	0.057
Replaces 2108-156-000, 2108-156					
Tooth Offset 					
BR2108-158	mm	80	12.5	1.27	1.27
	in	3.15	0.49	0.050	0.050
Replaces 2108-158-000, 2108-158					
No Tooth Offset  *Diamond Tooth Design*					
BR2108-160	mm	70	25	0.89	1.27
	in	2.76	0.98	0.035	0.050
Replaces 2108-160-000, 2108-160					
Tooth Offset 					




Brasseler USA® Large Bone Saw Blades - Sagittal Replacements - Stryker®

Compatible with Stryker® Sagittal Saw Systems: 7, 6, 5, 4, 2000 & EHD

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
BR2108-176	mm	75	25	1.47	1.47
	in	2.95	0.98	0.058	0.058
Replaces 2108-176-000, 2108-176					
				*No Tooth Offset* *Diamond Tooth Design*	
BR2108-177	mm	85	25	1.32	1.32
	in	3.35	0.98	0.052	0.052
Replaces 2108-177-000, 2108-177					
				*No Tooth Offset* *Diamond Tooth Design*	
BR2108-182	mm	80	18.5	1.27	1.27
	in	3.15	0.73	0.050	0.050
Replaces 2108-182-000, 2108-182					
				*No Tooth Offset* *Diamond Tooth Design*	
BR2108-183	mm	80	29	1.27	1.27
	in	3.15	1.14	0.050	0.050
Replaces 2108-183-000, 2108-183					
				*No Tooth Offset* *Flared Blade* *Diamond Tooth Design*	

Brasseler USA® Large Bone Saw Blades - Sagittal Replacements - Stryker®

Compatible with Stryker® Sagittal Saw Systems: 7, 6, 5, 4, 2000 & EHD


Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
BR2108-185	mm	100	18.5	1.27	1.27
	in	3.94	0.73	0.050	0.050
Replaces 2108-185-000, 2108-185					
No Tooth Offset  *Diamond Tooth Design*					
BR2108-189	mm	80	25	1.27	1.27
	in	3.15	0.98	0.050	0.050
Replaces 2108-189-000, 2108-189					
No Tooth Offset  *Diamond Tooth Design*					
BR2108-193	mm	80	25	1.04	1.04
	in	3.15	0.98	0.041	0.041
Replaces 2108-193-000, 2108-193					
No Tooth Offset  *Diamond Tooth Design*					

Brasseler USA® Large Bone Saw Blades - Sagittal Replacements - Stryker®

Compatible with Stryker® Sagittal Saw Systems: 7, 6, 5, 4, 2000 & EHD

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
BR2108-195	mm	90	48.5	0.99	0.99
	in	3.54	1.91	0.039	0.039
Replaces 2108-195-000, 2108-195					


No Tooth Offset



Flared Blade
Diamond Tooth Design

BR2108-197	mm	60	48.5	0.64	0.99
	in	2.36	1.91	0.025	0.039
Replaces 2108-197-000, 2108-197					


Tooth Offset



Flared Blade

BR2108-218	mm	95	25	1.27	1.27
	in	3.74	0.98	0.050	0.050
Replaces 2108-218-000, 2108-218					



No Tooth Offset



Diamond Tooth Design

Brasseler USA® Large Bone Saw Blades - Sagittal Replacements - ConMed® Linvatec®


Compatible with Stryker® Sagittal Saw Systems: 7, 6, 5, 4, 2000 & EHD

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
BR5072-101	mm	86	19.5	1.27	1.27
	in	3.39	0.77	0.050	0.050
Replaces ConMed® Linvatec® 5072-101					
					
No Tooth Offset *Opposing Teeth* *Chromium Coating*					
BR5072-181	mm	86	19.5	1.27	1.27
	in	3.39	0.77	0.050	0.050
Replaces ConMed® Linvatec® 5072-181; Stryker® 2108-109-000S11					
					
No Tooth Offset *Opposing Teeth*					

Brasseler USA® Large Bone Saw Blades - Sagittal Replacements - Zimmer Biomet™

Compatible with Stryker® Sagittal Saw Systems: 7, 6, 5, 4, 2000 & EHD


Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
BR11-2212	mm	90	25	1.27	1.27
	in	3.54	0.98	0.050	0.050
Replaces Zimmer Biomet™ 11-2212, 25-0901-27T-G1, 25-0901-27S-G1, 25-0901-27Y-F1					



No Tooth Offset

Opposing Teeth


BR11-2214	mm	60	13	0.89	0.89
	in	2.36	0.51	0.035	0.035
Replaces Zimmer Biomet™ 11-2214, 13-0600-89T-F1, 13-0600-89S-F1, 13-0600-89Y-F1					



No Tooth Offset

Opposing Teeth


BR11-2220	mm	90	25	1.42	1.47
	in	3.54	0.98	0.056	0.058
Replaces Zimmer Biomet™ 11-2220, 25-0901-47T-B1, 25-0901-47S-B1, 25-0901-47Y-B1					



Tooth Offset

Ribbed
Opposing Teeth

BR11-2222	mm	90	25	1.22	1.27
	in	3.54	0.98	0.048	0.050
Replaces Zimmer Biomet™ 11-2222, 25-0901-27T-B1, 25-0901-27S-B1, 25-0901-27Y-B1					





Tooth Offset

Ribbed
Opposing Teeth





Brasseler USA® Large Bone Saw Blades - Sagittal Replacements - Zimmer Biomet™

Compatible with Stryker® Sagittal Saw Systems: 7, 6, 5, 4, 2000 & EHD

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
BR11-2325	mm	90	13	1.27	1.27
	in	3.54	0.51	0.050	0.050
Replaces Zimmer Biomet™ 11-2325, 13-0901-27T-F1, 13-0901-27S-F1					
 *No Tooth Offset* *Opposing Teeth*					
BR11-2608	mm	70	13	1.27	1.27
	in	2.76	0.51	0.050	0.050
Replaces Zimmer Biomet™ 11-2608, 13-0701-27T-L1, 13-0701-27S-L1, 13-0701-27Y-L1; Depuy® Synthes® 5627-87-000; Stryker® 6213-127-070					
 *No Tooth Offset* *Flared Blade* *Opposing Teeth*					



Brasseler USA® Large Bone Saw Blades - Reciprocating Replacements - Stryker®

Compatible with Stryker® Reciprocating Saw Systems: 7, 6, 5, 4, 2000, EHD & OrthoPower

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM-250R	mm	60	6.3	0.64	1.04
	in	2.36	0.25	0.025	0.041
Replaces 277-096-250, 277-96-250					
Tooth Offset  *Short*					
KM-275R	mm	70	12.5	0.64	0.94
	in	2.76	0.49	0.025	0.037
Replaces 277-096-275, 277-96-275					
Tooth Offset  *Double Sided*					
KM-276R	mm	71.4	12.5	0.79	0.99
	in	2.81	0.49	0.031	0.039
Replaces 277-096-276, 277-96-276					
Tooth Offset  *Double Sided*					
KM-277R	mm	70.8	12.5	0.63	1.12
	in	2.79	0.49	0.025	0.044
Replaces 277-096-277, 277-96-277					
Tooth Offset  *Double Sided*					

Brasseler USA® Large Bone Saw Blades - Reciprocating Replacements - Stryker®




Compatible with Stryker® Reciprocating Saw Systems: 7, 6, 5, 4, 2000, EHD & OrthoPower

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM-300R	mm	77.5	6.3	0.64	1.04
	in	3.05	0.25	0.025	0.041
Replaces 277-096-300, 277-96-300					
Tooth Offset  *Long*					
KM-325R	mm	77.5	11.2	0.76	1.17
	in	3.05	0.44	0.030	0.046
Replaces 277-096-325, 277-96-325					
Tooth Offset 					
KM-2279-73	mm	76	12.7	0.90	0.90
	in	2.99	0.50	0.035	0.035
Replaces N/A (Similar to Linvatec® 5052-079, 5052-179, 5052-279)					
No Tooth Offset  *Double Sided* *Chromium Coating* *Ribbed*					

Brasseler USA® Orthopaedic Pin / Drill Packs - Replacements - Stryker®

Compatible with Stryker® Knee Instrumentation Systems






Fabricated from 17-4 stainless steel.

Order Number	Product Description	Diameter		Length		Packaging
		in	mm	in	mm	
BMA-S90008S	Headless Pin (Square End & Trocar Point)	1/8	3.1	3.5	88.9	4 Pins Per Pack - Sterile
Replaces 7650-2038, 7650-1038						
						
BMA-S90010S	Headless Pin, Fluted (Square End & Trocar Point)	1/8	3.1	3.2	88.9	4 Pins Per Pack - Sterile
Replaces 7650-2038A, 7650-1038A						
						
BMA-S90012S	Headless Pin (Square End & Trocar Point)	1/8	3.1	3.0	76.2	4 Pins Per Pack - Sterile
Replaces 6541-4-003, 6541-004-003						
						

Items not shown at actual size.






Brasseler USA® Small Bone Saw Blades - Sagittal & Oscillating Replacements - Stryker®

Compatible with Stryker® Oscillating & Sagittal Saw Systems: SABO®, Cordless Driver (Sagittal Saw Attachment), RemB™, CORE, TPS™ & Command 2

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM3-51	mm	18.5	6.5	0.38	0.43
	in	0.73	0.26	0.015	0.017
Replaces 2296-3-51, 2296-003-051					
					*Thin*
KM3-101	mm	10	9	0.38	0.43
	in	0.39	0.35	0.015	0.017
Replaces 2296-3-101, 2296-003-101					
					*Thin*
KM3-102	mm	18.5	16.5	0.38	0.43
	in	0.73	0.65	0.015	0.017
Replaces 2296-3-102, 2296-003-102					
					*Thin*
KM3-103	mm	15	7	0.38	0.43
	in	0.59	0.28	0.015	0.017
Replaces 2296-3-103, 2296-003-103					
					*Thin*
KM3-104	mm	34.5	16.5	0.38	0.43
	in	1.36	0.65	0.015	0.017
Replaces 2296-3-104, 2296-003-104					
					*Thin*

Brasseler USA® Small Bone Saw Blades - Sagittal & Oscillating Replacements - Stryker®






Compatible with Stryker® Oscillating & Sagittal Saw Systems: SABO®, Cordless Driver (Sagittal Saw Attachment), RemB™, CORE, TPS™ & Command 2

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM3-105	mm	18.5	9	0.38	0.43
	in	0.73	0.35	0.015	0.017
Replaces 2296-3-105, 2296-003-105					
					*Thin*
KM3-106	mm	34.5	13	0.38	0.43
	in	1.36	0.51	0.015	0.017
Replaces 2296-3-106, 2296-003-106					
					*Thin*
KM3-108	mm	39	13	0.38	0.43
	in	1.54	0.51	0.015	0.017
Replaces 2296-3-108, 2296-003-108					
					*Thin*
KM3-111	mm	25	9	0.38	0.43
	in	0.98	0.35	0.015	0.017
Replaces 2296-3-111, 2296-003-111					
					*Thin*
KM3-114	mm	18.5	7	0.38	0.43
	in	0.73	0.28	0.015	0.017
Replaces 2296-3-114, 2296-003-114					
					*Thin*

Compatible with Stryker® Oscillating & Sagittal Saw Systems: SABO®, Cordless Driver (Sagittal Saw Attachment), RemB™, CORE, TPS™ & Command 2





Brasseler USA® Small Bone Saw Blades - Sagittal & Oscillating Replacements - Stryker®

Compatible with Stryker® Oscillating & Sagittal Saw Systems: SABO®, Cordless Driver (Sagittal Saw Attachment), RemB™, CORE, TPS™ & Command 2

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM3-115	mm	29.5	7	0.38	0.43
	in	1.16	0.28	0.015	0.017
Replaces 2296-3-115, 2296-003-115					
					*Thin*
KM3-125	mm	31	9	0.38	0.43
	in	1.22	0.35	0.015	0.017
Replaces 2296-3-125, 2296-003-125					
					*Thin*
KM3-206	mm	34.5	12	0.38	0.43
	in	1.36	0.47	0.015	0.017
Replaces 2296-3-206, 2296-003-206					
					*Thin*
KM3-212	mm	18	5.5	0.38	0.43
	in	0.71	0.22	0.015	0.017
Replaces 2296-3-212, 2296-003-212					
					*Thin*
KM3-225	mm	31	9	0.38	0.43
	in	1.22	0.35	0.015	0.017
Replaces 2296-3-225, 2296-003-225					
					*Thin*

Brasseler USA® Small Bone Saw Blades - Sagittal & Oscillating Replacements - Stryker®




Compatible with Stryker® Oscillating & Sagittal Saw Systems: SABO®, Cordless Driver (Sagittal Saw Attachment), RemB™, CORE, TPS™ & Command 2

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM3-254	mm	41	19.5	0.38	0.68
	in	1.61	0.77	0.015	0.027
Replaces 2296-3-254, 2296-003-254					
					*Thin*
KM3-410	mm	11.5	5.5	0.38	0.43
	in	0.45	0.22	0.015	0.017
Replaces 2296-3-410, 2296-003-410					
					*Thin*
KM3-411	mm	11.5	9	0.38	0.43
	in	0.45	0.35	0.015	0.017
Replaces 2296-3-411, 2296-003-411					
					*Thin*
KM3-412	mm	18	5.5	0.38	0.43
	in	0.71	0.22	0.015	0.017
Replaces 2296-3-412, 2296-003-412					
					*Thin*
KM3-413	mm	18	2.5	0.38	0.43
	in	0.71	0.10	0.015	0.017
Replaces 2296-3-413, 2296-003-413					
					*Thin*

Compatible with Stryker® Oscillating & Sagittal Saw Systems: SABO®, Cordless Driver (Sagittal Saw Attachment), RemB™, CORE, TPS™ & Command 2






Brasseler USA® Small Bone Saw Blades - Sagittal & Oscillating Replacements - Stryker®

Compatible with Stryker® Oscillating & Sagittal Saw Systems: SABO®, Cordless Driver (Sagittal Saw Attachment), RemB™, CORE, TPS™ & Command 2

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM3-414	mm	25	5.5	0.38	0.43
	in	0.98	0.22	0.015	0.017
Replaces 2296-3-414, 2296-003-414					
					*Thin*
KM3-511	mm	25	9	0.38	0.64
	in	0.98	0.35	0.015	0.025
Replaces 2296-3-511, 2296-003-511					
					*Thin* *Aggressive Cut*
KM3-525	mm	31	9	0.38	0.64
	in	1.22	0.35	0.015	0.025
Replaces 2296-3-525, 2296-003-525					
					*Thin* *Aggressive Cut*

Brasseler USA® Small Bone Saw Blades - Sagittal & Oscillating Replacements - Stryker®






Compatible with Stryker® Oscillating & Sagittal Saw Systems: SABO®, Cordless Driver (Sagittal Saw Attachment), RemB™, CORE, TPS™ & Command 2

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM33-101	mm	10	9	0.51	0.56
	in	0.39	0.35	0.020	0.022
Replaces 2296-33-101, 2296-033-101					
					*Thick*
KM33-102	mm	18.5	16.5	0.51	0.56
	in	0.73	0.65	0.020	0.022
Replaces 2296-33-102, 2296-033-102					
					*Thick*
KM33-103	mm	15	7	0.51	0.56
	in	0.59	0.28	0.020	0.022
Replaces 2296-33-103, 2296-033-103					
					*Thick*
KM33-104	mm	34.5	16.5	0.51	0.56
	in	1.36	0.65	0.020	0.022
Replaces 2296-33-104, 2296-033-104					
					*Thick*
KM33-105	mm	18.5	9	0.51	0.56
	in	0.73	0.35	0.020	0.022
Replaces 2296-33-105, 2296-033-105					
					*Thick*

Compatible with Stryker® Oscillating & Sagittal Saw Systems: SABO®, Cordless Driver (Sagittal Saw Attachment), RemB™, CORE, TPS™ & Command 2






Brasseler USA® Small Bone Saw Blades - Sagittal & Oscillating Replacements - Stryker®

Compatible with Stryker® Oscillating & Sagittal Saw Systems: SABO®, Cordless Driver (Sagittal Saw Attachment), RemB™, CORE, TPS™ & Command 2

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM33-106	mm	34.5	13	0.51	0.56
	in	1.36	0.51	0.020	0.022
Replaces 2296-33-106, 2296-033-106					
					*Thick*
KM33-108	mm	39	13	0.51	0.56
	in	1.54	0.51	0.020	0.022
Replaces 2296-33-108, 2296-033-108					
					*Thick*
KM33-111	mm	25	9	0.51	0.56
	in	0.98	0.35	0.020	0.022
Replaces 2296-33-111, 2296-033-111					
					*Thick*
KM33-114	mm	18.5	7	0.51	0.56
	in	0.73	0.28	0.020	0.022
Replaces 2296-33-114, 2296-033-114					
					*Thick*
KM33-115	mm	29.5	7	0.51	0.56
	in	1.16	0.28	0.020	0.022
Replaces 2296-33-115, 2296-033-115					
					*Thick*






Brasseler USA® Small Bone Saw Blades - Sagittal & Oscillating Replacements - Stryker®

Compatible with Stryker® Oscillating & Sagittal Saw Systems: SABO®, Cordless Driver (Sagittal Saw Attachment), RemB™, CORE, TPS™ & Command 2

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM33-125	mm	31	9	0.51	0.56
	in	1.22	0.35	0.020	0.022
Replaces 2296-33-125, 2296-033-125					
					*Thick*
KM33-206	mm	34.5	12	0.51	0.56
	in	1.36	0.47	0.020	0.022
Replaces 2296-33-206, 2296-033-206					
					*Thick*
KM33-212	mm	18	5.5	0.51	0.56
	in	0.71	0.22	0.020	0.022
Replaces 2296-33-212, 2296-033-212					
					*Thick*
KM33-225	mm	31	9	0.51	0.56
	in	1.22	0.35	0.020	0.022
Replaces 2296-33-225, 2296-033-225					
					*Thick*
KM33-410	mm	11.5	5.5	0.51	0.56
	in	0.45	0.22	0.020	0.022
Replaces 2296-33-410, 2296-033-410					
					*Thick*


Brasseler USA® Small Bone Saw Blades - Sagittal & Oscillating Replacements - Stryker®

Compatible with Stryker® Oscillating & Sagittal Saw Systems: SABO®, Cordless Driver (Sagittal Saw Attachment), RemB™, CORE, TPS™ & Command 2

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM33-411	mm	11.5	9	0.51	0.56
	in	0.45	0.35	0.020	0.022
Replaces 2296-33-411, 2296-033-411					
					*Thick*
KM33-412	mm	18	5.5	0.51	0.56
	in	0.71	0.22	0.020	0.022
Replaces 2296-33-412, 2296-033-412					
					*Thick*
KM33-413	mm	18	2.5	0.51	0.56
	in	0.71	0.10	0.020	0.022
Replaces 2296-33-413, 2296-033-413					
					*Thick*
KM33-414	mm	25	5.5	0.51	0.56
	in	0.98	0.22	0.020	0.022
Replaces 2296-33-414, 2296-033-414					
					*Thick*
KM33-521	mm	25	9	0.51	0.74
	in	0.98	0.35	0.020	0.029
Replaces 2296-33-521, 2296-033-521					
					*Thick*





Brasseler USA® Small Bone Saw Blades - Reciprocating Replacements - Stryker®

Compatible with Stryker® Reciprocating Saw Systems: RemB™, CORE, TPS™ & Command 2

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM5100-137-123	mm	27.0	6.4	0.38	0.51
	in	1.06	0.25	0.015	0.020
Replaces 5100-137-123					
					*Thin*
KM5100-137-133	mm	21.8	6.4	0.38	0.51
	in	0.86	0.25	0.015	0.020
Replaces 5100-137-133					
					*Thin*
KM5100-137-233	mm	27.4	6.0	0.38	0.51
	in	1.08	0.24	0.015	0.020
Replaces 5100-137-233					
					*Thin*





Brasseler USA® Small Bone Rasps - Reciprocating Replacements - Stryker®

Compatible with Stryker® Reciprocating Saw Systems: RemB™, CORE, TPS™ & Command 2

Order Number	Unit	Length	Max. Cut Width
KM5100-37-113	mm	11	5.5
	in	0.43	0.22
Replaces 5100-37-113, 5100-037-113			
			*Small Tear Cross-Cut*
KM5100-37-114	mm	13	6.5
	in	0.51	0.26
Replaces 5100-37-114, 5100-037-114			
			*Large Tear Cross-Cut*
KM5100-37-115	mm	11	5.5
	in	0.43	0.22
Replaces 5100-37-115, 5100-037-115			
			*Small Tear*
KM5100-37-116	mm	13	6.5
	in	0.51	0.26
Replaces 5100-37-116, 5100-037-116			
			*Large Tear*

Brasseler USA® Small Bone Saw Blades - Oscillating Replacements - Stryker®


Compatible with Stryker® Oscillating Saw System: Micro

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM-103S	mm	25.5	9.5	0.38	0.64
	in	1.00	0.37	0.015	0.025
Replaces 277-31-103					
					
KM-412S	mm	20.5	5.5	0.38	0.64
	in	0.81	0.22	0.015	0.025
Replaces 277-31-412					
					
KM-413S	mm	18.5	9.5	0.38	0.64
	in	0.73	0.37	0.015	0.025
Replaces 277-31-413					
					
KM-414S	mm	25.5	5.5	0.38	0.64
	in	1.00	0.22	0.015	0.025
Replaces 277-31-414					
					

Brasseler USA® Small Bone Saw Blades - Reciprocating Replacements - Stryker®

Compatible with Stryker® Reciprocating Saw System: Micro




Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM-062	mm	27.2	6	0.64	1.00
	in	1.07	0.24	0.025	0.039
Replaces 1675-133					



Thick







Brasseler USA® Small Bone Saw Rasps - Reciprocating Replacements - Stryker®

Compatible with Stryker® Reciprocating Saw System: Micro

Order Number	Unit	Length	Max. Cut Width
KM-800	mm	13	6.5
	in	0.51	0.26
Replaces 1675-116			
			*Large Tear*
KM-801	mm	11	5.5
	in	0.43	0.22
Replaces 1675-115			
			*Small Tear*
KM-802	mm	11	5.5
	in	0.43	0.22
Replaces 1675-113			
			*Small Tear Cross-Cut*



Brasseler USA® Sternum Saw Blades - Replacements - Stryker®

Compatible with Stryker® Sternum Saw Systems: 7, 6, 5, 4, 2000, EHD & OrthoPower

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
ST6207-97-101	mm	30.5	6.5	0.64	1.02
	in	1.20	0.26	0.025	0.040
Replaces 6207-97-101, 6207-097-101					
					*Sterile*
ST6207-97-101N	mm	30.5	6.5	0.64	1.02
	in	1.20	0.26	0.025	0.040
Replaces 6207-97-101, 6207-097-101					
					*Non-Sterile*
KM-97	mm	32	6.4	0.79	1.07
	in	1.26	0.25	0.031	0.042
Replaces 298-97-100, 298-097-100					
					*Sterile*
KM-97N	mm	32	6.4	0.79	1.07
	in	1.26	0.25	0.031	0.042
Replaces 298-97-100, 298-097-100					
					*Non-Sterile*
KM-98	mm	32	6.4	0.64	1.02
	in	1.26	0.25	0.025	0.040
Replaces 298-97-101, 298-097-101					
					*Sterile*
KM-98N	mm	32	6.4	0.64	1.02
	in	1.26	0.25	0.025	0.040
Replaces 298-97-101, 298-097-101					
					*Non-Sterile*

Brasseler USA® Sternum Saw Blades - Replacements - Stryker®

Compatible with Stryker® Sternum Saw Systems: 7, 6, 5, 4, 2000, EHD & OrthoPower


Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
ST296-97-102	mm	31.5	6.2	0.64	1.01
	in	1.24	0.24	0.025	0.040
Replaces 296-97-102, 296-097-102, 296097102					
					*Sterile*
ST296-97-102N	mm	31.5	6.2	0.64	1.01
	in	1.24	0.24	0.025	0.040
Replaces 296-97-102, 296-097-102, 296097102					
					*Non-Sterile*

Brasseler USA® Sternum Saw Blades - Sagittal Replacements - Stryker®

Compatible with Stryker® Sagittal Saw Systems: 7, 6, 5, 4, 2000 & EHD

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
BR2108-125	mm	45	42	0.64	1.02
	in	1.77	1.65	0.025	0.040
Replaces 2108-125, 2108-125-000					


Sterile




Brasseler USA® High Speed Burs - 3.16mm Stryker® CORE & TPS™ Shank Replacements - Stryker®, ConMed® Linvatec® & Medtronic® Midas Rex®

Compatible with High Speed Drill Systems: Stryker® CORE & TPS™; ConMed® Linvatec® UltraPower®; Medtronic® Midas Rex® Classic I & II

Order Number	Description	Unit	Head Diameter	Head Length
KM-M8U	Match Head	mm	2.9	3.8
		in	0.11	0.15
Replaces ConMed® Linvatec® 7021-237 *Replaces Medtronic® Midas Rex® M-8* *Replaces Stryker® 5120-107-30, 5220-107-30, 5420-107-30*				




KM-AM8U	Match Head	mm	2.9	3.8
		in	0.11	0.15
Replaces ConMed® Linvatec® 7021-337 *Replaces Medtronic® Midas Rex® AM-8* *Replaces Stryker® 5130-107-30, 5230-107-30, 5430-107-30*				



KM-M51U	Metal Cutter (Diamond Wheel)	mm	25.4	0.8
		in	1.00	0.03
Replaces ConMed® Linvatec® 7021-292 *Replaces Medtronic® Midas Rex® M-51* *Replaces Stryker® 5120-130-250*				







KM-M52U	Metal Cutter (Carbide)	mm	3.1	17.5
		in	0.12	0.69
Replaces ConMed® Linvatec® 7021-294 *Replaces Medtronic® Midas Rex® M-52* *Replaces Stryker® 5120-80-30, 5420-80-30*				







Brasseler USA® High Speed Burs - 3.16mm Stryker® CORE & TPS™ Shank Replacements - Stryker®, ConMed® Linvatec® & Medtronic® Midas Rex®

Compatible with High Speed Drill Systems: Stryker® CORE & TPS™; ConMed® Linvatec® UltraPower®; Medtronic® Midas Rex® Classic I & II

Order Number	Description	Unit	Head Diameter	Head Length
KM-U295	Oval	mm	4.0	8.0
		in	0.16	0.31
Replaces ConMed® Linvatec® 7021-295 *Replaces Medtronic® Midas Rex® N/A* *Replaces Stryker® 5120-15-140*				
				
KM5110-15-40	Oval	mm	4.0	9.5
		in	0.16	0.37
Replaces ConMed® Linvatec® N/A *Replaces Medtronic® Midas Rex® N/A* *Replaces Stryker® 5110-15-40*				
				
KM-M340DU	Round Diamond	mm	4.0	4.0
		in	0.16	0.16
Replaces ConMed® Linvatec® 7021-264 *Replaces Medtronic® Midas Rex® M-340D* *Replaces Stryker® 5120-12-40*				
				
KM-M330U	Round Fluted	mm	3.0	3.0
		in	0.12	0.12
Replaces ConMed® Linvatec® 7021-226 *Replaces Medtronic® Midas Rex® M-330* *Replaces Stryker® 5120-10-30, 5220-10-30*				
				

Brasseler USA® High Speed Burs - 3.16mm Stryker® CORE & TPS™ Shank Replacements - Stryker®, ConMed® Linvatec® & Medtronic® Midas Rex®





Compatible with High Speed Drill Systems: Stryker® CORE & TPS™; ConMed® Linvatec® UltraPower®; Medtronic® Midas Rex® Classic I & II

Order Number	Description	Unit	Head Diameter	Head Length
KM5120-10-230	Round Fluted Extended Length	mm	3.0	3.0
		in	0.12	0.12
Replaces ConMed® Linvatec® N/A *Replaces Medtronic® Midas Rex® N/A* *Replaces Stryker® 5120-10-230, 5220-10-230*				
				
KM-M340U	Round Fluted	mm	4.0	4.0
		in	0.16	0.16
Replaces ConMed® Linvatec® 7021-227 *Replaces Medtronic® Midas Rex® M-340* *Replaces Stryker® 5120-10-40, 5220-10-40*				
				
KM5120-10-240	Round Fluted Extended Length	mm	4.0	4.0
		in	0.16	0.16
Replaces ConMed® Linvatec® N/A *Replaces Medtronic® Midas Rex® N/A* *Replaces Stryker® 5120-10-240, 5220-10-240*				
				
KM-M35U	Round Fluted	mm	5.0	5.0
		in	0.20	0.20
Replaces ConMed® Linvatec® 7021-228 *Replaces Medtronic®Midas Rex® M-35* *Replaces Stryker® 5120-10-50, 5220-10-50, 5420-10-50*				
				

Compatible with High Speed Drill Systems: Stryker® CORE & TPS™; ConMed® Linvatec® UltraPower®; Medtronic® Midas Rex® Classic I & II



Brasseler USA® High Speed Burs - 3.16mm Stryker® CORE & TPS™ Shank Replacements - Stryker®, ConMed® Linvatec® & Medtronic® Midas Rex®

Compatible with High Speed Drill Systems: Stryker® CORE & TPS™; ConMed® Linvatec® UltraPower®; Medtronic® Midas Rex® Classic I & II

Order Number	Description	Unit	Head Diameter	Head Length
KM-M33U	Round Fluted	mm	6.0	6.0
		in	0.24	0.24
Replaces ConMed® Linvatec® 7021-229 *Replaces Medtronic® Midas Rex® M-33* *Replaces Stryker® 5120-10-60, 5220-10-60*				
				
KM-AM330U	Round Fluted	mm	3.0	3.0
		in	0.12	0.12
Replaces ConMed® Linvatec® 7021-326 *Replaces Medtronic® Midas Rex® AM-330* *Replaces Stryker® 5130-10-30, 5230-10-30*				
				
KM5130-10-240	Round Fluted Extended Length	mm	4.0	4.0
		in	0.16	0.16
Replaces ConMed® Linvatec® N/A *Replaces Medtronic® Midas Rex® N/A* *Replaces Stryker® 5130-10-240, 5230-10-240*				
				
KM-AM35U	Round Fluted	mm	5.0	5.0
		in	0.20	0.20
Replaces ConMed® Linvatec® 7021-328 *Replaces Medtronic® Midas Rex® AM-35* *Replaces Stryker® 5130-10-50, 5230-10-50, 5430-10-50*				
				






Brasseler USA® High Speed Burs - 3.16mm Stryker® CORE & TPS™ Shank Replacements - Stryker®, ConMed® Linvatec® & Medtronic® Midas Rex®

Compatible with High Speed Drill Systems: Stryker® CORE & TPS™; ConMed® Linvatec® UltraPower®; Medtronic® Midas Rex® Classic I & II

Order Number	Description	Unit	Head Diameter	Head Length
KM5130-10-250	Round Fluted Extended Length	mm	5.0	5.0
		in	0.20	0.20
Replaces ConMed® Linvatec® N/A *Replaces Medtronic® Midas Rex® N/A* *Replaces Stryker® 5130-10-250, 5230-10-250*				
				
KM-AM32U	Round Fluted	mm	7.6	7.6
		in	0.30	0.30
Replaces ConMed® Linvatec® 7021-331 *Replaces Medtronic® Midas Rex® AM-32* *Replaces Stryker® 5130-10-75, 5230-10-75*				
				







Brasseler USA® Micro Burs - Standard & Oral Surgery
J-Notch - Replacements - Stryker®

Compatible with Stryker® Micro Drill Systems: RemB™, CORE, TPS™ & Command 2

Order Number	Description	Unit	Total Length	Head Diameter	Head Length	No. of Flutes Grit Size
14-C0901	Oval - Carbide	mm	44.5	4.0	7.9	8
		in	1.75	0.16	0.31	
Replaces 277-10-62, 277-010-062						
						*1 per Pack Sterile*
14-C0905	Oval - Carbide	mm	44.5	5.5	10.3	10
		in	1.75	0.22	0.41	
Replaces N/A						
						*1 per Pack Sterile*
16-C0901	Oval - Carbide	mm	54.5	4.0	7.9	8
		in	2.15	0.16	0.31	
Replaces N/A						
						*1 per Pack Sterile*
14-C0104	Round - Carbide	mm	44.5	1.8	1.8	6
		in	1.75	0.07	0.07	
Replaces 277-10-418, 277-010-418						
						*1 per Pack Sterile*
14-C0105	Round - Carbide	mm	44.5	2.0	2.0	6
		in	1.75	0.08	0.08	
Replaces 277-10-225, 277-010-225						
						*1 per Pack Sterile*
14-C0106	Round - Carbide	mm	44.5	2.3	2.3	8
		in	1.75	0.09	0.09	
Replaces 277-10-423, 277-010-423						
						*8 Shannon 1 per Pack Sterile*





Brasseler USA® Micro Burs - Standard & Oral Surgery
J-Notch - Replacements - Stryker®

Compatible with Stryker® Micro Drill Systems: RemB™, CORE, TPS™ & Command 2

Order Number	Description	Unit	Total Length	Head Diameter	Head Length	No. of Flutes Grit Size
14-C0107	Round - Carbide	mm	44.5	3.0	3.0	6
		in	1.75	0.12	0.12	
Replaces 277-10-230, 277-010-230						
						*1 per Pack Sterile*
14-C0108	Round - Carbide	mm	44.5	4.0	4.0	8
		in	1.75	0.16	0.16	
Replaces 277-10-240, 277-010-240						
						*1 per Pack Sterile*
14-C0109	Round - Carbide	mm	44.5	5.0	5.0	8
		in	1.75	0.20	0.20	
Replaces 277-10-250, 277-010-250						
						*1 per Pack Sterile*
14-C0110	Round - Carbide	mm	44.5	6.0	6.0	8
		in	1.75	0.24	0.24	
Replaces N/A						
						*1 per Pack Sterile*
16-C0107	Round - Carbide	mm	54.5	3.0	3.0	6
		in	2.15	0.12	0.12	
Replaces N/A						
						*1 per Pack Sterile*
16-C0108	Round - Carbide	mm	54.5	4.0	4.0	8
		in	2.15	0.16	0.16	
Replaces N/A						
						*1 per Pack Sterile*







Brasseler USA® Micro Burs - Standard & Oral Surgery
J-Notch - Replacements - Stryker®

Compatible with Stryker® Micro Drill Systems: RemB™, CORE, TPS™ & Command 2

Order Number	Description	Unit	Total Length	Head Diameter	Head Length	No. of Flutes Grit Size
14-C0308	Straight - Cross Cut - Carbide	mm	44.5	1.6	4.5	6
		in	1.75	0.06	0.17	
Replaces 1607-2-103, 1607-002-103						
						*560 1 per Pack Sterile*
14-C0405	Straight - Cross Cut - Carbide	mm	44.5	1.6	5.9	6
		in	1.75	0.06	0.23	
Replaces N/A						
						*1 per Pack Sterile*
14-C0606	Straight - Cross Cut - Carbide	mm	44.5	1.2	4.1	6
		in	1.75	0.05	0.16	
Replaces 277-10-212, 277-010-212						
						*1 per Pack Sterile*
14-C0608	Tapered - Cross Cut - Carbide	mm	44.5	1.6	4.3	6
		in	1.75	0.06	0.17	
Replaces 277-10-216, 277-010-216						
						*1 per Pack Sterile*
14-C0616	Tapered - Cross Cut - Carbide	mm	44.5	2.1	4.8	6
		in	1.75	0.08	0.19	
Replaces 277-10-221, 277-010-221						
						*1 per Pack Sterile*
16-D0130	Round - Diamond	mm	54.5	2.0	2.0	Fine
		in	2.15	0.08	0.08	
Replaces 1608-6-87, 1608-006-087						
						*1 per Pack Sterile*






Brasseler USA® Micro Burs - Standard & Oral Surgery
J-Notch - Replacements - Stryker®

Compatible with Stryker® Micro Drill Systems: RemB™, CORE, TPS™ & Command 2

Order Number	Description	Unit	Total Length	Head Diameter	Head Length	No. of Flutes Grit Size
16-D0131	Round - Diamond	mm	54.5	2.4	2.4	Fine
		in	2.15	0.09	0.09	
Replaces 1608-6-89, 1608-006-089						
						*1 per Pack Sterile*
16-D0132	Round - Diamond	mm	54.5	3.0	3.0	Medium
		in	2.15	0.11	0.11	
Replaces 1608-6-91, 1608-006-091						
						*1 per Pack Sterile*
16-D0134	Round - Diamond	mm	54.5	3.5	3.5	Medium
		in	2.15	0.14	0.14	
Replaces 1608-6-93, 1608-006-093						
						*1 per Pack Sterile*
16-D0135	Round - Diamond	mm	54.5	4.0	4.0	Medium
		in	2.15	0.16	0.16	
Replaces 1608-6-95, 1608-006-095						
						*1 per Pack Sterile*
16-D0137	Round - Diamond	mm	54.5	5.0	5.0	Medium
		in	2.15	0.20	0.20	
Replaces 1608-6-99, 1608-006-099						
						*1 per Pack Sterile*
14-S0402	Cylinder - Stainless Steel	mm	44.5	6.1	11.1	14
		in	1.75	0.24	0.44	
Replaces 1607-2-1, 1607-002-001						
						*1 per Pack Sterile*






Brasseler USA® Micro Burs - Standard & Oral Surgery
J-Notch - Replacements - Stryker®

Compatible with Stryker® Micro Drill Systems: RemB™, CORE, TPS™ & Command 2

Order Number	Description	Unit	Total Length	Head Diameter	Head Length	No. of Flutes Grit Size
16-S0402	Cylinder - Stainless Steel	mm	54.5	6.1	11.1	14
		in	2.15	0.24	0.44	
Replaces 1608-2-1, 1608-002-001						
						*1 per Pack Sterile*
15-S1101	Flame - Stainless Steel	mm	48.0	6.0	12.7	14
		in	1.89	0.24	0.50	
Replaces 1607-2-47, 1607-002-047						
						*1 per Pack Sterile*
14-S0201	Inverted Cone - Stainless Steel	mm	44.5	3.1	3.3	10
		in	1.75	0.12	0.13	
Replaces 1607-2-57, 1607-002-057						
						*1 per Pack Sterile*
16-S1805	Lindemann - Stainless Steel	mm	54.5	1.6	9.0	4
		in	2.15	0.06	0.35	
Replaces N/A						
						*1 per Pack Sterile*
16-S1806	Lindemann - Stainless Steel	mm	54.5	2.1	10.0	4
		in	2.15	0.08	0.39	
Replaces N/A						
						*1 per Pack Sterile*
16-S1801	Lindemann - Stainless Steel	mm	54.5	2.3	9.5	4
		in	2.15	0.09	0.37	
Replaces 1608-2-21, 1608-002-021						
						*1 per Pack Sterile*







Brasseler USA® Micro Burs - Standard & Oral Surgery
J-Notch - Replacements - Stryker®

Compatible with Stryker® Micro Drill Systems: RemB™, CORE, TPS™ & Command 2

Order Number	Description	Unit	Total Length	Head Diameter	Head Length	No. of Flutes Grit Size
19-S1802	Lindemann - Stainless Steel	mm	66.7	2.2	24.3	4
		in	2.63	0.09	0.96	
Replaces 1608-2-43, 1608-002-043						
						*1 per Pack Sterile*
23-S1809	Lindemann - Stainless Steel	mm	70.0	2.3	22.0	4
		in	2.76	0.09	0.87	
Replaces N/A						
						*1 per Pack Sterile*
22-S1808	Lindemann - Stainless Steel	mm	75.0	2.3	35.0	4
		in	2.95	0.09	1.38	
Replaces N/A						
						*1 per Pack Sterile*
14-S0903	Oval - Stainless Steel	mm	44.5	4.0	9.5	10
		in	1.75	0.16	0.37	
Replaces 1607-2-35, 1607-002-035						
						*1 per Pack Sterile*
14-S0909	Oval - Stainless Steel	mm	44.5	6.0	9.5	14
		in	1.75	0.24	0.37	
Replaces 1607-2-3, 1607-002-003						
						*1 per Pack Sterile*
16-S0903	Oval - Stainless Steel	mm	54.5	4.0	9.5	10
		in	2.15	0.16	0.37	
Replaces 1608-2-35, 1608-002-035						
						*1 per Pack Sterile*







Brasseler USA® Micro Burs - Standard & Oral Surgery
J-Notch - Replacements - Stryker®

Compatible with Stryker® Micro Drill Systems: RemB™, CORE, TPS™ & Command 2

Order Number	Description	Unit	Total Length	Head Diameter	Head Length	No. of Flutes Grit Size
16-S0909	Oval - Stainless Steel	mm	54.5	6.0	9.5	14
		in	2.15	0.24	0.37	
Replaces 1608-2-3, 1608-002-003						
						*1 per Pack Sterile*
14-S1201	Pear - Stainless Steel	mm	44.5	6.1	10.0	14
		in	1.75	0.24	0.39	
Replaces 1607-2-5, 1607-002-005						
						*1 per Pack Sterile*
16-S1201	Pear - Stainless Steel	mm	54.5	6.1	10.0	14
		in	2.15	0.24	0.39	
Replaces 1608-2-5, 1608-002-005						
						*1 per Pack Sterile*
16-S0103	Round - Stainless Steel	mm	54.5	1.5	1.5	6
		in	2.15	0.06	0.06	
Replaces 1608-2-7, 1608-002-007						
						*1 per Pack Sterile*
16-S0106	Round - Stainless Steel	mm	54.5	2.3	2.3	6
		in	2.15	0.09	0.09	
Replaces 1608-6-147, 1608-006-147						
						*1 per Pack Sterile*
16-S0115	Round - Stainless Steel	mm	54.5	2.4	2.4	8
		in	2.15	0.095	0.095	
Replaces 1608-2-9, 1608-002-009						
						*1 per Pack Sterile*





Brasseler USA® Micro Burs - Standard & Oral Surgery
J-Notch - Replacements - Stryker®

Compatible with Stryker® Micro Drill Systems: RemB™, CORE, TPS™ & Command 2

Order Number	Description	Unit	Total Length	Head Diameter	Head Length	No. of Flutes Grit Size
16-S0107	Round - Stainless Steel	mm	54.5	3.2	3.2	6
		in	2.15	0.126	0.126	
Replaces 1608-6-149, 1608-006-149						
						*1 per Pack Sterile*
16-S0117	Round - Stainless Steel	mm	54.5	3.2	3.2	8
		in	2.15	0.126	0.126	
Replaces 1608-2-11, 1608-002-011						
						*1 per Pack Sterile*
16-S0116	Round - Stainless Steel	mm	54.5	3.0	3.0	20
		in	2.15	0.12	0.12	
Replaces 1608-6-163, 1608-006-163						
						*1 per Pack Sterile*
16-S0119	Round - Stainless Steel	mm	54.5	4.0	4.0	6
		in	2.15	0.16	0.16	
Replaces 1608-6-151, 1608-006-151						
						*1 per Pack Sterile*
16-S0108	Round - Stainless Steel	mm	54.5	4.0	4.0	8
		in	2.15	0.16	0.16	
Replaces 1608-6-137, 1608-006-137						
						*1 per Pack Sterile*
16-S0120	Round - Stainless Steel	mm	54.5	4.0	4.0	12
		in	2.15	0.16	0.16	
Replaces 1608-2-55, 1608-002-055						
						*1 per Pack Sterile*





Brasseler USA® Micro Burs - Standard & Oral Surgery
J-Notch - Replacements - Stryker®

Compatible with Stryker® Micro Drill Systems: RemB™, CORE, TPS™ & Command 2

Order Number	Description	Unit	Total Length	Head Diameter	Head Length	No. of Flutes Grit Size
16-S0118	Round - Stainless Steel	mm	54.5	4.0	4.0	24
		in	2.15	0.16	0.16	
Replaces 1608-6-165, 1608-006-165						
						*1 per Pack Sterile*
16-S0121	Round - Stainless Steel	mm	54.5	4.6	4.6	6
		in	2.15	0.18	0.18	
Replaces 1608-6-153, 1608-006-153						
						*1 per Pack Sterile*
16-S0122	Round - Stainless Steel	mm	54.5	4.6	4.6	8
		in	2.15	0.18	0.18	
Replaces 1608-6-139, 1608-006-139						
						*1 per Pack Sterile*
16-S0123	Round - Stainless Steel	mm	54.5	4.5	4.5	12
		in	2.15	0.177	0.177	
Replaces 1608-2-13, 1608-002-013						
						*1 per Pack Sterile*
16-S0109	Round - Stainless Steel	mm	54.5	5.1	5.1	8
		in	2.15	0.20	0.20	
Replaces 1608-6-141, 1608-006-141						
						*1 per Pack Sterile*
16-S0110	Round - Stainless Steel	mm	54.5	6.1	6.1	8
		in	2.15	0.24	0.24	
Replaces 1608-6-143, 1608-006-143						
						*1 per Pack Sterile*




Brasseler USA® Micro Burs - Standard & Oral Surgery
J-Notch - Replacements - Stryker®

Compatible with Stryker® Micro Drill Systems: RemB™, CORE, TPS™ & Command 2

Order Number	Description	Unit	Total Length	Head Diameter	Head Length	No. of Flutes Grit Size
16-S0126	Round - Stainless Steel	mm	54.5	7.1	7.1	8
		in	2.15	0.28	0.28	
Replaces 1608-6-145, 1608-006-145						
						*1 per Pack Sterile*
16-S1401	Shannon Style - Tapered - Stainless Steel	mm	54.5	2.1	11.1	3
		in	2.15	0.08	0.44	
Replaces 1608-2-101, 1608-002-101						
						*1 per Pack Sterile*
16-S0621	Tapered - Cross Cut - Stainless Steel	mm	54.5	3.1	11.1	8
		in	2.15	0.12	0.44	
Replaces 1608-6-167, 1608-006-167						
						*1 per Pack Sterile*
16-S1601	Swanson Reamer - Stainless Steel	mm	56.5	2.0	10.5	5
		in	2.23	0.08	0.41	
Replaces 1608-2-131, 1608-002-131						
						*1 per Pack Sterile*
17-S1602	Swanson Reamer - Stainless Steel	mm	62.0	3.0	13.5	5
		in	2.44	0.12	0.53	
Replaces 1608-2-133, 1608-002-133						
						*1 per Pack Sterile*
17-S1603	Swanson Reamer - Stainless Steel	mm	62.0	4.0	13.5	6
		in	2.44	0.16	0.53	
Replaces 1608-2-135, 1608-002-135						
						*1 per Pack Sterile*






Brasseler USA® Micro Burs - Standard & Oral Surgery
J-Notch - Replacements - Stryker®

Compatible with Stryker® Micro Drill Systems: RemB™, CORE, TPS™ & Command 2

Order Number	Description	Unit	Total Length	Head Diameter	Head Length	No. of Flutes Grit Size
16-S1702	Wire Pass Drill - Stainless Steel	mm	54.5	1.2	10.0	2
		in	2.15	0.047	0.39	
Replaces 1608-2-71, 1608-002-071						
						*1 per Pack Sterile*
18-S1701	Wire Pass Drill - Stainless Steel	mm	64.5	1.0	10.0	2
		in	2.54	0.039	0.39	
Replaces 1608-2-63, 1608-002-063						
						*1 per Pack Sterile*
18-S1703	Wire Pass Drill - Stainless Steel	mm	65.5	1.5	6.9	2
		in	2.57	0.059	0.27	
Replaces 1608-2-59, 1608-002-059						
						*1 per Pack Sterile*
19-S1705	Wire Pass Drill - Stainless Steel	mm	66.7	2.0	6.4	2
		in	2.63	0.079	0.25	
Replaces 1608-2-61, 1608-002-061						
						*1 per Pack Sterile*






Brasseler USA® Micro Burs - Oral Surgery
Flat Shank - Replacements - Stryker®

Compatible with Stryker® Impaction Drills: 100K, CMD, CORE & Oral Max

Order Number	Description	Unit	Total Length	Head Diameter	Head Length	No. of Flutes Grit Size
KM948N	Round - Carbide	mm	44.5	2.3	2.3	8
		in	1.75	0.09	0.09	
Replaces N/A						
						*5 per Pack Non-Sterile*
KMS958N	Round - Carbide	mm	58.4	2.3	2.3	8
		in	2.30	0.09	0.09	
Replaces 2296-101-423						
						*5 per Pack Sterile (Individual Sterile Packs with Lot Numbers)*
KM94701N	Tapered Fissure - Cross Cut - Carbide	mm	44.5	1.2	4.2	6
		in	1.75	0.05	0.17	
Replaces N/A						
						*5 per Pack Non-Sterile*
KMS94701N	Tapered Fissure - Cross Cut - Carbide	mm	44.5	1.2	4.2	6
		in	1.75	0.05	0.17	
Replaces 2296-100-212						
						*5 per Pack Sterile (Individual Sterile Packs with Lot Numbers)*
KMS94702N	Tapered Fissure - Cross Cut - Carbide	mm	44.5	1.6	4.4	6
		in	1.75	0.06	0.17	
Replaces 2296-100-216						
						*5 per Pack Sterile (Individual Sterile Packs with Lot Numbers)*
KMS94703N	Tapered Fissure - Cross Cut - Carbide	mm	44.5	2.1	4.8	6
		in	1.75	0.08	0.19	
Replaces 2296-100-221						
						*5 per Pack Sterile (Individual Sterile Packs with Lot Numbers)*

Brasseler USA® Micro Burs - Oral Surgery
Flat Shank - Replacements - Stryker®

Compatible with Stryker® Impaction Drills: 100K, CMD, CORE & Oral Max

Order Number	Description	Unit	Total Length	Head Diameter	Head Length	No. of Flutes Grit Size
KMS95701N	Tapered Fissure - Cross Cut - Carbide	mm	58.4	1.2	4.2	6
		in	2.30	0.05	0.17	
Replaces 2296-101-212						
						*5 per Pack* *Sterile (Individual Sterile Packs with Lot Numbers)*
KMS95702N	Tapered Fissure - Cross Cut - Carbide	mm	58.4	1.6	4.4	6
		in	2.30	0.06	0.17	
Replaces 2296-101-216						
						*5 per Pack* *Sterile (Individual Sterile Packs with Lot Numbers)*
KMS94703LN	Tapered Fissure - Long Cross Cut - Carbide	mm	44.5	2.1	7.5	6
		in	1.75	0.08	0.30	
Replaces 2296-100-321						
						*5 per Pack* *Sterile (Individual Sterile Packs with Lot Numbers)*
KMS95702LN	Tapered Fissure - Long Cross Cut - Carbide	mm	58.4	1.6	6.0	6
		in	2.30	0.06	0.24	
Replaces 2296-101-316						
						*5 per Pack* *Sterile (Individual Sterile Packs with Lot Numbers)*
KMS951703LN	Tapered Fissure - Long Round End - Carbide	mm	58.4	2.1	7.5	6
		in	2.30	0.08	0.30	
Replaces 2296-101-421						
						*5 per Pack* *Sterile (Individual Sterile Packs with Lot Numbers)*
KM94901N	Oval - Carbide	mm	48.0	4.0	8.0	8
		in	1.89	0.16	0.31	
Replaces 2296-100-26, 2296-100-026						
						*5 per Pack* *Non-Sterile*

Brasseler USA® Micro Burs - Oral Surgery
Flat Shank - Replacements - Stryker®

Compatible with Stryker® Impaction Drills: 100K, CMD, CORE & Oral Max


Order Number	Description	Unit	Total Length	Head Diameter	Head Length	No. of Flutes Grit Size
KM95901N	Oval - Carbide	mm	58.4	4.0	8.0	8
		in	2.30	0.16	0.31	
Replaces 2296-101-26, 2296-101-026						
						*5 per Pack Non-Sterile*
KMS95901N	Oval - Carbide	mm	58.4	4.0	8.0	8
		in	2.30	0.16	0.31	
Replaces 2296-101-26, 2296-101-026						
						*5 per Pack Sterile (Individual Sterile Packs with Lot Numbers)*

Table of Contents















Index		
Cross Reference		205 - 220
Large Bone Saw Blades		
	Compatible with ConMed® Linvatec® Oscillating Saw Systems: Hall 50™, MPower®, PowerPro® & VersiPower® Plus	221 - 231
	Compatible with ConMed® Linvatec® Oscillating Saw Systems: VersiPower®, Series 4, Series 3 & Orthair	232 - 234
	Compatible with ConMed® Linvatec® Reciprocating Saw Systems: Hall 50™, MPower®, PowerPro®, VersiPower® Plus, VersiPower®, Series 4, Series 3 & Orthair; MicroAire® and Smith® & Nephew® Large Bone Reciprocating Saw Systems	235 - 236
Small Bone Saw Blades/Rasps		
	Compatible with ConMed® Linvatec® Sagittal Saw Systems: MicroPower®, MicroChoice®, Micro 100™ & Micro E®; Brasseler USA®, MicroAire® and Smith & Nephew® Small Bone/Micro Sagittal Saw Systems	237 - 239
 	Compatible with ConMed® Linvatec® Oscillating Saw Systems: MicroPower®, MicroChoice®, Micro 100™ & Micro E®; Brasseler USA®, MicroAire® and Smith & Nephew® Small Bone/Micro Oscillating Saw Systems	240 - 243
 	Compatible with ConMed® Linvatec® Reciprocating Saw Systems: MicroPower®, MicroChoice®, Micro 100™ & Micro E®; Brasseler USA®, MicroAire® and Smith & Nephew® Small Bone/Micro Reciprocating Saw Systems	244 - 245
	Compatible with ConMed® Linvatec® Mini-Driver™ K100 & K200 Sagittal Saw Systems - K120 Attachment	246 - 247
	Compatible with ConMed® Linvatec® Mini-Driver™ K100 & K200 Sagittal Saw Systems - K220 Attachment	248

Table of Contents

Sternum Saw Blades		
	Compatible with ConMed® Linvatec® Sternum Saw Systems	249
	Compatible with ConMed® Linvatec® Oscillating Saw Systems: VersiPower®, Series 4 , Series 3 & Orthair; ConMed® Linvatec® Micro 100™ Sagittal Saw System; ConMed® Linvatec® Repeat Sternotomy Saw System; Brasseler USA®, MicroAire® and Smith & Nephew® Small Bone/Micro Sagittal Saw Systems	250
	Compatible with ConMed® Linvatec® Small Bone/Micro Sagittal Saw Systems: MicroPower®, MicroChoice®, Micro 100™ & Micro E®; Brasseler USA®, MicroAire® and Smith & Nephew® Small Bone/Micro Sagittal Saw Systems	251
High Speed Burs		
	Compatible with High Speed Drill Systems: Stryker® CORE & TPS™; ConMed® Linvatec® UltraPower®; Medtronic® Midas Rex® Classic I & II	252 - 256
Standard & Oral Surgery Burs		
	Compatible with Small Bone/Micro Drill Systems: ConMed® Linvatec® - MicroPower®, MicroChoice®, Micro 100™, Micro E® & Surgairtome Two®; Brasseler USA® & MicroAire® - Small Bone/Micro Drill Systems	257 - 267
	Compatible with ConMed® Linvatec® Drill: Osteon™ & Ototome	268 - 271

ConMed®, Linvatec®, Micro 100™, Micro E®, MicroChoice®, MicroPower®, Mini-Driver™, MPower®, Osteon™, PowerPro®, Surgairtome Two®, UltraPower®, VersiPower® and VersiPower® Plus are trademarks of CONMED Corporation or its affiliates.
CORE , Stryker® and TPS™ are trademarks of Stryker Corporation or its affiliates.
Medtronic® and Midas Rex® are registered trademarks of Medtronic, Inc., or its affiliates.
MicroAire® is a registered trademark of MicroAire Surgical Instruments, LLC, a Colson Associate, or its affiliates.
Brasseler USA® and BR2000™ are trademarks of Peter Brasseler Holdings, LLC, or its affiliates.

Cross Reference

ConMed® Linvatec®	Brasseler USA®	Page Number(s)
137511	PM-M10-902	47
137512	PM-M10-901	47
137523	PM-M10-903	47
505210	KM-A90-200	48
505216	KM-A90-200-15	48
505380	KM-80	58, 245
505381	KM-81	58, 245
505382	KM-82	58, 245
505383	KM-83	58, 245
1365005	PM-M12-001	49
1375011	PM-M10-902	47
1375012	PM-M10-901	47
1375023	PM-M10-903	47
5023044	KM-3105	51, 238
5023144	KM-3105	51, 238
5023244	KM-3105	51, 238
5044145	KM-3104	51, 238
5050046	KM172-26-28S	97
5050047	KM172-26-35S	97
5050048	KM172-26-45S	97
5050049	KM172-26-62S	97
5050246	KM172-26-28S	97
5050247	KM172-26-35S	97
5050248	KM172-26-45S	97
5050249	KM172-26-62S	97
5052010	KM-A90-200	48
5052016	KM-A90-200-15	48
5053009	PM-M10-200	44
5053010	PM-M14-200	46
5053011	PM-M12-200	45
5053012	PM-M13-200	49
5053013	PM-M11-200	45
5053044	KM-3105	51, 238
5053080	KM-80	58, 245
5053081	KM-81	58, 245
5053082	KM-82	58, 245

ConMed® Linvatec®	Brasseler USA®	Page Number(s)
5053083	KM-83	58, 245
5053123	PM-M11-201	48
5053124	PM-M11-202	48
5053144	KM-3105	51, 238
5053244	KM-3105	51, 238
5058001	PM-M09-200	44
5071123	KM71-523	226
5071124	KM71-524	226
5071133	KM71-233	226
5071145	KM71-545	227
5071151	KM71-551	227
5071152	KM71-552	228
5071153	KM71-553	228
5071154	KM71-554	228
5071156	KM71-556	228
5071161	KM71-561	229
5071163	KM71-563	229
5071167	KM71-567	229
5071172	KM71-572	229
5071174	KM71-574	230
5071177	KM71-577	230
5071180	KM71-580	230
5071181	KM71-581	230
5071185	KM71-585	231
5071186	KM71-586	231
5071196	KM71-596	231
5071201	KM71-201	226
5071233	KM71-233	226
5071300	K7-1990-35	88, 221
5071303	K7-1990-47	88, 222
5071304	K7-1990-50	88, 222
5071305	K7-1990-54	88, 222
5071311	K7-2190-39F	89, 223
5071313	K7-2190-47F	89, 223
5071314	K7-2190-50F	89, 223
5071315	K7-2190-54F	89, 223

Cross Reference

ConMed® Linvatec®	Brasseler USA®	Page Number(s)
5071320	K7-2590-35	90, 224
5071321	K7-2590-39	90, 224
5071323	K7-2590-47	90, 224
5071324	K7-2590-50	90, 224
5071325	K7-2590-54	91, 225
5071326	K7-2590-58	91, 225
5071340	K7-1290-35	87, 221
5071343	K7-1290-47	87, 221
5071344	K7-1290-50	87, 221
5071354	K7-1270-50F	87, 221
5071423	KM71-523	226
5071424	KM71-524	226
5071445	KM71-545	227
5071451	KM71-551	227
5071452	KM71-552	228
5071453	KM71-553	228
5071454	KM71-554	228
5071456	KM71-556	228
5071461	KM71-561	229
5071463	KM71-563	229
5071467	KM71-567	229
5071472	KM71-572	229
5071474	KM71-574	230
5071477	KM71-577	230
5071480	KM71-580	230
5071481	KM71-581	230
5071485	KM71-585	231
5071486	KM71-586	231
5071496	KM71-596	231
5071523	KM71-523	226
5071524	KM71-524	226
5071545	KM71-545	227
5071551	KM71-551	227
5071552	KM71-552	228
5071553	KM71-553	228
5071554	KM71-554	228

ConMed® Linvatec®	Brasseler USA®	Page Number(s)
5071556	KM71-556	228
5071561	KM71-561	229
5071563	KM71-563	229
5071567	KM71-567	229
5071572	KM71-572	229
5071574	KM71-574	230
5071577	KM71-577	230
5071580	KM71-580	230
5071581	KM71-581	230
5071585	KM71-585	231
5071586	KM71-586	231
5071596	KM71-596	231
5072100	BR2108-100	151
5072101	BR5072-101	160
5072102	BR2108-102	151
5072103	BR2108-103	151
5072105	BR2108-105	151
5072109	BR2108-109	152
5072110	BR2108-110	152
5072111	BR2108-111	153
5072113	BR2108-113	153
5072115	BR2108-115	153
5072118	BR2108-118	153
5072120	BR2108-120	154
5072125	BR2108-125	154
5072140	BR2108-140	154
5072145	BR2108-145	154
5072148	BR2108-148	155
5072150	BR2108-150	155
5072151	BR2108-151	155
5072152	BR2108-152	155
5072155	BR2108-155	156
5072156	BR2108-156	156
5072158	BR2108-158	156
5072160	BR2108-160	156
5072176	BR2108-176	156

Cross Reference

ConMed® Linvatec®	Brasseler USA®	Page Number(s)
5072177	BR2108-177	156
5072181	BR5072-181	160
5072182	BR2108-182	156
5072183	BR2108-183	157
5072185	BR2108-185	158
5072189	BR2108-189	158
5072193	BR2108-193	158
5072195	BR2108-195	159
5072197	BR2108-197	159
5072218	BR2108-218	159
7021226	KM-M330U	184, 253, 325
7021227	KM-M340U	185, 254, 326
7021228	KM-M35U	185, 254, 326
7021229	KM-M33U	186, 255, 327
7021237	KM-M8U	183, 252, 324
7021264	KM-M340DU	184, 253, 325
7021292	KM-M51U	183, 252, 324
7021294	KM-M52U	183, 252, 324
7021295	KM-U295	184, 253, 325
7021326	KM-AM330U	186, 255, 327
7021328	KM-AM35U	186, 255, 327
7021331	KM-AM32U	187, 256, 328
7021337	KM-AM8U	183, 252, 324
50711340	K7-1290-35	87, 221
504499953	PM-X08-001	21, 49
00505004600	KM172-26-28S	97
00505004700	KM172-26-35S	97
00505004800	KM172-26-45S	97
00505004900	KM172-26-62S	97
00505024600	KM172-26-28S	97
00505024700	KM172-26-35S	97
00505024800	KM172-26-45S	97
00505024900	KM172-26-62S	97
505903201	KM-32N	249
5044999053	PM-X08-001	21, 49
1365-005	PM-M12-001	49

ConMed® Linvatec®	Brasseler USA®	Page Number(s)
1375-011	PM-M10-902	47
1375-012	PM-M10-901	47
1375-023	PM-M10-903	47
1375-11	PM-M10-902	47
1375-12	PM-M10-901	47
1375-23	PM-M10-903	47
5023-031	KM-3231	52, 239
5023-032	KM-3106	51, 238
5023-033	KM-3100C	50, 237
5023-037	KM-3237	52, 239
5023-038	KM-3101	50, 237
5023-039	KM-3102	50, 237
5023-040	KM-3240	52, 239
5023-043	KM-3101C	50, 237
5023-044	KM-3105	51, 238
5023-060	KM-3006	54, 241
5023-061	KM-3261	55, 242
5023-062	KM-3000	53, 240
5023-063	KM-3005	54, 241
5023-064	KM-3001	53, 240
5023-065	KM-3265	55, 242
5023-066	KM-3008	54, 241
5023-069	KM-3002	53, 240
5023-131	KM-3231	52, 239
5023-132	KM-3106	51, 238
5023-133	KM-3100C	50, 237
5023-137	KM-3237	52, 239
5023-138	KM-3101	50, 237
5023-139	KM-3102	50, 237
5023-140	KM-3240	52, 239
5023-141	KM-3107	51, 238
5023-143	KM-3101C	50, 237
5023-144	KM-3105	51, 238
5023-160	KM-3006	54, 241
5023-161	KM-3261	55, 242
5023-162	KM-3000	53, 240

Cross Reference

ConMed® Linvatec®	Brasseler USA®	Page Number(s)
5023-163	KM-3005	54, 241
5023-164	KM-3001	53, 240
5023-165	KM-3265	55, 242
5023-166	KM-3008	54, 241
5023-169	KM-3002	53, 240
5023-170	KM-3170	56, 243
5023-171	KM-3171	56, 243
5023-172	KM-3172	56, 243
5023-176	KM-3176	56, 243
5023-183	KM-3183	52, 239
5023-231	KM-3231	52, 239
5023-232	KM-3106	51, 238
5023-233	KM-3100C	50, 237
5023-237	KM-3237	52, 239
5023-238	KM-3101	50, 237
5023-239	KM-3102	50, 237
5023-240	KM-3240	52, 239
5023-241	KM-3107	51, 238
5023-243	KM-3101C	50, 237
5023-244	KM-3105	51, 238
5023-260	KM-3006	54, 241
5023-261	KM-3261	55, 242
5023-262	KM-3000	53, 240
5023-263	KM-3005	54, 241
5023-264	KM-3001	53, 240
5023-265	KM-3265	55, 242
5023-266	KM-3008	54, 241
5023-269	KM-3002	53, 240
5023-270	KM-3170	56, 243
5023-271	KM-3171	56, 243
5023-272	KM-3172	56, 243
5023-276	KM-3176	56, 243
5023-31	KM-3231	52, 239
5023-32	KM-3106	51, 238
5023-33	KM-3100C	50, 237
5023-37	KM-3237	52, 239

ConMed® Linvatec®	Brasseler USA®	Page Number(s)
5023-38	KM-3101	50, 237
5023-39	KM-3102	50, 237
5023-40	KM-3240	52, 239
5023-41	KM-3107	51, 238
5023-43	KM-3101C	50, 237
5023-60	KM-3006	54, 241
5023-61	KM-3261	55, 242
5023-62	KM-3000	53, 240
5023-63	KM-3005	54, 241
5023-64	KM-3001	53, 240
5023-65	KM-3265	55, 242
5023-66	KM-3008	54, 241
5023-69	KM-3002	53, 240
5023-70	KM-3170	56, 243
5023-71	KM-3171	56, 243
5023-72	KM-3172	56, 243
5023-76	KM-3176	56, 243
5044-145	KM-3104	51, 238
5044-999-053	PM-X08-001	21, 49
5044-999-53	PM-X08-001	21, 49
5050-046	KM172-26-28S	97
5050-047	KM172-26-35S	97
5050-048	KM172-26-45S	97
5050-049	KM172-26-62S	97
5050-246	KM172-26-28S	97
5050-247	KM172-26-35S	97
5050-248	KM172-26-45S	97
5050-249	KM172-26-62S	97
5052-010	KM-A90-200	48
5052-016	KM-A90-200-15	48
5052-050	KM-450	233
5052-051	KM-251	232
5052-051	KM-451	233
5052-052	KM-452	233
5052-053	KM-453	234
5052-054	KM-454	234

Cross Reference

ConMed® Linvatec®	Brasseler USA®	Page Number(s)
5052-056	KM-256	232
5052-058	KM-458	235
5052-059	KM-459	235
5052-060	KM-460	235
5052-061	KM-461	235
5052-073	KM-473	236
5052-074	KM-274	232
5052-079	KM-479	236
5052-10	KM-A90-200	48
5052-150	KM-450	233
5052-151	KM-451	233
5052-152	KM-452	233
5052-153	KM-453	234
5052-154	KM-454	234
5052-158	KM-458	235
5052-159	KM-459	235
5052-16	KM-A90-200-15	48
5052-160	KM-460	235
5052-161	KM-461	235
5052-173	KM-473	236
5052-179	KM-479	236
5052-250	KM-450	233
5052-251	KM-251	232
5052-251	KM-451	233
5052-252	KM-452	233
5052-253	KM-453	234
5052-254	KM-454	234
5052-256	KM-256	232
5052-258	KM-458	235
5052-259	KM-459	235
5052-260	KM-460	235
5052-261	KM-461	235
5052-273	KM-473	236
5052-274	KM-274	232
5052-279	KM-479	236
5052-330	KM-250R	163

ConMed® Linvatec®	Brasseler USA®	Page Number(s)
5052-331	KM-300R	164
5052-332	KM-325R	164
5052-334	KM-275R	163
5052-450	KM-450	233
5052-451	KM-251	232
5052-451	KM-451	233
5052-452	KM-452	233
5052-453	KM-453	234
5052-454	KM-454	234
5052-456	KM-256	232
5052-474	KM-274	232
5052-50	KM-450	233
5052-51	KM-251	232
5052-51	KM-451	233
5052-52	KM-452	233
5052-53	KM-453	234
5052-54	KM-454	234
5052-550	KM-450	233
5052-551	KM-251	232
5052-551	KM-451	233
5052-552	KM-452	233
5052-553	KM-453	234
5052-554	KM-454	234
5052-556	KM-256	232
5052-56	KM-256	232
5052-574	KM-274	232
5052-58	KM-458	235
5052-59	KM-459	235
5052-60	KM-460	235
5052-61	KM-461	235
5052-73	KM-473	236
5052-74	KM-274	232
5052-79	KM-479	236
5053-009	PM-M10-200	44
5053-010	PM-M14-200	46
5053-011	PM-M12-200	45

Cross Reference

ConMed® Linvatec®	Brasseler USA®	Page Number(s)
5053-012	PM-M13-200	46
5053-013	PM-M11-200	45
5053-020	KM-060	57, 244
5053-021	KM-070	57, 244
5053-031	KM-3231	52, 239
5053-032	KM-3106	51, 238
5053-033	KM-3100C	50, 237
5053-037	KM-3237	52, 239
5053-038	KM-3101	50, 237
5053-039	KM-3102	50, 237
5053-040	KM-3240	52, 239
5053-041	KM-3107	51, 238
5053-043	KM-3101C	50, 237
5053-044	KM-3105	51, 238
5053-054	KM-54	57, 244
5053-060	KM-3006	54, 241
5053-061	KM-3261	55, 242
5053-062	KM-3000	53, 240
5053-063	KM-3005	54, 241
5053-064	KM-3001	53, 240
5053-065	KM-3265	55, 242
5053-066	KM-3008	54, 241
5053-073	KM-3002	53, 240
5053-080	KM-80	58, 245
5053-081	KM-81	58, 245
5053-082	KM-82	58, 245
5053-083	KM-83	58, 245
5053-120	KM-060	57, 244
5053-121	KM-070	57, 244
5053-123	PM-M11-201	48
5053-124	PM-M11-202	48
5053-131	KM-3231	52, 239
5053-132	KM-3106	51, 238
5053-133	KM-3100C	50, 237
5053-137	KM-3237	52, 239
5053-138	KM-3101	50, 237

ConMed® Linvatec®	Brasseler USA®	Page Number(s)
5053-139	KM-3102	50, 237
5053-140	KM-3240	52, 239
5053-141	KM-3107	51, 238
5053-143	KM-3101C	50, 237
5053-144	KM-3105	51, 238
5053-154	KM-54	57, 244
5053-160	KM-3006	54, 241
5053-161	KM-3261	55, 242
5053-162	KM-3000	53, 240
5053-163	KM-3005	54, 241
5053-164	KM-3001	53, 240
5053-165	KM-3265	55, 242
5053-166	KM-3008	54, 241
5053-170	KM-3170	56, 243
5053-171	KM-3171	56, 243
5053-172	KM-3172	56, 243
5053-173	KM-3002	53, 240
5053-176	KM-3176	56, 243
5053-20	KM-060	57, 244
5053-21	KM-070	57, 244
5053-220	KM-060	57, 244
5053-221	KM-070	57, 244
5053-231	KM-3231	52, 239
5053-232	KM-3106	51, 238
5053-233	KM-3100C	50, 237
5053-237	KM-3237	52, 239
5053-238	KM-3101	50, 237
5053-239	KM-3102	50, 237
5053-240	KM-3240	52, 239
5053-241	KM-3107	51, 238
5053-243	KM-3101C	50, 237
5053-244	KM-3105	51, 238
5053-254	KM-54	57, 244
5053-260	KM-3006	54, 241
5053-261	KM-3261	55, 242
5053-262	KM-3000	53, 240

Cross Reference

ConMed® Linvatec®	Brasseler USA®	Page Number(s)
5053-263	KM-3005	54, 241
5053-264	KM-3001	53, 240
5053-265	KM-3265	55, 242
5053-266	KM-3008	54, 241
5053-270	KM-3170	56, 243
5053-271	KM-3171	56, 243
5053-272	KM-3172	56, 243
5053-273	KM-3002	53, 240
5053-276	KM-3176	56, 243
5053-31	KM-3231	52, 239
5053-311	KM-103S	177
5053-32	KM-3106	51, 238
5053-321	KM-413S	177
5053-33	KM-3100C	50, 237
5053-341	KM-062	178
5053-37	KM-3237	52, 239
5053-38	KM-3101	50, 237
5053-39	KM-3102	50, 237
5053-40	KM-3240	52, 239
5053-41	KM-3107	51, 238
5053-43	KM-3101C	50, 237
5053-54	KM-54	57, 244
5053-60	KM-3006	54, 241
5053-61	KM-3261	55, 242
5053-62	KM-3000	53, 240
5053-63	KM-3005	54, 241
5053-64	KM-3001	53, 240
5053-65	KM-3265	55, 242
5053-66	KM-3008	54, 241
5053-70	KM-3170	56, 243
5053-71	KM-3171	56, 243
5053-72	KM-3172	56, 243
5053-73	KM-3002	53, 240
5053-76	KM-3176	56, 243
5053-80	KM-80	58, 245
5053-81	KM-81	58, 245

ConMed® Linvatec®	Brasseler USA®	Page Number(s)
5053-82	KM-82	58, 245
5053-83	KM-83	58, 245
5054-54	KM-54	57, 244
5056-117	70-C0170	268
5056-118	70-C0109	268
5056-119	70-C0108	268
5056-125	71-C0170	269
5056-126	71-C0109	268
5056-127	71-C0108	268
5056-128	71-C0107	268
5056-140	75-S0150	269
5056-142	75-S0151	270
5056-145	72-C0108	269
5056-146	72-C0107	269
5056-147	71-D0141	270
5056-148	71-D0135	270
5056-150	71-D0141	270
5056-150	72-D0141	270
5056-152	72-D0135	270
5056-158	75-D0128	271
5056-159	72-D0133	270
5056-160	75-D0143	271
5056-161	75-D0142	271
5056-162	75-D0139	271
5056-164	75-S0101	269
5056-166	75-S0148	269
5056-17	70-C0170	268
5056-18	70-C0109	268
5056-19	70-C0108	268
5056-25	71-C0170	269
5056-26	71-C0109	268
5056-27	71-C0108	268
5056-28	71-C0107	268
5056-40	75-S0150	269
5056-42	75-S0151	270
5056-45	72-C0108	269

Cross Reference

ConMed® Linvatec®	Brasseler USA®	Page Number(s)
5056-46	72-C0107	269
5056-47	71-D0141	270
5056-48	71-D0135	270
5056-50	71-D0141	270
5056-50	72-D0141	270
5056-52	72-D0135	270
5056-54	KM-54	57, 244
5056-58	75-D0128	271
5056-59	72-D0133	270
5056-60	75-D0143	271
5056-61	75-D0142	271
5056-62	75-D0139	271
5056-64	75-S0101	269
5056-66	75-S0148	269
5058-001	PM-M09-200	44
5059-031	KM-31	249
5059-031	KM-31N	249
5059-031-01	KM-31	249
5059-031-01	KM-31N	249
5059-032	KM-32	249
5059-032	KM-32N	249
5059-032-01	KM-32	249
5059-032-01	KM-32N	249
5059-235	KM-97	180
5059-235	KM-97N	180
5059-279	KM-279	59, 250
5059-31	KM-31	249
5059-31	KM-31N	249
5059-32	KM-32	249
5059-32	KM-32N	249
5059-531	KM-31	249
5059-531	KM-31N	249
5059-532	KM-32	249
5059-532	KM-32N	249
5071-123	KM71-523	226
5071-124	KM71-524	226

ConMed® Linvatec®	Brasseler USA®	Page Number(s)
5071-133	KM71-233	226
5071-145	KM71-545	227
5071-151	KM71-551	227
5071-152	KM71-552	228
5071-153	KM71-553	228
5071-154	KM71-554	228
5071-156	KM71-556	228
5071-161	KM71-561	229
5071-163	KM71-563	229
5071-167	KM71-567	229
5071-172	KM71-572	229
5071-174	KM71-574	230
5071-177	KM71-577	230
5071-180	KM71-580	230
5071-181	KM71-581	230
5071-185	KM71-585	231
5071-186	KM71-586	231
5071-196	KM71-596	231
5071-201	KM-1201-44	234
5071-201	KM71-201	226
5071-233	KM71-233	226
5071-300	K7-1990-35	88, 221
5071-303	K7-1990-47	88, 222
5071-304	K7-1990-50	88, 222
5071-305	K7-1990-54	88, 222
5071-311	K7-2190-39F	89, 223
5071-313	K7-2190-47F	89, 223
5071-314	K7-2190-50F	89, 223
5071-315	K7-2190-54F	89, 223
5071-320	K7-2590-35	90, 224
5071-321	K7-2590-39	90, 224
5071-323	K7-2590-47	90, 224
5071-324	K7-2590-50	90, 224
5071-325	K7-2590-54	91, 225
5071-326	K7-2590-58	91, 225
5071-340	K7-1290-35	87, 221

Cross Reference

ConMed® Linvatec®	Brasseler USA®	Page Number(s)
5071-343	K7-1290-47	87, 221
5071-344	K7-1290-50	87, 221
5071-354	K7-1270-50F	87, 221
5071-423	KM71-523	226
5071-424	KM71-524	226
5071-445	KM71-545	227
5071-451	KM71-551	227
5071-452	KM71-552	228
5071-453	KM71-553	228
5071-454	KM71-554	228
5071-456	KM71-556	228
5071-461	KM71-561	229
5071-463	KM71-563	229
5071-467	KM71-567	229
5071-472	KM71-572	229
5071-474	KM71-574	230
5071-477	KM71-577	230
5071-480	KM71-580	230
5071-481	KM71-581	230
5071-485	KM71-585	231
5071-486	KM71-586	231
5071-496	KM71-596	231
5071-523	KM71-523	226
5071-524	KM71-524	226
5071-545	KM71-545	227
5071-551	KM71-551	227
5071-552	KM71-552	228
5071-553	KM71-553	228
5071-554	KM71-554	228
5071-556	KM71-556	228
5071-561	KM71-561	229
5071-563	KM71-563	229
5071-567	KM71-567	229
5071-572	KM71-572	229
5071-574	KM71-574	230
5071-577	KM71-577	230

ConMed® Linvatec®	Brasseler USA®	Page Number(s)
5071-580	KM71-580	230
5071-581	KM71-581	230
5071-585	KM71-585	231
5071-586	KM71-586	231
5071-596	KM71-596	231
5072-100	BR2108-100	151
5072-101	BR5072-101	160
5072-102	BR2108-102	151
5072-103	BR2108-103	151
5072-105	BR2108-105	151
5072-109	BR2108-109	152
5072-110	BR2108-110	152
5072-111	BR2108-111	153
5072-113	BR2108-113	153
5072-115	BR2108-115	153
5072-118	BR2108-118	153
5072-120	BR2108-120	154
5072-125	BR2108-125	154
5072-140	BR2108-140	154
5072-145	BR2108-145	154
5072-148	BR2108-148	155
5072-150	BR2108-150	155
5072-151	BR2108-151	155
5072-152	BR2108-152	155
5072-155	BR2108-155	156
5072-156	BR2108-156	156
5072-158	BR2108-158	156
5072-160	BR2108-160	156
5072-176	BR2108-176	156
5072-177	BR2108-177	156
5072-181	BR5072-181	160
5072-182	BR2108-182	156
5072-183	BR2108-183	157
5072-185	BR2108-185	158
5072-189	BR2108-189	158
5072-193	BR2108-193	158

Cross Reference

ConMed® Linvatec®	Brasseler USA®	Page Number(s)
5072-195	BR2108-195	159
5072-197	BR2108-197	159
5072-218	BR2108-218	159
5091-01	04-C0302	67, 263
5091-02	04-C0609	66, 262
5091-04	04-C0306	67, 263
5091-06	04-C0617	66, 262
5091-101	04-C0302	67, 263
5091-102	04-C0609	66, 262
5091-104	04-C0306	67, 263
5091-106	04-C0617	66, 262
5091-112	08-S1802	69, 265
5091-113	04-C0612	66, 262
5091-114	06-C0619	66, 262
5091-115	04-C0601	65, 261
5091-117	04-C0307	67, 263
5091-118	04-C0607	66, 262
5091-12	08-S1802	69, 265
5091-120	04-C0101	62, 258
5091-121	04-C0104	62, 258
5091-122	04-C0103	62, 258
5091-123	04-C0106	62, 258
5091-124	04-C0105	62, 258
5091-125	04-C0106	62, 258
5091-126	04-C0107	62, 258
5091-128	04-C0108	63, 259
5091-13	04-C0612	66, 262
5091-130	04-C0109	63, 259
5091-132	04-C0170	63, 259
5091-136	03-C0901	61, 257
5091-138	03-C0905	61, 257
5091-14	06-C0619	66, 262
5091-142	06-S1601	70, 266
5091-143	07-S1602	70, 266
5091-144	07-S1605	71, 267
5091-147	04-S1701	71, 267

ConMed® Linvatec®	Brasseler USA®	Page Number(s)
5091-148	04-S1703	71, 267
5091-149	04-S1704	71, 267
5091-15	04-C0601	65, 261
5091-154	03-C0312	67, 263
5091-160	04-D0139	68, 264
5091-162	04-D0133	68, 264
5091-164	03-D0135	68, 264
5091-17	04-C0307	67, 263
5091-18	04-C0607	66, 262
5091-20	04-C0101	62, 258
5091-201	04-C0302	67, 263
5091-202	04-C0609	66, 262
5091-204	04-C0306	67, 263
5091-206	04-C0617	66, 262
5091-21	04-C0104	62, 258
5091-212	08-S1802	69, 265
5091-213	04-C0612	66, 262
5091-214	06-C0619	66, 262
5091-215	04-C0601	65, 261
5091-217	04-C0307	67, 263
5091-218	04-C0607	66, 262
5091-22	04-C0103	62, 258
5091-220	04-C0101	62, 258
5091-221	04-C0104	62, 258
5091-222	04-C0103	62, 258
5091-223	04-C0106	62, 258
5091-224	04-C0105	62, 258
5091-225	04-C0106	62, 258
5091-226	04-C0107	62, 258
5091-228	04-C0108	63, 259
5091-23	04-C0106	62, 258
5091-230	04-C0109	63, 259
5091-232	04-C0170	63, 259
5091-236	03-C0901	61, 257
5091-238	03-C0905	61, 257
5091-24	04-C0105	62, 258

Cross Reference

ConMed® Linvatec®	Brasseler USA®	Page Number(s)
5091-242	06-S1601	70, 266
5091-243	07-S1602	70, 266
5091-244	07-S1605	71, 267
5091-247	04-S1701	71, 267
5091-248	04-S1703	71, 267
5091-249	04-S1704	71, 267
5091-25	04-C0106	62, 258
5091-254	03-C0312	67, 263
5091-26	04-C0107	62, 258
5091-260	04-D0139	68, 264
5091-262	04-D0133	68, 264
5091-264	03-D0135	68, 264
5091-28	04-C0108	63, 259
5091-30	04-C0109	63, 259
5091-32	04-C0170	63, 259
5091-36	03-C0901	61, 257
5091-38	03-C0905	61, 257
5091-42	06-S1601	70, 266
5091-43	07-S1602	70, 266
5091-44	07-S1605	71, 267
5091-47	04-S1701	71, 267
5091-48	04-S1703	71, 267
5091-49	04-S1704	71, 267
5091-54	03-C0312	67, 263
5091-60	04-D0139	68, 264
5091-62	04-D0133	68, 264
5091-64	03-D0135	68, 264
5092-04	10-C0306	68, 264
5092-06	10-C0617	67, 263
5092-104	10-C0306	68, 264
5092-106	10-C0617	67, 263
5092-114	11-C0619	67, 263
5092-120	10-C0101	64, 260
5092-122	10-C0103	64, 260
5092-124	10-C0105	64, 260
5092-126	10-C0107	64, 260

ConMed® Linvatec®	Brasseler USA®	Page Number(s)
5092-128	10-C0108	64, 260
5092-130	09-C0109	63, 259
5092-132	09-C0170	64, 260
5092-136	09-C0901	61, 257
5092-138	09-C0905	61, 257
5092-14	11-C0619	67, 263
5092-152	10-C0310	68, 264
5092-160	10-D0139	69, 265
5092-162	10-D0133	69, 265
5092-164	09-D0135	68, 264
5092-166	09-D0141	69, 265
5092-168	09-D0138	69, 265
5092-20	10-C0101	64, 260
5092-204	10-C0306	68, 264
5092-206	10-C0617	67, 263
5092-214	11-C0619	67, 263
5092-22	10-C0103	64, 260
5092-220	10-C0101	64, 260
5092-222	10-C0103	64, 260
5092-224	10-C0105	64, 260
5092-226	10-C0107	64, 260
5092-228	10-C0108	64, 260
5092-230	09-C0109	63, 259
5092-232	09-C0170	64, 260
5092-236	09-C0901	61, 257
5092-238	09-C0905	61, 257
5092-24	10-C0105	64, 260
5092-252	10-C0310	68, 264
5092-26	10-C0107	64, 260
5092-260	10-D0139	69, 265
5092-262	10-D0133	69, 265
5092-264	09-D0135	68, 264
5092-266	09-D0141	69, 265
5092-268	09-D0138	69, 265
5092-28	10-C0108	64, 260
5092-30	09-C0109	63, 259

Cross Reference

ConMed® Linvatec®	Brasseler USA®	Page Number(s)
5092-32	09-C0170	64, 260
5092-36	09-C0901	61, 257
5092-38	09-C0905	61, 257
5092-52	10-C0310	68, 264
5092-60	10-D0139	69, 265
5092-62	10-D0133	69, 265
5092-64	09-D0135	68, 264
5092-66	09-D0141	69, 265
5092-68	09-D0138	69, 265
5093-124	12-C0105	65, 261
5093-128	12-C0108	65, 261
5093-130	12-C0109	65, 261
5093-136	12-C0901	61, 257
5093-138	12-C0905	61, 257
5093-224	12-C0105	65, 261
5093-228	12-C0108	65, 261
5093-230	12-C0109	65, 261
5093-236	12-C0901	61, 257
5093-238	12-C0905	61, 257
5093-24	12-C0105	65, 261
5093-28	12-C0108	65, 261
5093-30	12-C0109	65, 261
5093-36	12-C0901	61, 257
5093-38	12-C0905	61, 257
7020-046	19-416	113
7021-226	KM-M330U	184, 253, 325
7021-227	KM-M340U	185, 254, 326
7021-228	KM-M35U	185, 254, 326
7021-229	KM-M33U	186, 255, 327
7021-237	KM-M8U	183, 252, 324
7021-264	KM-M340DU	184, 253, 325
7021-292	KM-M51U	183, 252, 324
7021-294	KM-M52U	183, 252, 324
7021-295	KM-U295	184, 253, 325
7021-326	KM-AM330U	186, 255, 327
7021-328	KM-AM35U	186, 255, 327

ConMed® Linvatec®	Brasseler USA®	Page Number(s)
7021-331	KM-AM32U	187, 256, 328
7021-337	KM-AM8U	183, 252, 324
K121	KM-21K	246
K122	KM-22K	246
K123	KM-23K	246
K124	KM-24K	246
K131	KM-31K	247
K133	KM-33K	247
K134	KM-34K	247
K141	KM-41K	248
K143	KM-43K	248
K144	KM-44K	248
K148	KM-48K	248
K151	KM-51K	248
L10R	10-C0101	64, 260
L13S	10-C0306	68, 264
L15R	10-C0103	64, 260
L17L	08-S1802	69, 265
L17S	10-C0306	68, 264
L20D	10-D0139	69, 265
L20R	10-C0105	64, 260
L20S	10-C0310	68, 264
L20T	11-C0619	67, 263
L27T	10-C0617	67, 263
L30D	10-D0133	69, 265
L30R	10-C0107	64, 260
L40B	09-C0901	61, 257
L40D	09-D0135	68, 264
L40R	10-C0108	64, 260
L50D	09-D0141	69, 265
L50R	09-C0109	63, 259
L55B	09-C0905	61, 257
L60D	09-D0135	68, 264
L60R	09-C0110	63, 259
L65R	09-C0170	64, 260
M101	KM-500	112

Cross Reference

ConMed® Linvatec®	Brasseler USA®	Page Number(s)
M10S	04-C0302	67, 263
M10W	04-S1701	71, 267
M12T	04-C0606	65, 261
M15R	04-C0103	62, 258
M15S	04-C0306	67, 263
M15T	04-C0609	66, 262
M15W	04-S1703	71, 267
M17S	04-C0307	67, 263
M18R	04-C0104	62, 258
M18T	04-C0612	66, 262
M20D	04-D0139	68, 264
M20F	06-S1601	70, 266
M20R	04-C0105	62, 258
M20T	06-C0619	66, 262
M20W	04-S1704	71, 267
M23R	04-C0106	62, 258
M24R	04-C0106	62, 258
M27T	04-C0617	66, 262
M30F	07-S1602	70, 266
M30R	04-C0107	62, 258
M322	MI-121-001	48
M40B	03-C0901	61, 257
M40D	03-D0135	68, 264
M40F	07-S1605	71, 267
M40R	04-C0108	63, 259
M40S	03-C0312	67, 263
M50R	04-C0109	63, 259
M55B	03-C0905	61, 257
M60R	04-C0110	63, 259
M65R	04-C0170	63, 259
S025	KM-250R	163
S030	KM-300R	164
S032	KM-325R	164
S303	KM-103S	177
S312	KM-412S	177
S313	KM-413S	177

ConMed® Linvatec®	Brasseler USA®	Page Number(s)
S314	KM-414S	177
S414	KM-802	179
S415	KM-801	179
S433	KM-062	178
S490	KM-97	180
S490	KM-97N	180
STK13008990	BR1-1290-35	79, 138
STK130-089-90	BR1-1290-35	79, 138
STK13010090	BR1-1290-39	79, 138
STK130-100-90	BR1-1290-39	79, 138
STK13011990	BR1-1290-47	79, 138
STK130-119-90	BR1-1290-47	79, 138
STK13012790	BR1-1290-50	79, 138
STK130-127-90	BR1-1290-50	79, 138
STK13013790	BR1-1290-54	80, 139
STK130-137-90	BR1-1290-54	80, 139
STK19008990	BR1-1990-35	80, 139
STK190-089-90	BR1-1990-35	80, 139
STK19010090	BR1-1990-39	80, 139
STK190-100-90	BR1-1990-39	80, 139
STK190119105	BR1-19100-47	81, 140
STK190-119-105	BR1-19100-47	81, 140
STK19011990	BR1-1990-47	80, 139
STK190-119-90	BR1-1990-47	80, 139
STK190127105	BR1-19100-50	81, 140
STK190-127-105	BR1-19100-50	81, 140
STK19012790	BR1-1990-50	81, 140
STK190-127-90	BR1-1990-50	81, 140
STK19013790	BR1-1990-54	82, 141
STK190-137-90	BR1-1990-54	82, 141
STK19310090	BR1-2190-39F	82, 141
STK193-100-90	BR1-2190-39F	82, 141
STK19311990	BR1-2190-47F	82, 141
STK193-119-90	BR1-2190-47F	82, 141
STK19312790	BR1-2190-50F	83, 142
STK193-127-90	BR1-2190-50F	83, 142

Cross Reference

ConMed® Linvatec®	Brasseler USA®	Page Number(s)
STK19313790	BR1-2190-54F	142
STK193-137-90	BR1-2190-54F	142
STK25008990	BR1-2590-35	83, 142
STK250-089-90	BR1-2590-35	83, 142
STK25010090	BR1-2590-39	83, 142
STK250-100-90	BR1-2590-39	83, 142
STK25011990	BR1-2590-47	84, 143
STK250-119-90	BR1-2590-47	84, 143
STK25012790	BR1-2590-50	84, 143
STK250-127-90	BR1-2590-50	84, 143
STK25013790	BR1-2590-54	85, 144
STK250-137-90	BR1-2590-54	85, 144
STK25014790	BR1-2590-58	86, 145
STK250-147-90	BR1-2590-58	86, 145
T13008990	K7-1290-35	87, 221
T130-089-90	K7-1290-35	87, 221
T13011990	K7-1290-47	87, 221
T130-119-90	K7-1290-47	87, 221
T13012790	K7-1290-50	87, 221
T130-127-90	K7-1290-50	87, 221
T19008990	K7-1990-35	88, 221
T190-089-90	K7-1990-35	88, 221
T19011990	K7-1990-47	88, 222
T190-119-90	K7-1990-47	88, 222
T19012790	K7-1990-50	88, 222
T190-127-90	K7-1990-50	88, 222
T19013790	K7-1990-54	88, 222
T190-137-90	K7-1990-54	88, 222
T193100090	K7-2190-39F	89, 223
T193-100-090	K7-2190-39F	89, 223
T19310090	K7-2190-39F	89, 223
T193-100-90	K7-2190-39F	89, 223
T19311990	K7-2190-47F	89, 223
T193-119-90	K7-2190-47F	89, 223
T19312790	K7-2190-50F	89, 223
T193-127-90	K7-2190-50F	89, 223

ConMed® Linvatec®	Brasseler USA®	Page Number(s)
T19313790	K7-2190-54F	89, 223
T193-137-90	K7-2190-54F	89, 223
T25008990	K7-2590-35	90, 224
T250-089-90	K7-2590-35	90, 224
T25010090	K7-2590-39	90, 224
T250-100-90	K7-2590-39	90, 224
T25011990	K7-2590-47	90, 224
T250-119-90	K7-2590-47	90, 224
T25012790	K7-2590-50	90, 224
T250-127-90	K7-2590-50	90, 224
T25013790	K7-2590-54	91, 225
T250-137-90	K7-2590-54	91, 225
T25014790	K7-2590-58	91, 225
T250-147-90	K7-2590-58	91, 225
TN130089090	K7-1290-35	87, 221
TN130-089-090	K7-1290-35	87, 221
TN13008990	K7-1290-35	87, 221
TN130-089-90	K7-1290-35	87, 221
TN130119090	K7-1290-47	87, 221
TN130-119-090	K7-1290-47	87, 221
TN13011990	K7-1290-47	87, 221
TN130-119-90	K7-1290-47	87, 221
TN130127090	K7-1290-50	87, 221
TN130-127-090	K7-1290-50	87, 221
TN13012790	K7-1290-50	87, 221
TN130-127-90	K7-1290-50	87, 221
TN190089090	K7-1990-35	88, 221
TN190-089-090	K7-1990-35	88, 221
TN19008990	K7-1990-35	88, 221
TN190-089-90	K7-1990-35	88, 221
TN190119090	K7-1990-47	88, 222
TN190-119-090	K7-1990-47	88, 222
TN19011990	K7-1990-47	88, 222
TN190-119-90	K7-1990-47	88, 222
TN190127090	K7-1990-50	88, 222
TN190-127-090	K7-1990-50	88, 222

Cross Reference

ConMed® Linvatec®	Brasseler USA®	Page Number(s)
TN19012790	K7-1990-50	88, 222
TN190-127-90	K7-1990-50	88, 222
TN190137090	K7-1990-54	88, 222
TN190-137-090	K7-1990-54	88, 222
TN19013790	K7-1990-54	88, 222
TN190-137-90	K7-1990-54	88, 222
TN193100090	K7-2190-39F	89, 223
TN193-100-090	K7-2190-39F	89, 223
TN19310090	K7-2190-39F	89, 223
TN193-100-90	K7-2190-39F	89, 223
TN193119090	K7-2190-47F	89, 223
TN193-119-090	K7-2190-47F	89, 223
TN19311990	K7-2190-47F	89, 223
TN193-119-90	K7-2190-47F	89, 223
TN193127090	K7-2190-50F	89, 223
TN193-127-090	K7-2190-50F	89, 223
TN19312790	K7-2190-50F	89, 223
TN193-127-90	K7-2190-50F	89, 223
TN193137090	K7-2190-54F	89, 223
TN193-137-090	K7-2190-54F	89, 223
TN19313790	K7-2190-54F	89, 223
TN193-137-90	K7-2190-54F	89, 223
TN250089090	K7-2590-35	90, 224
TN250-089-090	K7-2590-35	90, 224
TN25008990	K7-2590-35	90, 224
TN250-089-90	K7-2590-35	90, 224
TN250100090	K7-2590-39	90, 224
TN250-100-090	K7-2590-39	90, 224
TN25010090	K7-2590-39	90, 224
TN250-100-90	K7-2590-39	90, 224
TN250119090	K7-2590-47	90, 224
TN250-119-090	K7-2590-47	90, 224
TN25011990	K7-2590-47	90, 224
TN250-119-90	K7-2590-47	90, 224
TN250127090	K7-2590-50	90, 224
TN250-127-090	K7-2590-50	90, 224

ConMed® Linvatec®	Brasseler USA®	Page Number(s)
TN25012790	K7-2590-50	90, 224
TN250-127-90	K7-2590-50	90, 224
TN250137090	K7-2590-54	91, 225
TN250-137-090	K7-2590-54	91, 225
TN25013790	K7-2590-54	91, 225
TN250-137-90	K7-2590-54	91, 225
TN250147090	K7-2590-58	91, 225
TN250-147-090	K7-2590-58	91, 225
TN25014790	K7-2590-58	91, 225
TN250-147-90	K7-2590-58	91, 225
V130-089-90	K7-1290-35	87, 221
V130-119-90	K7-1290-47	87, 221
V130-127-90	K7-1290-50	87, 221
V190-089-90	K7-1990-35	88, 221
V190-119-90	K7-1990-47	88, 222
V190-127-90	K7-1990-50	88, 222
V190-137-90	K7-1990-54	88, 222
V193100090	K7-2190-39F	89, 223
V193-100-090	K7-2190-39F	89, 223
V19310090	K7-2190-39F	89, 223
V193-100-90	K7-2190-39F	89, 223
V193-119-90	K7-2190-47F	89, 223
V193-127-90	K7-2190-50F	89, 223
V193-137-90	K7-2190-54F	89, 223
V250-089-90	K7-2590-35	90, 224
V250-100-90	K7-2590-39	90, 224
V250-119-90	K7-2590-47	90, 224
V250-127-90	K7-2590-50	90, 224
V250-137-90	K7-2590-54	91, 225
V250-147-90	K7-2590-58	91, 225
X20R	12-C0105	65, 261
X40B	12-C0901	61, 257
X40R	12-C0108	65, 261
X50R	12-C0109	65, 261
X55B	12-C0905	61, 257
Z250	KM-450	233

Cross Reference


ConMed® Linvatec®	Brasseler USA®	Page Number(s)
Z251	KM-251	232
Z253	KM-453	234
Z254	KM-454	234
Z256	KM-256	232
Z258	KM-458	235
Z259	KM-459	235
Z260	KM-460	235
Z261	KM-461	235
Z273	KM-473	236
Z282	KM-452	233
Z320	KM-060	57, 244
Z321	KM-070	57, 244
Z331	KM-3231	52, 239
Z332	KM-3104	51, 238
Z337	KM-3237	52, 239
Z338	KM-3101	50, 237
Z339	KM-3102	50, 237
Z340	KM-3240	52, 239
Z341	KM-3107	51, 238
Z354	KM-54	57, 244
Z360	KM-3006	54, 241
Z361	KM-3261	55, 242
Z362	KM-3000	53, 240
Z364	KM-3001	53, 240
Z365	KM-3004	54, 241
Z366	KM-3008	54, 241
Z370	KM-3170	56, 243
Z371	KM-3171	56, 243
Z372	KM-3172	56, 243
Z373	KM-3002	53, 240
Z390	KM-32	249

Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating
BR2000™ (Aggressive Cut) - Proprietary - (K7 Series - ConMed® Linvatec®)

Compatible with ConMed® Linvatec® Oscillating Saw Systems: Hall 50™, MPower®, PowerPro® & VersiPower® Plus

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
K7-1270-50F	mm	70	12.5	1.27	1.27
	in	2.76	0.49	0.050	0.050
Substitute for ConMed® Linvatec® 5071-354					


No Tooth Offset



Flared Blade


K7-1290-35	mm	90	12.5	0.89	0.89
	in	3.54	0.49	0.035	0.035
Substitute for ConMed® Linvatec® 5071-340, T130-089-90, TN130-089-90, V130-089-90					

No Tooth Offset




K7-1290-47	mm	90	12.5	1.19	1.19
	in	3.54	0.49	0.047	0.047
Substitute for ConMed® Linvatec® 5071-343, T130-119-90, TN130-119-90, V130-119-90					

No Tooth Offset







K7-1290-50	mm	90	12.5	1.27	1.27
	in	3.54	0.49	0.050	0.050
Substitute for ConMed® Linvatec® 5071-344, T130-127-90, TN130-127-90, V130-127-90					

No Tooth Offset







Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating
BR2000™ (Aggressive Cut) - Proprietary - (K7 Series - ConMed® Linvatec®)

Compatible with ConMed® Linvatec® Oscillating Saw Systems: Hall 50™, MPower®, PowerPro® & VersiPower® Plus

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
K7-1990-35	mm	90	19	0.89	0.89
	in	3.54	0.75	0.035	0.035
Substitute for ConMed® Linvatec® 5071-300, T190-089-90, TN190-089-90, V190-089-90					
No Tooth Offset 					
K7-1990-47	mm	90	19	1.19	1.19
	in	3.54	0.75	0.047	0.047
Substitute for ConMed® Linvatec® 5071-303, T190-119-90, TN190-119-90, V190-119-90					
No Tooth Offset 					
K7-1990-50	mm	90	19	1.27	1.27
	in	3.54	0.75	0.050	0.050
Substitute for ConMed® Linvatec® 5071-304, T190-127-90, TN190-127-90, V190-127-90					
No Tooth Offset 					
K7-1990-54	mm	90	19	1.37	1.37
	in	3.54	0.75	0.054	0.054
Substitute for ConMed® Linvatec® 5071-305, T190-137-90, TN190-137-90, V190-137-90					
No Tooth Offset 					





Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating
BR2000™ (Aggressive Cut) - Proprietary - (K7 Series - ConMed® Linvatec®)

Compatible with ConMed® Linvatec® Oscillating Saw Systems: Hall 50™, MPower®, PowerPro® & VersiPower® Plus

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
K7-2190-39F	mm	90	21	0.99	0.99
	in	3.54	0.83	0.039	0.039
Substitute for ConMed® Linvatec® 5071-311, T193-100-90, TN193-100-90, V193-100-90					
 *No Tooth Offset* *Flared Blade*					
K7-2190-47F	mm	90	21	1.19	1.19
	in	3.54	0.83	0.047	0.047
Substitute for ConMed® Linvatec® 5071-313, T193-119-90, TN193-119-90, V193-119-90					
 *No Tooth Offset* *Flared Blade*					
K7-2190-50F	mm	90	21	1.27	1.27
	in	3.54	0.83	0.050	0.050
Substitute for ConMed® Linvatec® 5071-314, T193-127-90, TN193-127-90, V193-127-90					
 *No Tooth Offset* *Flared Blade*					
K7-2190-54F	mm	90	21	1.37	1.37
	in	3.54	0.83	0.054	0.054
Substitute for ConMed® Linvatec® 5071-315, T193-137-90, TN193-137-90, V193-137-90					
 *No Tooth Offset* *Flared Blade*					



Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating
BR2000™ (Aggressive Cut) - Proprietary - (K7 Series - ConMed® Linvatec®)

Compatible with ConMed® Linvatec® Oscillating Saw Systems: Hall 50™, MPower®, PowerPro® & VersiPower® Plus

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
K7-2590-35	mm	90	25	0.89	0.89
	in	3.54	0.98	0.035	0.035
Substitute for ConMed® Linvatec® 5071-320, T250-089-90, TN250-089-90, V250-089-90					
					*No Tooth Offset*
K7-2590-39	mm	90	25	0.99	0.99
	in	3.54	0.98	0.039	0.039
Substitute for ConMed® Linvatec® 5071-321, T250-100-90, TN250-100-90, V250-100-90					
					*No Tooth Offset*
K7-2590-47	mm	90	25	1.19	1.19
	in	3.54	0.98	0.047	0.047
Substitute for ConMed® Linvatec® 5071-323, T250-119-90, TN250-119-90, V250-119-90					
					*No Tooth Offset*
K7-2590-50	mm	90	25	1.27	1.27
	in	3.54	0.98	0.050	0.050
Substitute for ConMed® Linvatec® 5071-324, T250-127-90, TN250-127-90, V250-127-90					
					*No Tooth Offset*





Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating
BR2000™ (Aggressive Cut) - Proprietary - (K7 Series - ConMed® Linvatec®)

Compatible with ConMed® Linvatec® Oscillating Saw Systems: Hall 50™, MPower®, PowerPro® & VersiPower® Plus

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
K7-2590-54	mm	90	25	1.37	1.37
	in	3.54	0.98	0.054	0.054
Substitute for ConMed® Linvatec® 5071-325, T250-137-90, TN250-137-90, V250-137-90					
				*No Tooth Offset*	
K7-2590-58	mm	90	25	1.47	1.47
	in	3.54	0.98	0.058	0.058
Substitute for ConMed® Linvatec® 5071-326, T250-147-90, TN250-147-90, V250-147-90					
				*No Tooth Offset*	




Brasseler USA® Large Bone Saw Blades - Oscillating Replacements - ConMed® Linvatec®

Compatible with ConMed® Linvatec® Oscillating Saw Systems: Hall 50™, MPower®, PowerPro® & VersiPower® Plus

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM71-201	mm	88	19.5	1.27	1.27
	in	3.46	0.77	0.050	0.050
Replaces 5071-201					
					*No Tooth Offset* *Opposing Teeth Chromium Coating*
KM71-233	mm	25	9.5	0.40	0.60
	in	0.98	0.37	0.016	0.024
Replaces 5071-133, 5071-233					
					*Tooth Offset* *ACL Blade*
KM71-523	mm	97	19.5	1.27	1.27
	in	3.79	0.77	0.050	0.050
Replaces 5071-123, 5071-423, 5071-523					
					*No Tooth Offset* *Opposing Teeth*
KM71-524	mm	97	25.4	1.27	1.27
	in	3.79	1.00	0.050	0.050
Replaces 5071-124, 5071-424, 5071-524					
					*No Tooth Offset* *Opposing Teeth*





Brasseler USA® Large Bone Saw Blades - Oscillating Replacements - ConMed® Linvatec®

Compatible with ConMed® Linvatec® Oscillating Saw Systems: Hall 50™, MPower®, PowerPro® & VersiPower® Plus

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM71-545	mm	70	13	1.20	1.50
	in	2.76	0.51	0.047	0.059
Replaces 5071-145, 5071-445, 5071-545					
					*Tooth Offset*
KM71-550	mm	65	49	0.61	0.90
	in	2.56	1.93	0.024	0.035
Replaces 5071-150, 5071-450, 5071-550					
					*Tooth Offset* *Flared Blade*
KM71-551	mm	65	32.5	0.61	0.90
	in	2.56	1.28	0.024	0.035
Replaces 5071-151, 5071-451, 5071-551					
					*Tooth Offset* *Flared Blade Opposing Teeth*





Brasseler USA® Large Bone Saw Blades - Oscillating Replacements - ConMed® Linvatec®

Compatible with ConMed® Linvatec® Oscillating Saw Systems: Hall 50™, MPower®, PowerPro® & VersiPower® Plus

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM71-552	mm	65	13.5	0.61	0.90
	in	2.56	0.53	0.024	0.035
Replaces 5071-152, 5071-452, 5071-552					
					*Tooth Offset* *Flared Blade*
KM71-553	mm	65	19.5	0.61	0.90
	in	2.56	0.77	0.024	0.035
Replaces 5071-153, 5071-453, 5071-553					
					*Tooth Offset* *Opposing Teeth*
KM71-554	mm	70	19.5	1.20	1.40
	in	2.76	0.77	0.047	0.055
Replaces 5071-154, 5071-454, 5071-554					
					*Tooth Offset* *Opposing Teeth*
KM71-556	mm	65	33	0.80	0.90
	in	2.56	1.30	0.031	0.035
Replaces 5071-156, 5071-456, 5071-556					
					*Tooth Offset* *Opposing Teeth*





Brasseler USA® Large Bone Saw Blades - Oscillating Replacements - ConMed® Linvatec®

Compatible with ConMed® Linvatec® Oscillating Saw Systems: Hall 50™, MPower®, PowerPro® & VersiPower® Plus

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM71-561	mm	92	25.4	1.27	1.27
	in	3.62	1.00	0.050	0.050
Replaces 5071-161, 5071-461, 5071-561					
 *No Tooth Offset* *Opposing Teeth*					
KM71-563	mm	92	25.4	1.37	1.37
	in	3.62	1.00	0.054	0.054
Replaces 5071-163, 5071-463, 5071-563					
 *No Tooth Offset* *Opposing Teeth*					
KM71-567	mm	92	19.5	1.20	1.20
	in	3.62	0.77	0.047	0.047
Replaces 5071-167, 5071-467, 5071-567					
 *No Tooth Offset* *Opposing Teeth* *Chromium Coating*					
KM71-572	mm	70	19.5	0.80	0.90
	in	2.76	0.77	0.031	0.035
Replaces 5071-172, 5071-472, 5071-572					
 *Tooth Offset* *Opposing Teeth*					




Brasseler USA® Large Bone Saw Blades - Oscillating Replacements - ConMed® Linvatec®

Compatible with ConMed® Linvatec® Oscillating Saw Systems: Hall 50™, MPower®, PowerPro® & VersiPower® Plus

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM71-574	mm	85	19.5	0.80	0.90
	in	3.35	0.77	0.031	0.035
Replaces 5071-174, 5071-474, 5071-574					
				*Tooth Offset* *Opposing Teeth*	
KM71-577	mm	70	19.5	0.80	0.90
	in	2.76	0.77	0.031	0.035
Replaces 5071-177, 5071-477, 5071-577					
				*Tooth Offset* *Opposing Teeth* *Chromium Coating*	
KM71-580	mm	85	10	1.27	1.27
	in	3.35	0.39	0.050	0.050
Replaces 5071-180, 5071-480, 5071-580					
				*No Tooth Offset* *Diamond Tooth Design*	
KM71-581	mm	88	19.5	1.27	1.27
	in	3.46	0.77	0.050	0.050
Replaces 5071-181, 5071-481, 5071-581					
				*No Tooth Offset* *Opposing Teeth*	




Brasseler USA® Large Bone Saw Blades - Oscillating Replacements - ConMed® Linvatec®

Compatible with ConMed® Linvatec® Oscillating Saw Systems: Hall 50™, MPower®, PowerPro® & VersiPower® Plus

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM71-585	mm	82	19.5	0.90	0.90
	in	3.23	0.77	0.035	0.035
Replaces 5071-185, 5071-485, 5071-585					
 *No Tooth Offset* *Opposing Teeth*					
KM71-586	mm	65	32	0.80	0.90
	in	2.56	1.26	0.031	0.035
Replaces 5071-186, 5071-486, 5071-586					
 *Tooth Offset* *Opposing Teeth*					
KM71-596	mm	92	25.4	0.90	0.90
	in	3.59	1.00	0.035	0.035
Replaces 5071-196, 5071-496, 5071-596					
 *No Tooth Offset* *Opposing Teeth*					




Brasseler USA® Large Bone Saw Blades - Oscillating Replacements - ConMed® Linvatec®

Compatible with ConMed® Linvatec® Oscillating Saw Systems: VersiPower®, Series 4, Series 3 & Orthair

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM-251	mm	60	32.5	0.61	0.90
	in	2.36	1.28	0.024	0.035
Replaces 5052-251, 5052-451, 5052-551					
Tooth Offset  *Flared Blade Opposing Teeth*					
KM-256	mm	60	33.5	0.80	0.90
	in	2.36	1.32	0.031	0.035
Replaces 5052-256, 5052-456, 5052-556					
Tooth Offset  *Opposing Teeth*					
KM-274	mm	85	19	0.80	0.90
	in	3.35	0.75	0.031	0.035
Replaces 5052-274, 5052-474, 5052-574					
Tooth Offset  *Opposing Teeth*					




Brasseler USA® Large Bone Saw Blades - Oscillating Replacements - ConMed® Linvatec®

Compatible with ConMed® Linvatec® Oscillating Saw Systems: VersiPower®, Series 4, Series 3 & Orthair

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM-450	mm	65	49.1	0.61	0.90
	in	2.56	1.93	0.024	0.035
Replaces 5052-250, 5052-450, 5052-550					
Tooth Offset  *Flared Blade*					
KM-451	mm	60	32.5	0.61	0.90
	in	2.36	1.28	0.024	0.035
Replaces 5052-251, 5052-451, 5052-551					
Tooth Offset  *Flared Blade*					
KM-452	mm	60	12.5	0.61	0.90
	in	2.36	0.49	0.024	0.035
Replaces 5052-252, 5052-452, 5052-552					
Tooth Offset  *Flared Blade*					





Brasseler USA® Large Bone Saw Blades - Oscillating Replacements - ConMed® Linvatec®

Compatible with ConMed® Linvatec® Oscillating Saw Systems: VersiPower®, Series 4, Series 3 & Orthair

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM-453	mm	60	19.5	0.61	0.92
	in	2.36	0.77	0.024	0.036
Replaces 5052-253, 5052-453, 5052-553					
					*Tooth Offset* *Opposing Teeth*
KM-454	mm	70	19.5	1.27	1.50
	in	2.76	0.77	0.050	0.059
Replaces 5052-254, 5052-454, 5052-554					
					*Tooth Offset*
KM-1201-44	mm	88	19.5	1.27	1.27
	in	3.46	0.77	0.050	0.050
Replaces N/A (Similar to ConMed® Linvatec® 5071-201)					
					*No Tooth Offset* *Opposing Teeth Chromium Coating*

Brasseler USA® Large Bone Saw Blades - Reciprocating Replacements - ConMed® Linvatec®


Compatible with ConMed® Linvatec® Reciprocating Saw Systems: Hall 50™, MPower®, PowerPro®, VersiPower® Plus, VersiPower®, Series 4, Series 3 & Orthair; MicroAire® and Smith® & Nephew® Large Bone Reciprocating Saw Systems

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM-458	mm	89	12.5	0.61	1.00
	in	3.50	0.49	0.024	0.039
Replaces 5052-058, 5052-158, 5052-258					
Tooth Offset 					
KM-459	mm	54.1	9.4	0.61	1.00
	in	2.13	0.37	0.024	0.039
Replaces 5052-059, 5052-159, 5052-259					
Tooth Offset 					
KM-460	mm	38	9.6	0.40	0.60
	in	1.50	0.38	0.016	0.024
Replaces 5052-060, 5052-160, 5052-260					
Tooth Offset 					
KM-461	mm	89	12.5	1.50	1.60
	in	3.50	0.49	0.059	0.063
Replaces 5052-061, 5052-161, 5052-261					
Tooth Offset 					

Compatible with ConMed® Linvatec® Reciprocating Saw Systems: Hall 50™, MPower®, PowerPro®, VersiPower® Plus, VersiPower®, Series 4, Series 3 & Orthair; MicroAire® and Smith® & Nephew® Large Bone Reciprocating Saw Systems





Brasseler USA® Large Bone Saw Blades - Reciprocating Replacements - ConMed® Linvatec®

Compatible with ConMed® Linvatec® Reciprocating Saw Systems: Hall 50™, MPower®, PowerPro®, VersiPower® Plus, VersiPower®, Series 4, Series 3 & Orthair; MicroAire® and Smith® & Nephew® Large Bone Reciprocating Saw Systems

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM-473	mm	73	12.5	0.80	1.00
	in	2.87	0.49	0.031	0.039
Replaces 5052-073, 5052-173, 5052-273					
				*Tooth Offset* *Double Sided*	
KM-479	mm	77.5	12.7	0.90	0.90
	in	3.05	0.50	0.035	0.035
Replaces 5052-079, 5052-179, 5052-279					
				*Tooth Offset* *Double Sided* *Ribbed* *Chromium Coating*	

Brasseler USA® Small Bone Saw Blades - Sagittal Replacements - ConMed® Linvatec®





Compatible with ConMed® Linvatec® Sagittal Saw Systems: MicroPower®, MicroChoice®, Micro 100™ & Micro E®; Brasseler USA®, MicroAire® and Smith & Nephew® Small Bone/Micro Sagittal Saw Systems

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM-3100C	mm	41.5	14	0.40	0.61
	in	1.63	0.55	0.016	0.024
Replaces 5023-033, 5023-133, 5023-233 *Replaces 5053-033, 5053-133, 5053-233*					
					*Coarse* *Straight Edge*
KM-3101	mm	25.7	9.5	0.40	0.60
	in	1.01	0.37	0.016	0.024
Replaces 5023-038, 5023-138, 5023-238 *Replaces 5053-038, 5053-138, 5053-238*					
					*Fine* *Straight Edge*
KM-3101C	mm	25.7	9.5	0.40	0.61
	in	1.01	0.37	0.016	0.024
Replaces 5023-043, 5023-143, 5023-243 *Replaces 5053-043, 5053-143, 5053-243*					
					*Coarse* *Straight Edge*
KM-3102	mm	25.7	4.5	0.40	0.60
	in	1.01	0.18	0.016	0.024
Replaces 5023-039, 5023-139, 5023-239 *Replaces 5053-039, 5053-139, 5053-239*					
					*Fine* *Straight Edge*

Brasseler USA® Small Bone Saw Blades - Sagittal Replacements - ConMed® Linvatec®





Compatible with ConMed® Linvatec® Sagittal Saw Systems: MicroPower®, MicroChoice®, Micro 100™ & Micro E®; Brasseler USA®, MicroAire® and Smith & Nephew® Small Bone/Micro Sagittal Saw Systems

Compatible with ConMed® Linvatec® Sagittal Saw Systems: MicroPower®, MicroChoice®, Micro 100™ & Micro E®; Brasseler USA®, MicroAire® and Smith & Nephew® Small Bone/Micro Sagittal Saw Systems

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM-3104	mm	16.1	9.5	0.40	0.63
	in	0.63	0.37	0.016	0.025
Substitute for 5044-145					
					*Fine Straight Edge*
KM-3105	mm	16.1	4.5	0.40	0.63
	in	0.63	0.18	0.016	0.025
Substitute for 5023-044, 5023-144, 5023-244 *Substitute for 5053-044, 5053-144, 5053-244*					
					*Fine Straight Edge*
KM-3106	mm	25.7	5.5	0.40	0.61
	in	1.01	0.22	0.016	0.024
Replaces 5023-032, 5023-132, 5023-232 *Replaces 5053-032, 5053-132, 5053-232*					
					*Coarse Straight Edge*
KM-3107	mm	34.3	6	0.40	0.60
	in	1.35	0.24	0.016	0.024
Replaces 5023-041, 5023-141, 5023-241 *Replaces 5053-041, 5053-141, 5053-241*					
					*Fine Straight Edge*

Brasseler USA® Small Bone Saw Blades - Sagittal Replacements - ConMed® Linvatec®





Compatible with ConMed® Linvatec® Sagittal Saw Systems: MicroPower®, MicroChoice®, Micro 100™ & Micro E®; Brasseler USA®, MicroAire® and Smith & Nephew® Small Bone/Micro Sagittal Saw Systems

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM-3183	mm	25.7	9.5	0.40	0.60
	in	1.01	0.37	0.016	0.024
Replaces 5023-183					
					*Fine Straight Edge ACL Blade*
KM-3231	mm	41.5	19.5	0.40	0.61
	in	1.63	0.77	0.016	0.024
Replaces 5023-031, 5023-131, 5023-231 *Replaces 5053-031, 5053-131, 5053-231*					
					*Coarse Straight Edge*
KM-3237	mm	25.7	14	0.40	0.61
	in	1.01	0.55	0.016	0.024
Replaces 5023-037, 5023-137, 5023-237 *Replaces 5053-037, 5053-137, 5053-237*					
					*Coarse Straight Edge*
KM-3240	mm	41.5	9.5	0.40	0.60
	in	1.63	0.37	0.016	0.024
Replaces 5023-040, 5023-140, 5023-240 *Replaces 5053-040, 5053-140, 5053-240*					
					*Fine Straight Edge Tapered*

Compatible with ConMed® Linvatec® Sagittal Saw Systems: MicroPower®, MicroChoice®, Micro 100™ & Micro E®; Brasseler USA®, MicroAire® and Smith & Nephew® Small Bone/Micro Sagittal Saw Systems





Brasseler USA® Small Bone Saw Blades - Oscillating Replacements - ConMed® Linvatec®

Compatible with ConMed® Linvatec® Oscillating Saw Systems: MicroPower®, MicroChoice®, Micro 100™ & Micro E®; Brasseler USA®, MicroAire® and Smith & Nephew® Small Bone/Micro Oscillating Saw Systems

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM-3000	mm	18.5	5.5	0.40	0.60
	in	0.73	0.22	0.016	0.024
Replaces 5023-062, 5023-162, 5023-262 *Replaces 5053-062, 5053-162, 5053-262*					
					*Fine* *Straight Edge*
KM-3001	mm	28.5	5.5	0.40	0.60
	in	1.12	0.22	0.016	0.024
Replaces 5023-064, 5023-164, 5023-264 *Replaces 5053-064, 5053-164, 5053-264*					
					*Fine* *Straight Edge*
KM-3002	mm	34.7	10	0.40	0.60
	in	1.37	0.39	0.016	0.024
Replaces 5023-069, 5023-169, 5023-269 *Replaces 5053-073, 5053-173, 5053-273*					
					*Fine* *Straight Edge*
KM-3003	mm	22	5.5	0.40	0.60
	in	0.87	0.22	0.016	0.024
Replaces N/A					
					*Fine* *Straight Edge*

Brasseler USA® Small Bone Saw Blades - Oscillating Replacements - ConMed® Linvatec®



Compatible with ConMed® Linvatec® Oscillating Saw Systems: MicroPower®, MicroChoice®, Micro 100™ & Micro E®; Brasseler USA®, MicroAire® and Smith & Nephew® Small Bone/Micro Oscillating Saw Systems

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM-3004	mm	27.9	9.5	0.40	0.60
	in	1.10	0.37	0.016	0.024
Replaces N/A					
					*Fine Straight Edge*
KM-3005	mm	18.5	10	0.40	0.60
	in	0.73	0.39	0.016	0.024
Replaces 5023-063, 5023-163, 5023-263 *Replaces 5053-063, 5053-163, 5053-263*					
					*Fine Straight Edge*
KM-3006	mm	12	5.5	0.40	0.60
	in	0.47	0.22	0.016	0.024
Replaces 5023-060, 5023-160, 5023-260 *Replaces 5053-060, 5053-160, 5053-260*					
					*Fine Straight Edge*
KM-3008	mm	28.5	18.5	0.40	0.60
	in	1.12	0.73	0.016	0.024
Replaces 5023-066, 5023-166, 5023-266 *Replaces 5053-066, 5053-166, 5053-266*					
					*Fine Radial Edge*

Compatible with ConMed® Linvatec® Oscillating Saw Systems: MicroPower®, MicroChoice®, Micro 100™ & Micro E®; Brasseler USA®, MicroAire® and Smith & Nephew® Small Bone/Micro Oscillating Saw Systems

Brasseler USA® Small Bone Saw Blades - Oscillating Replacements - ConMed® Linvatec®





Compatible with ConMed® Linvatec® Oscillating Saw Systems: MicroPower®, MicroChoice®, Micro 100™ & Micro E®; Brasseler USA®, MicroAire® and Smith & Nephew® Small Bone/Micro Oscillating Saw Systems

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM-3261	mm	12	10	0.40	0.60
	in	0.47	0.39	0.016	0.024
Replaces 5023-061, 5023-161, 5023-261 *Replaces 5053-061, 5053-161, 5053-261*					
					*Fine* *Straight Edge*
KM-3265	mm	28.5	10	0.40	0.60
	in	1.12	0.39	0.016	0.024
Replaces 5023-065, 5023-165, 5023-265 *Replaces 5053-065, 5053-165, 5053-265*					
					*Fine* *Radial Edge*

Compatible with ConMed® Linvatec® Oscillating Saw Systems: MicroPower®, MicroChoice®, Micro 100™ & Micro E®; Brasseler USA®, MicroAire® and Smith & Nephew® Small Bone/Micro Oscillating Saw Systems

Brasseler USA® Small Bone Saw Blades - Oscillating - Crescentic Replacements - ConMed® Linvatec®

Compatible with ConMed® Linvatec® Oscillating Saw Systems: MicroPower®, MicroChoice®, Micro 100™ & Micro E®; Brasseler USA®, MicroAire® and Smith & Nephew® Small Bone/Micro Oscillating Saw Systems

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM-3170	mm	12	9	0.40	0.60
	in	0.47	0.36	0.016	0.024
Replaces 5023-170, 5023-270 *Replaces 5053-170, 5053-270*					
 *Fine Crescentic Blade*					
KM-3171	mm	25.5	13.8	0.40	0.60
	in	1.00	0.55	0.016	0.024
Replaces 5023-171, 5023-271 *Replaces 5053-171, 5053-271*					
 *Fine Crescentic Blade*					
KM-3172	mm	32	18	0.40	0.60
	in	1.26	0.71	0.016	0.024
Replaces 5023-172, 5023-272 *Replaces 5053-172, 5053-272*					
 *Fine Crescentic Blade*					
KM-3176	mm	32	13.8	0.40	0.60
	in	1.26	0.55	0.016	0.024
Replaces 5023-176, 5023-276 *Replaces 5053-176, 5053-276*					
 *Fine Crescentic Blade*					

Compatible with ConMed® Linvatec® Oscillating Saw Systems: MicroPower®, MicroChoice®, Micro 100™ & Micro E®; Brasseler USA®, MicroAire® and Smith & Nephew® Small Bone/Micro Oscillating Saw Systems





Brasseler USA® Small Bone Saw Blades - Reciprocating Replacements - ConMed® Linvatec®

Compatible with ConMed® Linvatec® Reciprocating Saw Systems: MicroPower®, MicroChoice®, Micro 100™ & Micro E®; Brasseler USA®, MicroAire® and Smith & Nephew® Small Bone/Micro Reciprocating Saw Systems

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM-060	mm	25.5	7.6	0.40	0.64
	in	1.00	0.30	0.016	0.025
Replaces 5053-020, 5053-120, 5053-220					
					*Flat Shank*
KM-070	mm	38	7.6	0.40	0.64
	in	1.50	0.30	0.016	0.025
Replaces 5053-021, 5053-121, 5053-221					
					*Flat Shank*
KM-54	mm	23.2	7.4	0.40	0.60
	in	0.913	0.29	0.016	0.024
Replaces 5053-054, 5053-154, 5053-254					
					*Round Shank*

Brasseler USA® Small Bone Rasps - Reciprocating Replacements - ConMed® Linvatec®





Compatible with ConMed® Linvatec® Reciprocating Saw Systems: MicroPower®, MicroChoice®, Micro 100™ & Micro E®; Brasseler USA®, MicroAire® and Smith & Nephew® Small Bone/Micro Reciprocating Saw Systems

Order Number	Unit	Length	Max. Width
KM-80	mm	11	5.5
	in	0.43	0.22
Replaces 5053-080, 5053-80			
 *Small Tear Round Shank*			
KM-81	mm	13	6.9
	in	0.51	0.27
Replaces 5053-081, 5053-81			
 *Large Tear Round Shank*			
KM-82	mm	11	5.5
	in	0.43	0.22
Replaces 5053-082, 5053-82			
 *Small Tear Cross-Cut Round Shank*			
KM-83	mm	13	6.9
	in	0.51	0.27
Replaces 5053-083, 5053-83			
 *Large Tear Cross-Cut Round Shank*			

Compatible with ConMed® Linvatec® Reciprocating Saw Systems: MicroPower®, MicroChoice®, Micro 100™ & Micro E®; Brasseler USA®, MicroAire® and Smith & Nephew® Small Bone/Micro Reciprocating Saw Systems




Brasseler USA® Small Bone Saw Blades - Sagittal Replacements - ConMed® Linvatec®

Compatible with ConMed® Linvatec® Mini-Driver™ K100 & K200 Sagittal Saw Systems - K120 Attachment

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM-21K	mm	15.1	6.4	0.71	0.89
	in	0.59	0.25	0.028	0.035
Replaces K121					
					*Fine*
KM-22K	mm	31	6.4	0.71	0.89
	in	1.22	0.25	0.028	0.035
Replaces K122					
					*Fine*
KM-23K	mm	15.1	10.4	0.71	0.89
	in	0.59	0.41	0.028	0.035
Replaces K123					
					*Fine*
KM-24K	mm	31	10.4	0.71	0.89
	in	1.22	0.41	0.028	0.035
Replaces K124					
					*Fine*






Brasseler USA® Small Bone Saw Blades - Sagittal Replacements - ConMed® Linvatec®

Compatible with ConMed® Linvatec® Mini-Driver™ K100 & K200 Sagittal Saw Systems - K120 Attachment

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM-31K	mm	15.1	6.4	0.38	0.56
	in	0.59	0.25	0.015	0.022
Replaces K131					
					*Fine*
KM-33K	mm	15.1	10.4	0.38	0.56
	in	0.59	0.41	0.015	0.022
Replaces K133					
					*Fine*
KM-34K	mm	31	10.4	0.38	0.56
	in	1.22	0.41	0.015	0.022
Replaces K134					
					*Fine*



Brasseler USA® Small Bone Saw Blades - Sagittal Replacements - ConMed® Linvatec®

Compatible with ConMed® Linvatec® Mini-Driver™ K100 & K200 Sagittal Saw Systems - K220 Attachment

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM-41K	mm	14.2	6.4	0.71	0.97
	in	0.56	0.25	0.028	0.038
Replaces K141					
					*Fine*
KM-43K	mm	14.2	10.2	0.71	0.97
	in	0.56	0.40	0.028	0.038
Replaces K143					
					*Fine*
KM-44K	mm	30	10.2	0.71	0.97
	in	1.18	0.40	0.028	0.038
Replaces K144					
					*Fine*
KM-48K	mm	27.4	9.5	0.38	0.65
	in	1.08	0.37	0.015	0.026
Replaces K148					
					*Fine*
KM-51K	mm	14.2	6.4	0.38	0.65
	in	0.56	0.25	0.015	0.026
Replaces K151					
					*Fine*



Brasseler USA® Sternum Saw Blades - Replacements - ConMed® Linvatec®

Compatible with ConMed® Linvatec® Sternum Saw Systems

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM-31	mm	54	9.9	0.64	0.97
	in	2.13	0.39	0.025	0.038
Replaces 5059-31, 5059-031, 5059-531, 5059-031-01					
					*Sterile*
KM-31N	mm	54	9.9	0.64	0.97
	in	2.13	0.39	0.025	0.038
Replaces 5059-31, 5059-031, 5059-531, 5059-031-01					
					*Non-Sterile*
KM-32	mm	32.8	9.4	0.64	0.99
	in	1.29	0.37	0.025	0.039
Replaces 5059-32, 5059-032, 5059-532, 5059-032-01					
					*Sterile*
KM-32N	mm	32.8	9.4	0.64	0.99
	in	1.29	0.37	0.025	0.039
Replaces 5059-32, 5059-032, 5059-532, 5059-032-01					
					*Non-Sterile*




Brasseler USA® Sternum Saw Blades
Replacement & Proprietary - ConMed® Linvatec®

Compatible with ConMed® Linvatec® Oscillating Saw Systems: VersiPower®, Series 4 , Series 3 & Orthair; ConMed® Linvatec® Micro 100™ Sagittal Saw System; ConMed® Linvatec® Repeat Sternotomy Saw System; Brasseler USA®, MicroAire® and Smith & Nephew® Small Bone/Micro Sagittal Saw Systems

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM-279	mm	39.5	55	0.40	0.79
	in	1.56	2.17	0.016	0.031
Replaces 5059-279					
				*Sterile* *Repeat Sternotomy Blade* *Opposing Teeth*	
KM-279PZ	mm	26	39	0.40	0.71
	in	1.02	1.54	0.016	0.028
Replaces N/A					
				*Sterile* *Repeat Sternotomy Blade*	

Brasseler USA® Sternum Saw Blades - Proprietary - ConMed® Linvatec®

Compatible with ConMed® Linvatec® Small Bone/Micro Sagittal Saw Systems: MicroPower®, MicroChoice®, Micro 100™ & Micro E®; Brasseler USA®, MicroAire® and Smith & Nephew® Small Bone/Micro Sagittal Saw Systems


Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM-3179SN	mm	42.5	54	0.40	0.69
	in	1.67	2.13	0.016	0.027
Replaces N/A					
					*Coarse* *Opposing Teeth* *Non-Sterile*
KM-3231SN	mm	41.9	19	0.40	0.71
	in	1.65	0.75	0.016	0.028
Replaces N/A					
					*Non-Sterile*
KM-3231SS	mm	41.9	19	0.40	0.71
	in	1.65	0.75	0.016	0.028
Replaces N/A					
					*Sterile*

Compatible with ConMed® Linvatec® Small Bone/Micro Sagittal Saw Systems: MicroPower®, MicroChoice®, Micro 100™ & Micro E®; Brasseler USA®, MicroAire® and Smith & Nephew® Small Bone/Micro Sagittal Saw Systems


Brasseler USA® High Speed Burs - 3.16mm Stryker® CORE & TPS™ Shank Replacements - Stryker®, ConMed® Linvatec® & Medtronic® Midas Rex®

Compatible with High Speed Drill Systems: Stryker® CORE & TPS™; ConMed® Linvatec® UltraPower®; Medtronic® Midas Rex® Classic I & II

Order Number	Description	Unit	Head Diameter	Head Length
KM-M8U	Match Head	mm	2.9	3.8
		in	0.11	0.15
Replaces ConMed® Linvatec® 7021-237 *Replaces Medtronic® Midas Rex® M-8* *Replaces Stryker® 5120-107-30, 5220-107-30, 5420-107-30*				




KM-AM8U	Match Head	mm	2.9	3.8
		in	0.11	0.15
Replaces ConMed® Linvatec® 7021-337 *Replaces Medtronic® Midas Rex® AM-8* *Replaces Stryker® 5130-107-30, 5230-107-30, 5430-107-30*				



KM-M51U	Metal Cutter (Diamond Wheel)	mm	25.4	0.8
		in	1.00	0.03
Replaces ConMed® Linvatec® 7021-292 *Replaces Medtronic® Midas Rex® M-51* *Replaces Stryker® 5120-130-250*				







KM-M52U	Metal Cutter (Carbide)	mm	3.1	17.5
		in	0.12	0.69
Replaces ConMed® Linvatec® 7021-294 *Replaces Medtronic® Midas Rex® M-52* *Replaces Stryker® 5120-80-30, 5420-80-30*				







Brasseler USA® High Speed Burs - 3.16mm Stryker® CORE & TPS™ Shank Replacements - Stryker®, ConMed® Linvatec® & Medtronic® Midas Rex®

Compatible with High Speed Drill Systems: Stryker® CORE & TPS™; ConMed® Linvatec® UltraPower®; Medtronic® Midas Rex® Classic I & II

Order Number	Description	Unit	Head Diameter	Head Length
KM-U295	Oval	mm	4.0	8.0
		in	0.16	0.31
Replaces ConMed® Linvatec® 7021-295 *Replaces Medtronic® Midas Rex® N/A* *Replaces Stryker® 5120-15-140*				
				
KM5110-15-40	Oval	mm	4.0	9.5
		in	0.16	0.37
Replaces ConMed® Linvatec® N/A *Replaces Medtronic® Midas Rex® N/A* *Replaces Stryker® 5110-15-40*				
				
KM-M340DU	Round Diamond	mm	4.0	4.0
		in	0.16	0.16
Replaces ConMed® Linvatec® 7021-264 *Replaces Medtronic® Midas Rex® M-340D* *Replaces Stryker® 5120-12-40*				
				
KM-M330U	Round Fluted	mm	3.0	3.0
		in	0.12	0.12
Replaces ConMed® Linvatec® 7021-226 *Replaces Medtronic® Midas Rex® M-330* *Replaces Stryker® 5120-10-30, 5220-10-30*				
				





Brasseler USA® High Speed Burs - 3.16mm Stryker® CORE & TPS™ Shank Replacements - Stryker®, ConMed® Linvatec® & Medtronic® Midas Rex®

Compatible with High Speed Drill Systems: Stryker® CORE & TPS™; ConMed® Linvatec® UltraPower®; Medtronic® Midas Rex® Classic I & II

Order Number	Description	Unit	Head Diameter	Head Length
KM5120-10-230	Round Fluted Extended Length	mm	3.0	3.0
		in	0.12	0.12
Replaces ConMed® Linvatec® N/A *Replaces Medtronic® Midas Rex® N/A* *Replaces Stryker® 5120-10-230, 5220-10-230*				
				
KM-M340U	Round Fluted	mm	4.0	4.0
		in	0.16	0.16
Replaces ConMed® Linvatec® 7021-227 *Replaces Medtronic® Midas Rex® M-340* *Replaces Stryker® 5120-10-40, 5220-10-40*				
				
KM5120-10-240	Round Fluted Extended Length	mm	4.0	4.0
		in	0.16	0.16
Replaces ConMed® Linvatec® N/A *Replaces Medtronic® Midas Rex® N/A* *Replaces Stryker® 5120-10-240, 5220-10-240*				
				
KM-M35U	Round Fluted	mm	5.0	5.0
		in	0.20	0.20
Replaces ConMed® Linvatec® 7021-228 *Replaces Medtronic®Midas Rex® M-35* *Replaces Stryker® 5120-10-50, 5220-10-50, 5420-10-50*				
				



Brasseler USA® High Speed Burs - 3.16mm Stryker® CORE & TPS™ Shank Replacements - Stryker®, ConMed® Linvatec® & Medtronic® Midas Rex®

Compatible with High Speed Drill Systems: Stryker® CORE & TPS™; ConMed® Linvatec® UltraPower®; Medtronic® Midas Rex® Classic I & II

Order Number	Description	Unit	Head Diameter	Head Length
KM-M33U	Round Fluted	mm	6.0	6.0
		in	0.24	0.24
Replaces ConMed® Linvatec® 7021-229 *Replaces Medtronic® Midas Rex® M-33* *Replaces Stryker® 5120-10-60, 5220-10-60*				
				
KM-AM330U	Round Fluted	mm	3.0	3.0
		in	0.12	0.12
Replaces ConMed® Linvatec® 7021-326 *Replaces Medtronic® Midas Rex® AM-330* *Replaces Stryker® 5130-10-30, 5230-10-30*				
				
KM5130-10-240	Round Fluted Extended Length	mm	4.0	4.0
		in	0.16	0.16
Replaces ConMed® Linvatec® N/A *Replaces Medtronic® Midas Rex® N/A* *Replaces Stryker® 5130-10-240, 5230-10-240*				
				
KM-AM35U	Round Fluted	mm	5.0	5.0
		in	0.20	0.20
Replaces ConMed® Linvatec® 7021-328 *Replaces Medtronic® Midas Rex® AM-35* *Replaces Stryker® 5130-10-50, 5230-10-50, 5430-10-50*				
				







Brasseler USA® High Speed Burs - 3.16mm Stryker® CORE & TPS™ Shank Replacements - Stryker®, ConMed® Linvatec® & Medtronic® Midas Rex®

Compatible with High Speed Drill Systems: Stryker® CORE & TPS™; ConMed® Linvatec® UltraPower®; Medtronic® Midas Rex® Classic I & II

Order Number	Description	Unit	Head Diameter	Head Length
KM5130-10-250	Round Fluted Extended Length	mm	5.0	5.0
		in	0.20	0.20
Replaces ConMed® Linvatec® N/A *Replaces Medtronic® Midas Rex® N/A* *Replaces Stryker® 5130-10-250, 5230-10-250*				
				
KM-AM32U	Round Fluted	mm	7.6	7.6
		in	0.30	0.30
Replaces ConMed® Linvatec® 7021-331 *Replaces Medtronic® Midas Rex® AM-32* *Replaces Stryker® 5130-10-75, 5230-10-75*				
				

Brasseler USA® Small Bone/Micro Burs - Standard & Oral Surgery
2.35 mm Straight Shank - Replacements - ConMed® Linvatec®




Compatible with Small Bone/Micro Drill Systems: ConMed® Linvatec® - MicroPower®, MicroChoice®, Micro 100™, Micro E® & Surgairtome Two®; Brasseler USA® & MicroAire® - Small Bone/Micro Drill Systems

Order Number	Description	Unit	Total Length	Head Diameter	Head Length	No. of Flutes Grit Size
03-C0901	Oval - Carbide	mm	48.0	4.0	8.0	8
		in	1.89	0.16	0.31	
Replaces 5091-136, 5091-236						
						
03-C0905	Oval - Carbide	mm	48.0	5.5	10.2	10
		in	1.89	0.22	0.40	
Replaces 5091-138, 5091-238						
						
09-C0901	Oval - Carbide	mm	70.0	4.0	8.0	8
		in	2.76	0.16	0.31	
Replaces 5092-136, 5092-236						
						
09-C0905	Oval - Carbide	mm	70.0	5.5	10.2	10
		in	2.76	0.22	0.40	
Replaces 5092-138, 5092-238						
						
12-C0901	Oval - Carbide	mm	95.0	4.0	8.0	8
		in	3.74	0.16	0.31	
Replaces 5093-136, 5093-236						
						
12-C0905	Oval - Carbide	mm	95.0	5.5	10.2	10
		in	3.74	0.22	0.40	
Replaces 5093-138, 5093-238						
						

Compatible with Small Bone/Micro Drill Systems: ConMed® Linvatec® - MicroPower®, MicroChoice®, Micro 100™, Micro E® & Surgairtome Two®; Brasseler USA® & MicroAire® - Small Bone/Micro Drill Systems






Brasseler USA® Small Bone/Micro Burs - Standard & Oral Surgery
2.35 mm Straight Shank - Replacements - ConMed® Linvatec®

Compatible with Small Bone/Micro Drill Systems: ConMed® Linvatec® - MicroPower®, MicroChoice®, Micro 100™, Micro E® & Surgairtome Two®; Brasseler USA® & MicroAire® - Small Bone/Micro Drill Systems

Order Number	Description	Unit	Total Length	Head Diameter	Head Length	No. of Flutes Grit Size
04-C0101	Round - Carbide	mm	51.0	1.0	1.0	6
		in	2.01	0.04	0.04	
Replaces 5091-120, 5091-220						
						
04-C0103	Round - Carbide	mm	51.0	1.5	1.5	6
		in	2.01	0.06	0.06	
Replaces 5091-122, 5091-222						
						
04-C0104	Round - Carbide	mm	51.0	1.8	1.8	6
		in	2.01	0.07	0.07	
Replaces 5091-121, 5091-221						
						
04-C0105	Round - Carbide	mm	51.0	2.0	2.0	6
		in	2.01	0.08	0.08	
Replaces 5091-124, 5091-224						
						
04-C0106	Round - Carbide	mm	51.0	2.3	2.3	8
		in	2.01	0.09	0.09	
Replaces 5091-123, 5091-223, 5091-125, 5091-225						
						
04-C0107	Round - Carbide	mm	51.0	3.0	3.0	8
		in	2.01	0.12	0.12	
Replaces 5091-126, 5091-226						
						

Brasseler USA® Small Bone/Micro Burs - Standard & Oral Surgery
2.35 mm Straight Shank - Replacements - ConMed® Linvatec®







Compatible with Small Bone/Micro Drill Systems: ConMed® Linvatec® - MicroPower®, MicroChoice®, Micro 100™, Micro E® & Surgairtome Two®; Brasseler USA® & MicroAire® - Small Bone/Micro Drill Systems

Order Number	Description	Unit	Total Length	Head Diameter	Head Length	No. of Flutes Grit Size
04-C0108	Round - Carbide	mm	51.0	4.0	4.0	8
		in	2.01	0.16	0.16	
Replaces 5091-128, 5091-228						
						
04-C0109	Round - Carbide	mm	51.0	5.0	5.0	10
		in	2.01	0.20	0.20	
Replaces 5091-130, 5091-230						
						
04-C0110	Round - Carbide	mm	51.0	6.0	6.0	8
		in	2.01	0.24	0.24	
Replaces M60R						
						
04-C0170	Round - Carbide	mm	51.0	6.5	6.5	10
		in	2.01	0.26	0.26	
Replaces 5091-132, 5091-232						
						
09-C0109	Round - Carbide	mm	70.0	5.0	5.0	10
		in	2.76	0.20	0.20	
Replaces 5092-130, 5092-230						
						
09-C0110	Round - Carbide	mm	70.0	6.0	6.0	8
		in	2.76	0.24	0.24	
Replaces L60R						
						

Compatible with Small Bone/Micro Drill Systems: ConMed® Linvatec® - MicroPower®, MicroChoice®, Micro 100™, Micro E® & Surgairtome Two®; Brasseler USA® & MicroAire® - Small Bone/Micro Drill Systems






Brasseler USA® Small Bone/Micro Burs - Standard & Oral Surgery
2.35 mm Straight Shank - Replacements - ConMed® Linvatec®

Compatible with Small Bone/Micro Drill Systems: ConMed® Linvatec® - MicroPower®, MicroChoice®, Micro 100™, Micro E® & Surgairtome Two®; Brasseler USA® & MicroAire® - Small Bone/Micro Drill Systems

Order Number	Description	Unit	Total Length	Head Diameter	Head Length	No. of Flutes Grit Size
09-C0170	Round - Carbide	mm	70.0	6.5	6.5	10
		in	2.76	0.26	0.26	
Replaces 5092-132, 5092-232						
						
10-C0101	Round - Carbide	mm	71.5	1.0	1.0	6
		in	2.81	0.04	0.04	
Replaces 5092-120, 5092-220						
						
10-C0103	Round - Carbide	mm	72.0	1.5	1.5	6
		in	2.83	0.06	0.06	
Replaces 5092-122, 5092-222						
						
10-C0105	Round - Carbide	mm	72.5	2.0	2.0	6
		in	2.85	0.08	0.08	
Replaces 5092-124, 5092-224						
						
10-C0107	Round - Carbide	mm	73.0	3.0	3.0	8
		in	2.87	0.12	0.12	
Replaces 5092-126, 5092-226						
						
10-C0108	Round - Carbide	mm	73.0	4.0	4.0	8
		in	2.87	0.16	0.16	
Replaces 5092-128, 5092-228						
						

Brasseler USA® Small Bone/Micro Burs - Standard & Oral Surgery
2.35 mm Straight Shank - Replacements - ConMed® Linvatec®







Compatible with Small Bone/Micro Drill Systems: ConMed® Linvatec® - MicroPower®, MicroChoice®, Micro 100™, Micro E® & Surgairtome Two®; Brasseler USA® & MicroAire® - Small Bone/Micro Drill Systems

Order Number	Description	Unit	Total Length	Head Diameter	Head Length	No. of Flutes Grit Size
12-C0105	Round - Carbide	mm	95.0	2.0	2.0	6
		in	3.74	0.08	0.08	
Replaces 5093-124, 5093-224						
						
12-C0108	Round - Carbide	mm	95.0	4.0	4.0	8
		in	3.74	0.16	0.16	
Replaces 5093-128, 5093-228						
						
12-C0109	Round - Carbide	mm	95.0	5.0	5.0	10
		in	3.74	0.20	0.20	
Replaces 5093-130, 5093-230						
						
04-C0601	Tapered - Carbide	mm	51.0	0.9	5.2	6
		in	2.01	0.035	0.20	
Replaces 5091-115, 5091-215						
						
04-C0606	Tapered - Cross Cut - Carbide	mm	51.0	1.2	4.2	6
		in	2.01	0.05	0.17	
Replaces N/A						
						
04-C0623	Tapered - Carbide	mm	51.0	1.2	6.0	6
		in	2.01	0.05	0.24	
Replaces N/A						
						

Compatible with Small Bone/Micro Drill Systems: ConMed® Linvatec® - MicroPower®, MicroChoice®, Micro 100™, Micro E® & Surgairtome Two®; Brasseler USA® & MicroAire® - Small Bone/Micro Drill Systems






Brasseler USA® Small Bone/Micro Burs - Standard & Oral Surgery
2.35 mm Straight Shank - Replacements - ConMed® Linvatec®

Compatible with Small Bone/Micro Drill Systems: ConMed® Linvatec® - MicroPower®, MicroChoice®, Micro 100™, Micro E® & Surgairtome Two®; Brasseler USA® & MicroAire® - Small Bone/Micro Drill Systems

Order Number	Description	Unit	Total Length	Head Diameter	Head Length	No. of Flutes Grit Size
04-C0609	Tapered - Carbide	mm	51.0	1.5	10.0	6
		in	2.01	0.06	0.39	
Replaces 5091-102, 5091-202						
						
04-C0607	Tapered - Carbide	mm	51.0	1.6	4.3	6
		in	2.01	0.06	0.17	
Replaces 5091-118, 5091-218						
						
04-C0617	Tapered - Carbide	mm	51.0	2.0	7.5	6
		in	2.01	0.08	0.30	
Replaces 5091-106, 5091-206						
						
04-C0615	Tapered - Carbide	mm	51.0	2.1	4.8	6
		in	2.01	0.08	0.19	
Replaces N/A						
						
04-C0612	Tapered - Cross Cut - Carbide	mm	51.0	2.1	4.9	6
		in	2.01	0.08	0.19	
Replaces 5091-113, 5091-213						
						
06-C0619	Tapered - Carbide	mm	57.0	2.0	19.0	6
		in	2.24	0.08	0.75	
Replaces 5091-114, 5091-214						
						

Brasseler USA® Small Bone/Micro Burs - Standard & Oral Surgery
2.35 mm Straight Shank - Replacements - ConMed® Linvatec®






Compatible with Small Bone/Micro Drill Systems: ConMed® Linvatec® - MicroPower®, MicroChoice®, Micro 100™, Micro E® & Surgairtome Two®; Brasseler USA® & MicroAire® - Small Bone/Micro Drill Systems

Order Number	Description	Unit	Total Length	Head Diameter	Head Length	No. of Flutes Grit Size
10-C0617	Tapered - Carbide	mm	73.0	2.0	7.5	6
		in	2.87	0.08	0.30	
Replaces 5092-106, 5092-206						
						
11-C0619	Tapered - Carbide	mm	80.0	2.0	19.0	6
		in	3.15	0.08	0.75	
Replaces 5092-114, 5092-214						
						
03-C0312	Straight - Cross Cut - Carbide	mm	48.0	4.0	10.0	6
		in	1.89	0.16	0.39	
Replaces 5091-154, 5091-254						
						
04-C0302	Straight - Cross Cut - Carbide	mm	51.0	1.0	5.0	6
		in	2.01	0.04	0.20	
Replaces 5091-101, 5091-201						
						
04-C0306	Straight - Cross Cut - Carbide	mm	51.0	1.5	7.5	6
		in	2.01	0.06	0.30	
Replaces 5091-104, 5091-204						
						
04-C0307	Straight - Carbide	mm	51.0	1.6	4.3	6
		in	2.01	0.06	0.17	
Replaces 5091-117, 5091-217						
						

Compatible with Small Bone/Micro Drill Systems: ConMed® Linvatec® - MicroPower®, MicroChoice®, Micro 100™, Micro E® & Surgairtome Two®; Brasseler USA® & MicroAire® - Small Bone/Micro Drill Systems







Brasseler USA® Small Bone/Micro Burs - Standard & Oral Surgery
2.35 mm Straight Shank - Replacements - ConMed® Linvatec®

Compatible with Small Bone/Micro Drill Systems: ConMed® Linvatec® - MicroPower®, MicroChoice®, Micro 100™, Micro E® & Surgairtome Two®; Brasseler USA® & MicroAire® - Small Bone/Micro Drill Systems

Order Number	Description	Unit	Total Length	Head Diameter	Head Length	No. of Flutes Grit Size
10-C0306	Straight - Carbide	mm	73.0	1.5	7.5	6
		in	2.87	0.06	0.30	
Replaces 5092-104, 5092-204						
						
10-C0310	Straight - Cross Cut - Carbide	mm	73.0	2.1	10.0	8
		in	2.87	0.08	0.39	
Replaces 5092-152, 5092-252						
						
03-D0135	Round - Diamond	mm	48.0	4.0	4.0	Medium
		in	1.89	0.16	0.16	
Replaces 5091-164, 5091-264						
						
04-D0139	Round - Diamond	mm	51.0	2.0	2.0	Medium
		in	2.01	0.08	0.08	
Replaces 5091-160, 5091-260						
						
04-D0133	Round - Diamond	mm	51.0	3.0	3.0	Medium
		in	2.01	0.12	0.12	
Replaces 5091-162, 5091-262						
						
09-D0135	Round - Diamond	mm	70.0	4.0	4.0	Medium
		in	2.76	0.16	0.16	
Replaces 5092-164, 5092-264						
						

Brasseler USA® Small Bone/Micro Burs - Standard & Oral Surgery
2.35 mm Straight Shank - Replacements - ConMed® Linvatec®







Compatible with Small Bone/Micro Drill Systems: ConMed® Linvatec® - MicroPower®, MicroChoice®, Micro 100™, Micro E® & Surgairtome Two®; Brasseler USA® & MicroAire® - Small Bone/Micro Drill Systems

Order Number	Description	Unit	Total Length	Head Diameter	Head Length	No. of Flutes Grit Size
09-D0141	Round - Diamond	mm	70.0	5.0	5.0	Coarse
		in	2.76	0.20	0.20	
Replaces 5092-166, 5092-266						
						
09-D0138	Round - Diamond	mm	70.0	6.0	6.0	Coarse
		in	2.76	0.24	0.24	
Replaces 5092-168, 5092-268						
						
10-D0139	Round - Diamond	mm	73.0	2.0	2.0	Medium
		in	2.87	0.08	0.08	
Replaces 5092-160, 5092-260						
						
10-D0133	Round - Diamond	mm	73.0	3.0	3.0	Medium
		in	2.87	0.12	0.12	
Replaces 5092-162, 5092-262						
						
08-S1802	Lindemann - Stainless Steel	mm	67.0	2.3	25.0	4
		in	2.64	0.09	0.98	
Replaces 5091-112, 5091-212						
						
09-S0151	Round - Stainless Steel	mm	70.0	1.8	1.8	8
		in	2.76	0.07	0.07	
Replaces N/A						
						

Compatible with Small Bone/Micro Drill Systems: ConMed® Linvatec® - MicroPower®, MicroChoice®, Micro 100™, Micro E® & Surgairtome Two®; Brasseler USA® & MicroAire® - Small Bone/Micro Drill Systems





Brasseler USA® Small Bone/Micro Burs - Standard & Oral Surgery
2.35 mm Straight Shank - Replacements - ConMed® Linvatec®

Compatible with Small Bone/Micro Drill Systems: ConMed® Linvatec® - MicroPower®, MicroChoice®, Micro 100™, Micro E® & Surgairtome Two®; Brasseler USA® & MicroAire® - Small Bone/Micro Drill Systems

Order Number	Description	Unit	Total Length	Head Diameter	Head Length	No. of Flutes Grit Size
09-S0115	Round - Stainless Steel	mm	70.0	2.4	2.4	8
		in	2.76	0.091	0.091	
Replaces N/A						
						
09-S0120	Round - Stainless Steel	mm	70.0	4.0	4.0	12
		in	2.76	0.16	0.16	
Replaces N/A						
						
12-S0153	Round - Stainless Steel	mm	95.0	3.1	3.1	10
		in	3.74	0.12	0.12	
Replaces N/A						
						
04-S1501	Shannon Style - Tapered - Stainless Steel	mm	51.0	2.3	12.0	4
		in	2.01	0.09	0.47	
						
06-S1601	Swanson Reamer - Stainless Steel	mm	57.0	2.0	10.0	5
		in	2.24	0.08	0.39	
Replaces 5091-142, 5091-242						
						
07-S1602	Swanson Reamer - Stainless Steel	mm	62.0	3.0	13.5	5
		in	2.44	0.12	0.53	
Replaces 5091-143, 5091-243						
						







Brasseler USA® Small Bone/Micro Burs - Standard & Oral Surgery
2.35 mm Straight Shank - Replacements - ConMed® Linvatec®

Compatible with Small Bone/Micro Drill Systems: ConMed® Linvatec® - MicroPower®, MicroChoice®, Micro 100™, Micro E® & Surgairtome Two®; Brasseler USA® & MicroAire® - Small Bone/Micro Drill Systems

Order Number	Description	Unit	Total Length	Head Diameter	Head Length	No. of Flutes Grit Size
07-S1605	*Swanson Reamer - Stainless Steel*	*mm*	*62.0*	*4.0*	*16.5*	*6*
		in	*2.44*	*0.16*	*0.65*	
Replaces 5091-144, 5091-244						
						
04-S1701	Wire Pass Drill - Stainless Steel	mm	51.0	1.0	19.0	2
		in	2.01	0.04	0.75	
Replaces 5091-147, 5091-247						
						
04-S1703	Wire Pass Drill - Stainless Steel	mm	51.0	1.5	19.0	2
		in	2.01	0.059	0.75	
Replaces 5091-148, 5091-248						
						
04-S1704	Wire Pass Drill - Stainless Steel	mm	51.0	2.0	19.0	2
		in	2.01	0.079	0.75	
Replaces 5091-149, 5091-249						
						







Brasseler USA® Micro Burs - Standard
Osteon™/Ototome Shank - Replacements - ConMed® Linvatec®

Compatible with ConMed® Linvatec® Drill: Osteon™ & Ototome

Order Number	Description	Unit	Total Length	Head Diameter	Head Length	No. of Flutes Grit Size
70-C0108	Round - Carbide	mm	30.0	4.0	4.0	8
		in	1.18	0.16	0.16	
Replaces 5056-19, 5056-119						
						
70-C0109	Round - Carbide	mm	30.0	5.0	5.0	10
		in	1.18	0.20	0.20	
Replaces 5056-18, 5056-118						
						
70-C0170	Round - Carbide	mm	30.0	6.5	6.5	10
		in	1.18	0.26	0.26	
Replaces 5056-17, 5056-117						
						
71-C0107	Round - Carbide	mm	38.0	3.0	3.0	8
		in	1.50	0.12	0.12	
Replaces 5056-28, 5056-128						
						
71-C0108	Round - Carbide	mm	38.0	4.0	4.0	8
		in	1.50	0.16	0.16	
Replaces 5056-27, 5056-127						
						
71-C0109	Round - Carbide	mm	38.0	5.0	5.0	10
		in	1.50	0.20	0.20	
Replaces 5056-26, 5056-126						
						







Brasseler USA® Micro Burs - Standard
Osteon™/Ototome Shank - Replacements - ConMed® Linvatec®

Compatible with ConMed® Linvatec® Drill: Osteon™ & Ototome

Order Number	Description	Unit	Total Length	Head Diameter	Head Length	No. of Flutes Grit Size
71-C0170	Round - Carbide	mm	38.0	6.5	6.5	10
		in	1.50	0.26	0.26	
Replaces 5056-25, 5056-125						
						
72-C0107	Round - Carbide	mm	48.0	3.0	3.0	8
		in	1.89	0.12	0.12	
Replaces 5056-46, 5056-146						
						
72-C0108	Round - Carbide	mm	48.0	4.0	4.0	8
		in	1.89	0.16	0.16	
Replaces 5056-45, 5056-145						
						
75-S0101	Round - Stainless Steel	mm	48.0	1.0	1.0	6
		in	1.89	0.04	0.04	
Replaces 5056-64, 5056-164						
						
75-S0148	Round - Stainless Steel	mm	48.0	0.6	0.6	6
		in	1.89	0.024	0.024	
Replaces 5056-66, 5056-166						
						
75-S0150	Round - Stainless Steel	mm	48.0	1.4	1.4	8
		in	1.89	0.058	0.058	
Replaces 5056-40, 5056-140						
						





Brasseler USA® Micro Burs - Standard
Osteon™/Ototome Shank - Replacements - ConMed® Linvatec®

Compatible with ConMed® Linvatec® Drill: Osteon™ & Ototome

Order Number	Description	Unit	Total Length	Head Diameter	Head Length	No. of Flutes Grit Size
75-S0151	Round - Stainless Steel	mm	48.0	1.8	1.8	8
		in	1.89	0.07	0.07	
Replaces 5056-42, 5056-142						
						
71-D0135	Round - Diamond	mm	38.0	4.0	4.0	Medium
		in	1.50	0.16	0.16	
Replaces 5056-48, 5056-148						
						
71-D0141	Round - Diamond	mm	38.0	5.0	5.0	Coarse
		in	1.50	0.20	0.20	
Replaces 5056-50, 5056-150						
						
72-D0133	Round - Diamond	mm	48.0	3.0	3.0	Medium
		in	1.89	0.12	0.12	
Replaces 5056-59, 5056-159						
						
72-D0135	Round - Diamond	mm	48.0	4.0	4.0	Medium
		in	1.89	0.16	0.16	
Replaces 5056-52, 5056-152						
						
72-D0141	Round - Diamond	mm	48.0	5.0	5.0	Coarse
		in	1.89	0.20	0.20	
Replaces N/A						
						






Brasseler USA® Micro Burs - Standard
Osteon™/Ototome Shank - Replacements - ConMed® Linvatec®

Compatible with ConMed® Linvatec® Drill: Osteon™ & Ototome

Order Number	Description	Unit	Total Length	Head Diameter	Head Length	No. of Flutes Grit Size
75-D0128	Round - Diamond	mm	48.0	1.0	1.0	Fine
		in	1.89	0.04	0.04	
Replaces 5056-58, 5056-158						
						
75-D0139	Round - Diamond	mm	48.0	2.0	2.0	Medium
		in	1.89	0.08	0.08	
Replaces 5056-62, 5056-162						
						
75-D0142	Round - Diamond	mm	48.0	0.6	0.6	X-Fine
		in	1.89	0.024	0.024	
Replaces 5056-61, 5056-161						
						
75-D0143	Round - Diamond	mm	48.0	0.8	0.8	Fine
		in	1.89	0.03	0.03	
Replaces 5056-60, 5056-160						
						

CONMED® LINVATEC®

Table of Contents

Index		
Cross Reference		274 - 286
Large Bone Saw Blades		
	Compatible with DePuy® Synthes® Large Bone Oscillating Saw Systems: Air Power Line, Battery Power Line, Compact Air Drive & Trauma Recon System (TRS) Sagittal Saw; Zimmer® Biomet® Large Bone Oscillating Saw System: Universal	287 - 293
	Compatible with DePuy® Synthes® Large Bone Reciprocating Saw Systems: Air Power Line, Battery Power Line, Compact Air Drive & Trauma Recon System (TRS) Sagittal Saw	294
Accessories - Orthopaedic Pin/Drill Packs, Guide Wire, Quick Connect Twist Drills		
	Compatible with DePuy® Synthes® Knee Instrumentation Systems	295
	Compatible with DePuy® Synthes® 4.0 Cannulated Screw	296
	Compatible with DePuy® Synthes® Quick Connect Couplings	297 - 300

Biomet® is a registered trademark of Biomet, Inc., or its affiliates.
DePuy® and Synthes® are registered trademarks of DePuy Synthes, Inc., a Johnson & Johnson Company, or its affiliates.
Zimmer® is a registered trademark of Zimmer, Inc. or its affiliates.
Brasseler USA® and BR2000™ are trademarks of Peter Brasseler Holdings, LLC, or its affiliates.

Cross Reference

DePuy® Synthes®	Brasseler USA®	Page Number(s)
292.10	KM172-16-45	97
292.16	KM172-16-62	97
292.50	KM172-26-45	97
292.56	KM172-26-62	97
310.11	KM166-310-11	104, 297
310.15	KM166-310-15	104, 297
310.16	KM166-310-16	104, 297
310.19	KM166-310-19	104, 297
310.21	KM166-310-21	104, 297
310.221	KM166-310-221	104, 297
310.23	KM166-310-23	104, 297
310.25	KM166-310-25	104, 297
310.26	KM166-310-26	104, 297
310.28	KM166-310-28	105, 298
310.288	KM166-310-288	105, 298
310.29	KM166-310-29	105, 298
310.31	KM166-310-31	105, 298
310.35	KM166-310-35	105, 298
310.37	KM166-310-37	105, 298
310.44	KM166-310-44	105, 298
310.48	KM166-310-48	105, 298
310.530	KM166-310-530	106, 299
310.65	KM166-310-65	107, 300
310.66	KM166-310-66	107, 300
310.67	KM166-310-67	107, 300
310.68	KM166-310-68	107, 300
315.28	KM166-315-28	106, 299
323.062	KM166-323-062	106, 299
324.214	KM166-324-214	106, 299
357.407	KM166-357-407	106, 299
357.509	KM166-310-509	106, 299
519.10	KM519-10	292
519.15	KM519-15	292
519.17	KM519-17	292
519.21	KM519-21	292
900.722	BR900-722	111, 296

DePuy® Synthes®	Brasseler USA®	Page Number(s)
31528	KM166-315-28	106, 299
249095	BMA-S90006S	108, 295
310288	KM166-310-288	105, 298
323062	KM166-323-062	106, 299
324214	KM166-324-214	106, 299
560332	KM-82	58, 245
560469	KM166-00-07	103
560658	KM-97	180
560658	KM-97N	180
560857	KM-3240	52, 239
561312	KM-AM8U	183, 252, 324
561326	KM-M8U	183, 252, 324
561329	KM-M35U	185, 254, 326
562743	BR1-2590-35	83, 142
562744	BR1-1290-35	79, 138
562787	BR11-2608	162
650331	KM-81	58, 245
864192	BMA-S90007S	108, 295
900722	BR900-722	111, 296
5603031	KM-81	58, 245
5603032	KM-82	58, 245
5606058	KM-97	180
5606058	KM-97N	180
16158000	KM169-39-76	101
16291800	KM168-19-53	100
16471000	KM172-29-35	97
20700000	KM-9702	102
56271050	BR1-2590-47	84, 143
56271055	BR1-2190-47F	82, 141
56274360	BR1-2590-35	83, 142
65271060	BR1-2590-47	84, 143
160131000	KM172-29-28	97
160132000	KM172-29-54	97
160136000	KM172-39-28	97
160137000	KM172-49-28	97
160138000	KM172-49-35	97

Cross Reference

DePuy® Synthes®	Brasseler USA®	Page Number(s)
160139000	KM172-49-45	97
160140000	KM172-49-54	97
160141000	KM172-49-62	97
160214000	KM172-19-35	97
160314000	KM172-39-35	97
160414000	KM172-19-45	97
160514000	KM172-39-45	97
160614000	KM172-19-54	97
160714000	KM172-39-54	97
160814000	KM172-19-62	97
160914000	KM172-39-62	97
161058000	KM173-39-62	99
161117000	KM169-19-31	101
161118000	KM169-19-56	101
161158000	KM169-39-56	101
161218000	KM169-19-33	101
161258000	KM169-39-33	101
161318000	KM169-19-76	101
161418000	KM169-19-18	101
161458000	KM169-39-18	101
161518000	KM169-19-96	101
161558000	KM169-39-96	101
161618000	KM169-19-53	101
161656000	KM169-39-53	101
161756000	KM169-39-31	101
161760000	KM169-29-56	101
161761000	KM169-29-33	101
161762000	KM169-29-76	101
161763000	KM169-29-18	101
161764000	KM169-29-96	101
161765000	KM169-29-53	101
161766000	KM169-29-31	101
161770000	KM169-39-56	101
161771000	KM169-39-33	101
161772000	KM169-39-76	101
161773000	KM169-39-18	101

DePuy® Synthes®	Brasseler USA®	Page Number(s)
161774000	KM169-39-96	101
161775000	KM169-39-53	101
161776000	KM169-39-31	101
162418000	KM168-19-56	100
162438000	KM168-29-56	100
162518000	KM168-19-33	100
162538000	KM168-29-33	100
162618000	KM168-19-76	100
162638000	KM168-29-76	100
162718000	KM168-19-18	100
162738000	KM168-29-18	100
162818000	KM168-19-96	100
162838000	KM168-29-96	100
162938000	KM168-29-53	100
163018000	KM168-19-31	100
163038000	KM168-29-31	100
163118000	KM168-39-56	100
163120000	KM168-49-56	100
163121000	KM168-49-33	100
163122000	KM168-49-76	100
163123000	KM168-49-18	100
163124000	KM168-49-96	100
163125000	KM168-49-53	100
163126000	KM168-49-31	100
163218000	KM168-39-33	100
163318000	KM168-39-76	100
163418000	KM168-39-18	100
163518000	KM168-39-96	100
163618000	KM168-39-53	100
163718000	KM168-39-31	100
163824000	KM173-39-35	99
163826000	KM173-39-45	99
163828000	KM173-39-54	99
163834000	KM173-29-35	99
163836000	KM173-29-45	99
163838000	KM173-29-54	99

Cross Reference

DePuy® Synthes®	Brasseler USA®	Page Number(s)
163840000	KM173-29-62	99
163844000	KM173-49-35	99
163846000	KM173-49-45	99
163848000	KM173-49-54	99
163850000	KM173-49-62	99
163918000	KM173-19-35	99
164018000	KM173-19-45	99
164200000	KM172-24-28	97
164206028	KM172-26-28	97
164206035	KM172-26-35	97
164206045	KM172-26-45	97
164206054	KM172-26-54	97
164206062	KM172-26-62	97
164310000	KM172-24-35	97
164410000	KM172-24-45	97
164510000	KM172-24-54	97
164610000	KM172-24-62	97
164810000	KM172-29-45	97
164910000	KM172-29-62	97
165000000	KM172-14-28	97
165001000	KM172-14-35	97
165002000	KM172-14-45	97
165003000	KM172-14-54	97
165004000	KM172-14-62	97
165020000	KM172-44-28	97
165021000	KM172-44-35	97
165022000	KM172-44-45	97
165023000	KM172-44-54	97
165024000	KM172-44-62	97
207100000	KM-9701	102
249095000	BMA-S90006S	108, 295
560460000	KM166-00-00	103
560461000	KM166-00-01	103
560462000	KM166-00-02	103
560463000	KM166-00-03	103
560464000	KM166-00-04	103

DePuy® Synthes®	Brasseler USA®	Page Number(s)
560466000	KM166-00-05	103
560467000	KM166-00-06	103
560469000	KM166-00-07	103
560857000	KM-3240	52, 239
562710500	BR1-2590-47	84, 143
562710601	BR1-2590-47	84, 143
562710651	BR1-2190-47F	82, 141
562711500	BR1-1290-47	79, 138
562711601	BR1-2590-58	86, 145
562743000	BR1-2590-35	83, 142
562744000	BR1-1290-35	79, 138
562787000	BR11-2608	162
5627-82-00	BR11-2212	161
05.002.001S	K5-1990-35	93, 288, 317
05.002.002S	K5-1990-47	93, 288, 317
05.002.003S	K5-1990-50	94, 289, 318
05.002.004S	K5-1990-54	94, 289, 318
05.002.007S	K5-1990-39	93, 288, 317
05.002.101S	K5-2590-35	95, 290, 319
05.002.102S	K5-2590-47	96, 291, 320
05.002.103S	K5-2590-50	96, 291, 320
05.002.104S	K5-2590-54	96, 291, 320
05.002.105S	K5-2590-58	96, 291, 320
05.002.106S	K5-2590-39	95, 290, 319
05.002.201S	K5-1290-35	92, 287, 316
05.002.202S	K5-1290-47	92, 287, 316
05.002.203S	K5-1290-50	92, 287, 316
05.002.204S	K5-1290-54	93, 288, 317
05.002.302S	K5-2190-47F	94, 289, 318
05.002.303S	K5-2190-50F	94, 289, 318
05.002.304S	K5-2190-54F	95, 290, 319
05.002.306S	K5-2190-39F	94, 289, 318
05.002.405S	K5-1290-39	92, 287, 316
05.003.100S	K5-1290-35	92, 287, 316
05.003.102S	K5-1290-39	92, 287, 316
05.003.104S	K5-1290-47	92, 287, 316

Cross Reference

DePuy® Synthes®	Brasseler USA®	Page Number(s)
05.003.106S	K5-1290-50	92, 287, 316
05.003.107S	K5-1290-54	93, 288, 317
05.003.110S	K5-1990-35	93, 288, 317
05.003.112S	K5-1990-39	93, 288, 317
05.003.114S	K5-1990-47	93, 288, 317
05.003.116S	K5-1990-50	94, 289, 318
05.003.117S	K5-1990-54	94, 289, 318
05.003.121S	K5-2590-39	95, 290, 319
05.003.122S	K5-2190-39F	94, 289, 318
05.003.124S	K5-2190-47F	94, 289, 318
05.003.126S	K5-2190-50F	94, 289, 318
05.003.127S	K5-2190-54F	95, 290, 319
05.003.130S	K5-2590-35	95, 290, 319
05.003.132S	K5-2590-39	95, 290, 319
05.003.134S	K5-2590-47	96, 291, 320
05.003.136S	K5-2590-50	96, 291, 320
05.003.137S	K5-2590-54	96, 291, 320
05.003.139S	K5-2590-58	96, 291, 320
05002001S	K5-1990-35	93, 288, 317
05002002S	K5-1990-47	93, 288, 317
05002003S	K5-1990-50	94, 289, 318
05002004S	K5-1990-54	94, 289, 318
05002007S	K5-1990-39	93, 288, 317
05002101S	K5-2590-35	95, 290, 319
05002102S	K5-2590-47	96, 291, 320
05002103S	K5-2590-50	96, 291, 320
05002104S	K5-2590-54	96, 291, 320
05002106S	K5-2590-39	95, 290, 319
05002201S	K5-1290-35	92, 287, 316
05002202S	K5-1290-47	92, 287, 316
05002203S	K5-1290-50	92, 287, 316
05002204S	K5-1290-54	93, 288, 317
05002302S	K5-2190-47F	94, 289, 318
05002303S	K5-2190-50F	94, 289, 318
05002304S	K5-2190-54F	95, 290, 319
05002306S	K5-2190-39F	94, 289, 318

DePuy® Synthes®	Brasseler USA®	Page Number(s)
05002405S	K5-1290-39	92, 287, 316
05003100S	K5-1290-35	92, 287, 316
05003102S	K5-1290-39	92, 287, 316
05003104S	K5-1290-47	92, 287, 316
05003106S	K5-1290-50	92, 287, 316
05003107S	K5-1290-54	93, 288, 317
05003110S	K5-1990-35	93, 288, 317
05003112S	K5-1990-39	93, 288, 317
05003114S	K5-1990-47	93, 288, 317
05003116S	K5-1990-50	94, 289, 318
05003117S	K5-1990-54	94, 289, 318
05003121S	K5-2590-39	95, 290, 319
05003122S	K5-2190-39F	94, 289, 318
05003124S	K5-2190-47F	94, 289, 318
05003126S	K5-2190-50F	94, 289, 318
05003127S	K5-2190-54F	95, 290, 319
05003130S	K5-2590-35	95, 290, 319
05003132S	K5-2590-39	95, 290, 319
05003134S	K5-2590-47	96, 291, 320
05003136S	K5-2590-50	96, 291, 320
05003137S	K5-2590-54	96, 291, 320
05003139S	K5-2590-58	96, 291, 320
1601-31	KM172-29-28	97
1601-31-000	KM172-29-28	97
1601-32	KM172-29-54	97
1601-32-000	KM172-29-54	97
1601-36	KM172-39-28	97
1601-36-000	KM172-39-28	97
1601-37	KM172-49-28	97
1601-37-000	KM172-49-28	97
1601-38	KM172-49-35	97
1601-38-000	KM172-49-35	97
1601-39	KM172-49-45	97
1601-39-000	KM172-49-45	97
1601-40	KM172-49-54	97
1601-40-000	KM172-49-54	97

Cross Reference

DePuy® Synthes®	Brasseler USA®	Page Number(s)
1601-41	KM172-49-62	97
1601-41-000	KM172-49-62	97
1602-14	KM172-19-35	97
1602-14-000	KM172-19-35	97
1603-14	KM172-39-35	97
1603-14-000	KM172-39-35	97
1604-14	KM172-19-45	97
1604-14-000	KM172-19-45	97
1605-14	KM172-39-45	97
1605-14-000	KM172-39-45	97
1606-14	KM172-19-54	97
1606-14-000	KM172-19-54	97
1607-14	KM172-39-54	97
1607-14-000	KM172-39-54	97
1608-14	KM172-19-62	97
1608-14-000	KM172-19-62	97
1609-14	KM172-39-62	97
1609-14-000	KM172-39-62	97
1610-18	KM173-19-62	99
1610-58	KM173-39-62	99
1610-58-000	KM173-39-62	99
1611-17-000	KM169-19-31	101
1611-18	KM169-19-56	101
1611-18-000	KM169-19-56	101
1611-58	KM169-39-56	101
1611-58-000	KM169-19-31	101
1611-58-000	KM169-39-56	101
1612-18	KM169-19-33	101
1612-18-000	KM169-19-33	101
1612-58	KM169-39-33	101
1612-58-000	KM169-39-33	101
1613-18	KM169-19-76	101
1613-18-000	KM169-19-76	101
1613-58	KM169-39-76	101
1613-58-000	KM169-39-76	101
1614-18	KM169-19-18	101

DePuy® Synthes®	Brasseler USA®	Page Number(s)
1614-18-000	KM169-19-18	101
1614-58	KM169-39-18	101
1614-58-000	KM169-39-18	101
1615-18	KM169-19-96	101
1615-18-000	KM169-19-96	101
1615-58	KM169-39-96	101
1615-58-000	KM169-39-96	101
1616-18	KM169-19-53	101
1616-18-000	KM169-19-53	101
1616-56	KM169-39-53	101
1616-56-000	KM169-39-53	101
1617-18	KM169-19-31	101
1617-56	KM169-39-31	101
1617-56-000	KM169-39-31	101
1617-60	KM169-29-56	101
1617-60-000	KM169-29-56	101
1617-61	KM169-29-33	101
1617-61-000	KM169-29-33	101
1617-62	KM169-29-76	101
1617-62-000	KM169-29-76	101
1617-63	KM169-29-18	101
1617-63-000	KM169-29-18	101
1617-64	KM169-29-96	101
1617-64-000	KM169-29-96	101
1617-65	KM169-29-53	101
1617-65-000	KM169-29-53	101
1617-66	KM169-29-31	101
1617-66-000	KM169-29-31	101
1617-70	KM169-49-56	101
1617-70-000	KM169-39-56	101
1617-71	KM169-49-33	101
1617-71-000	KM169-39-33	101
1617-72	KM169-49-76	101
1617-72-000	KM169-39-76	101
1617-73	KM169-49-18	101
1617-73-000	KM169-39-18	101

Cross Reference

DePuy® Synthes®	Brasseler USA®	Page Number(s)
1617-74	KM169-49-96	101
1617-74-000	KM169-39-96	101
1617-75	KM169-49-53	101
1617-75-000	KM169-39-53	101
1617-76	KM169-49-31	101
1617-76-000	KM169-39-31	101
1624-18	KM168-19-56	100
1624-18-000	KM168-19-56	100
1624-38	KM168-29-56	100
1624-38-000	KM168-29-56	100
1625-18	KM168-19-33	100
1625-38	KM168-29-33	100
1625-38-000	KM168-29-33	100
1626-18	KM168-19-76	100
1626-18-000	KM168-19-76	100
1626-38	KM168-29-76	100
1626-38-000	KM168-29-76	100
1627-18	KM168-19-18	100
1627-18-000	KM168-19-18	100
1627-38	KM168-29-18	100
1627-38-000	KM168-29-18	100
1628-18	KM168-19-96	100
1628-18-000	KM168-19-33	100
1628-18-000	KM168-19-96	100
1628-38	KM168-29-96	100
1628-38-000	KM168-29-96	100
1629-18	KM168-19-53	100
1629-18-000	KM168-19-53	100
1629-38	KM168-29-53	100
1629-38-000	KM168-29-53	100
1630-18	KM168-19-31	100
1630-18-000	KM168-19-31	100
1630-38	KM168-29-31	100
1630-38-000	KM168-29-31	100
1631-18	KM168-39-56	100
1631-18-000	KM168-39-56	100

DePuy® Synthes®	Brasseler USA®	Page Number(s)
1631-20	KM168-49-56	100
1631-20-000	KM168-49-56	100
1631-21	KM168-49-33	100
1631-21-000	KM168-49-33	100
1631-22	KM168-49-76	100
1631-22-000	KM168-49-76	100
1631-23	KM168-49-18	100
1631-23-000	KM168-49-18	100
1631-24	KM168-49-96	100
1631-24-000	KM168-49-96	100
1631-25	KM168-49-53	100
1631-25-000	KM168-49-53	100
1631-26	KM168-49-31	100
1631-26-000	KM168-49-31	100
1632-18	KM168-39-33	100
1632-18-000	KM168-39-33	100
1633-18	KM168-39-76	100
1633-18-000	KM168-39-76	100
1634-18	KM168-39-18	100
1634-18-000	KM168-39-18	100
1635-18	KM168-39-96	100
1635-18-000	KM168-39-96	100
1636-18	KM168-39-53	100
1636-18-000	KM168-39-53	100
1637-18	KM168-39-31	100
1637-18-000	KM168-39-31	100
1638-24	KM173-39-35	99
1638-24-000	KM173-39-35	99
1638-26	KM173-39-45	99
1638-26-000	KM173-39-45	99
1638-28	KM173-39-54	99
1638-28-000	KM173-39-54	99
1638-32-000	KM172-29-28	97
1638-34	KM173-29-35	99
1638-34-000	KM173-29-35	99
1638-36	KM173-29-45	99

Cross Reference

DePuy® Synthes®	Brasseler USA®	Page Number(s)
1638-36-000	KM173-29-45	99
1638-38	KM173-29-54	99
1638-38-000	KM173-29-54	99
1638-40	KM173-29-62	99
1638-40-000	KM173-29-62	99
1638-44	KM173-49-35	99
1638-44-000	KM173-49-35	99
1638-46	KM173-49-45	99
1638-46-000	KM173-49-45	99
1638-48	KM173-49-54	99
1638-48-000	KM173-49-54	99
1638-50	KM173-49-62	99
1638-50-000	KM173-49-62	99
1639-18	KM173-19-35	99
1639-18-000	KM173-19-35	99
1640-18	KM173-19-45	99
1640-18-000	KM173-19-45	99
1640-19	KM173-19-45	99
1642-00	KM172-24-28	97
1642-00-000	KM172-24-28	97
1642-06-028	KM172-26-28	97
1642-06-035	KM172-26-35	97
1642-06-045	KM172-26-45	97
1642-06-054	KM172-26-54	97
1642-06-062	KM172-26-62	97
1643-10	KM172-24-35	97
1643-10-000	KM172-24-35	97
1644-10	KM172-24-45	97
1644-10-000	KM172-24-45	97
1645-10	KM172-24-54	97
1645-10-000	KM172-24-54	97
1646-10	KM172-24-62	97
1646-10-000	KM172-24-62	97
1647-10	KM172-29-35	97
1647-10-000	KM172-29-35	97
1648-10	KM172-29-45	97

DePuy® Synthes®	Brasseler USA®	Page Number(s)
1648-10-000	KM172-29-45	97
1649-10	KM172-29-62	97
1649-10-000	KM172-29-62	97
1650-00	KM172-14-28	97
1650-00-000	KM172-14-28	97
1650-01	KM172-14-35	97
1650-01-000	KM172-14-35	97
1650-02	KM172-14-45	97
1650-02-000	KM172-14-45	97
1650-03	KM172-14-54	97
1650-03-000	KM172-14-54	97
1650-04	KM172-14-62	97
1650-04-000	KM172-14-62	97
1650-20	KM172-44-28	97
1650-20-000	KM172-44-28	97
1650-21	KM172-44-35	97
1650-21-000	KM172-44-35	97
1650-22	KM172-44-45	97
1650-22-000	KM172-44-45	97
1650-23	KM172-44-54	97
1650-23-000	KM172-44-54	97
1650-24	KM172-44-62	97
1650-24-000	KM172-44-62	97
1652-12	KM172-29-35	97
1652-22	KM172-29-45	97
1652-22-0000	KM172-19-45S	97
1652-42-0000	KM172-19-62S	97
1652-55	KM172-24-28	97
1652-59	KM172-26-28	97
1652-65	KM172-24-35	97
1652-69	KM172-26-35	97
1652-75	KM172-24-45	97
1652-79	KM172-26-45	97
1652-85	KM172-24-54	97
1652-89	KM172-26-54	97
1652-95	KM172-24-62	97

Cross Reference

DePuy® Synthes®	Brasseler USA®	Page Number(s)
1652-99	KM172-26-62	97
1653-00	KM168-29-56	100
1653-01	KM169-29-56	101
1653-02	KM168-19-56	100
1653-03	KM169-19-56	101
1653-04	KM168-39-56	100
1653-05	KM169-39-56	101
1653-06	KM168-49-56	100
1653-07	KM169-49-56	101
1653-10	KM168-29-33	100
1653-11	KM169-29-33	101
1653-12	KM168-19-33	100
1653-13	KM169-19-33	101
1653-14	KM168-39-33	100
1653-15	KM169-39-33	101
1653-16	KM168-49-33	100
1653-17	KM169-49-33	101
1653-20	KM168-29-76	100
1653-21	KM169-29-76	101
1653-22	KM168-19-76	100
1653-23	KM169-19-76	101
1653-24	KM168-39-76	100
1653-25	KM169-39-76	101
1653-26	KM168-49-76	100
1653-27	KM169-49-76	101
1653-30	KM168-29-18	100
1653-31	KM169-29-18	101
1653-32	KM168-19-18	100
1653-33	KM169-19-18	101
1653-35	KM168-39-18	100
1653-35	KM169-39-18	101
1653-36	KM168-49-18	100
1653-37	KM169-49-18	101
1653-40	KM168-29-96	100
1653-41	KM169-29-96	101
1653-42	KM168-19-96	100

DePuy® Synthes®	Brasseler USA®	Page Number(s)
1653-43	KM169-19-96	101
1653-44	KM168-39-96	100
1653-45	KM169-39-96	101
1653-46	KM168-49-96	100
1653-47	KM169-49-96	101
1653-50	KM168-29-53	100
1653-51	KM169-29-53	101
1653-53	KM168-19-53	100
1653-53	KM169-19-53	101
1653-54	KM168-39-53	100
1653-55	KM169-39-53	101
1653-56	KM168-49-53	100
1653-57	KM169-49-53	101
1653-60	KM168-29-31	100
1653-61	KM169-29-31	101
1653-62	KM168-19-31	100
1653-63	KM169-19-31	101
1653-64	KM168-39-31	100
1653-65	KM169-39-31	101
1653-66	KM168-49-31	100
1653-67	KM169-49-31	101
1801-10	KM166-00-00	103
1801-10	KM166-10-00	103
1801-12	KM166-00-01	103
1801-12	KM166-10-01	103
1801-14	KM166-00-02	103
1801-14	KM166-10-02	103
1801-16	KM166-00-03	103
1801-16	KM166-10-03	103
1801-18	KM166-00-04	103
1801-18	KM166-10-04	103
1801-20	KM166-00-05	103
1801-20	KM166-10-05	103
1801-22	KM166-00-06	103
1801-22	KM166-10-06	103
1801-24	KM166-00-07	103

Cross Reference

DePuy® Synthes®	Brasseler USA®	Page Number(s)
2490-95	BMA-S90006S	108, 295
2490-95-000	BMA-S90006S	108, 295
310.11S	KM166-310-11S	104, 297
310.15S	KM166-310-15S	104, 297
310.16S	KM166-310-16S	104, 297
310.19S	KM166-310-19S	104, 297
310.21S	KM166-310-21S	104, 297
310.23S	KM166-310-23S	104, 297
310.25S	KM166-310-25S	104, 297
310.26S	KM166-310-26S	104, 297
310.28S	KM166-310-28S	105, 298
310.29S	KM166-310-29S	105, 298
310.31S	KM166-310-31S	105, 298
310.35S	KM166-310-35S	105, 298
310.37S	KM166-310-37S	105, 298
310.44S	KM166-310-44S	105, 298
310.48S	KM166-310-48S	105, 298
310.530S	KM166-310-530S	106, 299
511.905S	BR511-905S	294
511.907S	BR511-907S	294
511.909S	BR511-909S	294
511.912S	BR511-912S	294
511.915S	BR511-915S	294
511905S	BR511-905S	294
511907S	BR511-907S	294
511909S	BR511-909S	294
511912S	BR511-912S	294
511915S	BR511-915S	294
519.100S	KM519-10	292
519.150S	KM519-15	292
519.170S	KM519-17	292
519.210S	KM519-21	292
519100S	KM519-10	292
519150S	KM519-15	292
519170S	KM519-17	292
519210S	KM519-21	292

DePuy® Synthes®	Brasseler USA®	Page Number(s)
5603-031	KM-81	58, 245
5603-032	KM-82	58, 245
5603-31	KM-81	58, 245
5603-32	KM-82	58, 245
5604-60	KM166-00-00	103
5604-60	KM166-10-00	103
5604-60-000	KM166-00-00	103
5604-61	KM166-00-01	103
5604-61	KM166-10-01	103
5604-61-000	KM166-00-01	103
5604-62	KM166-00-02	103
5604-62	KM166-10-02	103
5604-62-000	KM166-00-02	103
5604-63	KM166-00-03	103
5604-63	KM166-10-03	103
5604-63-000	KM166-00-03	103
5604-64	KM166-00-04	103
5604-64	KM166-10-04	103
5604-64-000	KM166-00-04	103
5604-66	KM166-00-05	103
5604-66	KM166-10-05	103
5604-66-000	KM166-00-05	103
5604-67	KM166-00-06	103
5604-67	KM166-10-06	103
5604-67-000	KM166-00-06	103
5604-69	KM166-00-07	103
5604-69-000	KM166-00-07	103
5605-03	KM-7010	329
5605-07	04-C0108	63, 259
5605-15	14-S0402	191
5605-16	14-S0903	193
5605-17	14-S0909	193
5605-18	14-S1201	194
5605-21	15-S1101	192
5605-22	16-S0103	194
5605-23	16-S0115	194

Cross Reference

DePuy® Synthes®	Brasseler USA®	Page Number(s)
5605-24	16-S0117	195
5605-25	16-S0120	195
5605-26	16-S0123	196
5605-29	18-S1701	198
5605-30	16-S1702	198
5605-31	18-S1703	198
5605-32	19-S1705	198
5605-33	16-S0621	197
5605-34	16-S1801	192
5605-35	19-S1802	193
5605-39	16-S1601	197
5605-40	17-S1602	192
5605-41	17-S1603	197
5605-43	16-S1401	197
5605-44	16-S0402	192
5605-45	16-S0909	194
5605-46	16-S1201	194
5605-49	16-S0903	193
5605-52	16-D0130	190
5605-53	16-D0131	191
5605-54	16-D0132	191
5605-55	16-D0134	191
5605-56	16-D0135	191
5605-58	16-D0137	191
5605-59	16-S0106	194
5605-60	16-S0107	195
5605-61	16-S0119	195
5605-62	16-S0108	195
5605-63	16-S0121	196
5605-64	16-S0122	196
5605-65	16-S0109	196
5605-66	16-S0110	196
5605-67	16-S0126	197
5605-72	16-S0116	195
5605-73	16-S0118	196
5605-74	14-C0106	188

DePuy® Synthes®	Brasseler USA®	Page Number(s)
5605-75	14-C0308	190
5605-76	14-C0606	190
5605-77	14-C0608	190
5605-78	14-C0616	190
5605-79	14-C0104	188
5606-058	KM-97	180
5606-058	KM-97N	180
5606-14	KM-103S	177
5606-39	KM-412S	177
5606-40	KM-413S	177
5606-41	KM-414S	177
5606-55	KM-062	178
5606-58	KM-97	180
5606-58	KM-97N	180
5606-59	KM-250R	163
5606-60	KM-300R	164
5606-61	KM-325R	164
5606-66	04-S1701	71, 267
5606-67	04-S1703	71, 267
5607-01	04-C0106	62, 258
5607-02	04-C0307	67, 263
5607-05	04-C0612	66, 262
5607-06	04-C0104	62, 258
5607-10	04-C0302	67, 263
5607-11	04-C0609	66, 262
5607-13	04-C0306	67, 263
5607-14	04-C0617	66, 262
5607-15	08-S1802	69, 265
5607-16	06-C0619	66, 262
5607-17	04-C0101	62, 258
5607-18	04-C0103	62, 258
5607-19	04-C0105	62, 258
5607-20	04-C0106	62, 258
5607-21	04-C0107	62, 258
5607-22	04-C0108	63, 259
5607-23	04-C0109	63, 259

Cross Reference

DePuy® Synthes®	Brasseler USA®	Page Number(s)
5607-24	04-C0170	63, 259
5607-25	03-C0901	61, 257
5607-26	03-C0905	61, 257
5607-28	03-C0312	67, 263
5607-29	04-D0139	68, 264
5607-30	03-D0135	68, 264
5607-39	04-S1501	70, 266
5607-40	08-S1802	69, 265
5607-42	10-C0306	68, 264
5607-43	10-C0617	67, 263
5607-44	11-C0619	67, 263
5607-45	10-C0101	64, 260
5607-46	10-C0103	64, 260
5607-47	10-C0105	64, 260
5607-48	10-C0107	64, 260
5607-49	10-C0108	64, 260
5607-50	09-C0109	63, 259
5607-51	09-C0110	63, 259
5607-52	09-C0901	61, 257
5607-53	09-C0905	61, 257
5607-54	10-C0310	68, 264
5607-56	10-D0139	69, 265
5607-57	10-D0133	69, 265
5607-58	09-D0135	68, 264
5607-59	09-D0141	69, 265
5607-60	09-D0138	69, 265
5607-64	12-C0105	65, 261
5607-66	12-C0108	65, 261
5607-67	12-C0109	65, 261
5607-68	12-C0901	61, 257
5607-69	12-C0905	61, 257
5607-88	KM-450	233
5607-89	KM-251	232
5607-90	KM-452	233
5607-91	KM-453	234
5607-92	KM-454	234

DePuy® Synthes®	Brasseler USA®	Page Number(s)
5607-96	KM-3006	54, 241
5607-98	KM-3000	53, 240
5608-02	KM-3004	54, 241
5608-13	KM-279	59, 250
5608-16	KM-251	232
5608-17	KM-256	232
5608-19	KM-3265	55, 242
5608-26	KM-274	232
5608-28	KM-060	57, 244
5608-29	KM-070	57, 244
5608-30	KM-32	249
5608-36	KM-458	235
5608-37	KM-459	235
5608-38	KM-460	235
5608-39	KM-461	235
5608-40	KM-473	236
5608-41	KM-060	57, 244
5608-42	KM-54	57, 244
5608-55	KM-3101	50, 237
5608-56	KM-3102	50, 237
5608-57	KM-3240	52, 239
5608-57-000	KM-3240	52, 239
5608-62	06-S1601	70, 266
5608-63	07-S1602	70, 266
5608-64	07-S1605	71, 267
5608-69	04-S1704	71, 267
5609-01	70-C0170	268
5609-02	70-C0109	268
5609-03	70-C0108	268
5609-04	71-C0170	269
5609-05	71-C0109	268
5609-06	71-C0108	268
5609-07	71-C0107	268
5609-08	75-S0150	269
5609-09	75-S0151	270
5609-11	72-C0108	269

Cross Reference

DePuy® Synthes®	Brasseler USA®	Page Number(s)
5609-12	72-C0107	269
5609-13	71-D0141	270
5609-14	71-D0135	270
5609-15	72-D0141	270
5609-16	72-D0135	270
5609-17	75-D0128	271
5609-18	72-D0133	270
5609-19	75-D0143	271
5609-20	75-D0142	271
5609-21	75-D0139	271
5609-23	75-S0101	269
5609-25	75-S0148	269
5610-36	KM-21K	246
5610-37	KM-22K	246
5610-38	KM-23K	246
5610-39	KM-24K	246
5610-41	KM-31K	247
5610-43	KM-33K	247
5610-44	KM-34K	247
5613-12	KM-AM8U	183, 252, 324
5613-26	KM-M8U	183, 252, 324
5613-29	KM-M35U	185, 254, 326
5617-03	KM-412S	177
5617-04	KM-413S	177
5617-05	KM-414S	177
5627-10-50	BR1-2590-47	84, 143
5627-10-500	BR1-2590-47	84, 143
5627-10-55	BR1-2190-47F	82, 141
5627-10-55	BR1-2590-47F	84, 143
5627-10-601	BR1-2590-47	84, 143
5627-10-651	BR1-2190-47F	82, 141
5627-11-50	BR1-1290-47	79, 138
5627-11-500	BR1-1290-47	79, 138
5627-11-60	BR1-2590-58	86, 145
5627-11-601	BR1-2590-58	86, 145
5627-43	BR1-2590-35	83, 142





DePuy® Synthes®	Brasseler USA®	Page Number(s)
5627-43-00	BR1-2590-35	83, 142
5627-43-000	BR1-2590-35	83, 142
5627-43-60	BR1-2590-35	83, 142
5627-44	BR1-1290-35	79, 138
5627-44-00	BR11-2214	161
5627-44-000	BR1-1290-35	79, 138
5627-50	BR1-1290-47	79, 138
5627-53-00	BR1-2590-58	86, 145
5627-82	BR11-2212	161
5627-82-00	BR1-2590-50	84, 143
5627-82-60	BR1-2590-50	84, 143
5627-87	BR11-2608	162
5627-87-000	BR11-2608	162
6527-10-60	BR1-2590-47	84, 143
6527-10-65	BR1-2590-47F	84, 143
86-4192	BMA-S90007S	108, 295
MO3001	KM-3001	53, 240
MO-3001	KM-3001	53, 240
MO3002	KM-3002	53, 240
MO-3002	KM-3002	53, 240
MO3003	KM-3003	53, 240
MO-3003	KM-3003	53, 240
MO3005	KM-3005	54, 241
MO-3005	KM-3005	54, 241
MO-3006	KM-3006	54, 241
MS3007	KM-3006	54, 241
MS3100C	KM-3100C	50, 237
MS-3100C	KM-3100C	50, 237
MS3101	KM-3101	50, 237
MS-3101	KM-3101	50, 237
MS3101C	KM-3101C	50, 237
MS-3101C	KM-3101C	50, 237
MS3102	KM-3102	50, 237
MS-3102	KM-3102	50, 237
MS3104	KM-3104	51, 238
MS-3104	KM-3104	51, 238

Cross Reference

DePuy® Synthes®	Brasseler USA®	Page Number(s)
MS3106	KM-3106	51, 238
MS-3106	KM-3106	51, 238
MS3231	KM-3231	52, 239
MS-3231	KM-3231	52, 239
MS3240	KM-3240	52, 239
MS-3240	KM-3240	52, 239





Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating
BR2000™ (Aggressive Cut) - Proprietary - (K5 Series - DePuy® Synthes®)

Compatible with DePuy® Synthes® Large Bone Oscillating Saw Systems: Air Power Line, Battery Power Line, Compact Air Drive & Trauma Recon System (TRS) Sagittal Saw; Zimmer® Biomet® Large Bone Oscillating Saw System: Universal

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
K5-1290-35	mm	90	12.5	0.89	0.89
	in	3.54	0.49	0.035	0.035
Substitute for DePuy® Synthes® 05.002.201S, 05.003.100S; Zimmer® Biomet® 13-0900-89A-F1					
No Tooth Offset 					
K5-1290-39	mm	90	12.5	0.99	0.99
	in	3.54	0.49	0.039	0.039
Substitute for DePuy® Synthes® 05.002.405S, 05.003.102S; Zimmer® Biomet® 13-0901-00A-F1					
No Tooth Offset 					
K5-1290-47	mm	90	12.5	1.19	1.19
	in	3.54	0.49	0.047	0.047
Substitute for DePuy® Synthes® 05.002.202S, 05.003.104S; Zimmer® Biomet® 13-0901-19A-F1					
No Tooth Offset 					
K5-1290-50	mm	90	12.5	1.27	1.27
	in	3.54	0.49	0.050	0.050
Substitute for DePuy® Synthes® 05.002.203S, 05.003.106S; Zimmer® Biomet® 13-0901-27A-F1					
No Tooth Offset 					





Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating
BR2000™ (Aggressive Cut) - Proprietary - (K5 Series - DePuy® Synthes®)

Compatible with DePuy® Synthes® Large Bone Oscillating Saw Systems: Air Power Line, Battery Power Line, Compact Air Drive & Trauma Recon System (TRS) Sagittal Saw; Zimmer® Biomet® Large Bone Oscillating Saw System: Universal

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
K5-1290-54	mm	90	12.5	1.37	1.37
	in	3.54	0.49	0.054	0.054
Substitute for DePuy® Synthes® 05.002.204S, 05.003.107S; Zimmer® Biomet® 13-0901-37A-F1					
No Tooth Offset 					
K5-1990-35	mm	90	19	0.89	0.89
	in	3.54	0.75	0.035	0.035
Substitute for DePuy® Synthes® 05.002.001S, 05.003.110S; Zimmer® Biomet® 19-0900-89A-F1					
No Tooth Offset 					
K5-1990-39	mm	90	19	0.99	0.99
	in	3.54	0.75	0.039	0.039
Substitute for DePuy® Synthes® 05.002.007S, 05.003.112S; Zimmer® Biomet® 19-0901-00A-F1					
No Tooth Offset 					
K5-1990-47	mm	90	19	1.19	1.19
	in	3.54	0.75	0.047	0.047
Substitute for DePuy® Synthes® 05.002.002S, 05.003.114S; Zimmer® Biomet® 19-0901-19A-G1					
No Tooth Offset 					





Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating
BR2000™ (Aggressive Cut) - Proprietary - (K5 Series - DePuy® Synthes®)

Compatible with DePuy® Synthes® Large Bone Oscillating Saw Systems: Air Power Line, Battery Power Line, Compact Air Drive & Trauma Recon System (TRS) Sagittal Saw; Zimmer® Biomet® Large Bone Oscillating Saw System: Universal

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
K5-1990-50	mm	90	19	1.27	1.27
	in	3.54	0.75	0.050	0.050
Substitute for DePuy® Synthes® 05.002.003S, 05.003.116S; Zimmer® Biomet® 19-0901-27A-F1, 19-0901-27A-G1					
 *No Tooth Offset*					
K5-1990-54	mm	90	19	1.37	1.37
	in	3.54	0.75	0.054	0.054
Substitute for DePuy® Synthes® 05.002.004S, 05.003.117S; Zimmer® Biomet® 19-0901-37A-G1					
 *No Tooth Offset*					
K5-2190-39F	mm	90	21	0.99	0.99
	in	3.54	0.83	0.039	0.039
Substitute for DePuy® Synthes® 05.002.306S, 05.003.122S; Zimmer® Biomet® 21-0901-00A-L1					
 *No Tooth Offset* *Flared Blade*					
K5-2190-47F	mm	90	21	1.19	1.19
	in	3.54	0.83	0.047	0.047
Substitute for DePuy® Synthes® 05.002.302S, 05.003.124S; Zimmer® Biomet® 21-0901-19A-V1					
 *No Tooth Offset* *Flared Blade*					





Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating
BR2000™ (Aggressive Cut) - Proprietary - (K5 Series - DePuy® Synthes®)

Compatible with DePuy® Synthes® Large Bone Oscillating Saw Systems: Air Power Line, Battery Power Line, Compact Air Drive & Trauma Recon System (TRS) Sagittal Saw; Zimmer® Biomet® Large Bone Oscillating Saw System: Universal

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
K5-2190-50F	mm	90	21	1.27	1.27
	in	3.54	0.83	0.050	0.050
Substitute for DePuy® Synthes® 05.002.303S, 05.003.126S; Zimmer® Biomet® 21-0901-27A-V1					
 *No Tooth Offset* *Flared Blade*					
K5-2190-54F	mm	90	21	1.37	1.37
	in	3.54	0.83	0.054	0.054
Substitute for DePuy® Synthes® 05.002.304S, 05.003.127S; Substitute for Zimmer® Biomet® 21-0901-37A-V1					
 *No Tooth Offset* *Flared Blade*					
K5-2590-35	mm	90	25	0.89	0.89
	in	3.54	0.98	0.035	0.035
Substitute for DePuy® Synthes® 05.002.101S, 05.003.130S; Zimmer® Biomet® 25-0900-89A-F1					
 *No Tooth Offset*					
K5-2590-39	mm	90	25	0.99	0.99
	in	3.54	0.98	0.039	0.039
Substitute for DePuy® Synthes® 05.002.106S, 05.003.132S; Zimmer® Biomet® 25-0901-00A-F1					
 *No Tooth Offset*					





Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating
BR2000™ (Aggressive Cut) - Proprietary - (K5 Series - DePuy® Synthes®)

Compatible with DePuy® Synthes® Large Bone Oscillating Saw Systems: Air Power Line, Battery Power Line, Compact Air Drive & Trauma Recon System (TRS) Sagittal Saw; Zimmer® Biomet® Large Bone Oscillating Saw System: Universal

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
K5-2590-47	mm	90	25	1.19	1.19
	in	3.54	0.98	0.047	0.047
Substitute for DePuy® Synthes® 05.002.102S, 05.003.134S; Zimmer® Biomet® 25-0901-19A-B1, 25-0901-19A-F1, 25-0901-19A-G1					
					*No Tooth Offset*
K5-2590-50	mm	90	25	1.27	1.27
	in	3.54	0.98	0.050	0.050
Substitute for DePuy® Synthes® 05.002.103S, 05.003.136S; Zimmer® Biomet® 25-0901-27A-B1, 25-0901-27A-F1, 25-0901-27A-G1					
					*No Tooth Offset*
K5-2590-54	mm	90	25	1.37	1.37
	in	3.54	0.98	0.054	0.054
Substitute for DePuy® Synthes® 05.002.104S, 05.003.137S; Zimmer® Biomet® 25-0901-37A-B1, 25-0901-37A-G1					
					*No Tooth Offset*
K5-2590-58	mm	90	25	1.47	1.47
	in	3.54	0.98	0.058	0.058
Substitute for DePuy® Synthes® 05.002.105S, 05.003.139S; Zimmer® Biomet® 25-0901-47A-B1					
					*No Tooth Offset*

Brasseler USA® Large Bone Saw Blades - Oscillating Replacements - DePuy® Synthes®

Compatible with DePuy® Synthes® Large Bone Oscillating Saw Systems: Air Power Line, Battery Power Line & Compact Air Drive. Also compatible with DePuy® Synthes® Trauma Recon System (TRS) Sagittal Saw; Zimmer® Biomet® Large Bone Oscillating Saw System: Universal


Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM519-10	mm	50	27	0.40	0.66
	in	1.97	1.06	0.016	0.026
Replaces 519.10, 519.100S					
					*Tooth Offset*
KM519-15	mm	50	14	0.40	0.66
	in	1.97	0.55	0.016	0.026
Replaces 519.15, 519.150S					
					*Tooth Offset*
KM519-17	mm	70	27	0.64	0.81
	in	2.76	1.06	0.025	0.032
Replaces 519.17, 519.170S					
					*Tooth Offset*
KM519-21	mm	70	27	0.99	1.19
	in	2.76	1.06	0.039	0.047
Replaces 519.21, 519.210S					
					*Tooth Offset*

Brasseler USA® Large Bone Saw Blades - Oscillating Replacements - DePuy® Synthes®

Compatible with DePuy® Synthes® Large Bone Oscillating Saw Systems: Air Power Line, Battery Power Line & Compact Air Drive. Also compatible with DePuy® Synthes® Trauma Recon System (TRS) Sagittal Saw; Zimmer® Biomet® Large Bone Oscillating Saw System: Universal

Special

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM-1201-84	mm	86	19.5	1.27	1.27
	in	3.39	0.77	0.050	0.050
Replaces N/A (Similar to ConMed® Linvatec® 5071-201)					





No Tooth Offset

Opposing Teeth
Chromium Coating

Compatible with DePuy® Synthes® Large Bone Oscillating Saw Systems: Air Power Line, Battery Power Line, Compact Air Drive & Trauma Recon System (TRS) Sagittal Saw; Zimmer® Biomet® Large Bone Oscillating Saw System: Universal

Brasseler USA® Large Bone Saw Blades - Reciprocating Replacements - DePuy® Synthes®


Compatible with DePuy® Synthes® Large Bone Reciprocating Saw Systems: Air Power Line, Battery Power Line, Compact Air Drive & Trauma Recon System (TRS) Sagittal Saw

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
BR511-905S	mm	80	10	1.19	1.05
	in	3.15	0.39	0.047	0.041
Replaces 511.905S					
					*Tooth Offset* *Single-Sided*
BR511-907S	mm	55	10	1.19	1.05
	in	2.17	0.39	0.047	0.041
Replaces 511.907S					
					*Tooth Offset* *Single-Sided*
BR511-909S	mm	55	10	1.19	0.85
	in	2.17	0.39	0.047	0.033
Replaces 511.909S					
					*Tooth Offset* *Single-Sided*
BR511-912S	mm	68	12	1.19	1.10
	in	2.68	0.47	0.047	0.043
Replaces 511.912S					
					*Tooth Offset* *Single-Sided*
BR511-915S	mm	40	10	1.19	1.10
	in	1.57	0.39	0.047	0.043
Replaces 511-915S					
					*Tooth Offset* *Single-Sided*

Brasseler USA® Orthopaedic Pin / Drill Packs Replacements - DePuy® Synthes®

Compatible with DePuy® Synthes® Knee Instrumentation Systems

Fabricated from 17-4 stainless steel.

Order Number	Product Description	Diameter		Length		Packaging
		in	mm	in	mm	
BMA-S90006S	Fixation Pin (Round End & Trocar Point)	1/8	3.1	3.0	76.2	4 Pins Per Pack - Sterile
Replaces 2490-95-000, 2490-95						
						
BMA-S90007S	Fixation Pin (Triangular End & Trocar Point) & Twist Drills (Round End)	1/8	3.1	3.0	76.2	4 Pins & 2 Drills Per Pack - Sterile
Replaces 86-4192, 86-4192-000						
						

Items not shown at actual size.

Brasseler USA® Guide Wire Replacement - DePuy® Synthes®

Compatible with DePuy® Synthes® 4.0 Cannulated Screw

Fabricated from 17-4 stainless steel.

Order Number	Product Description	Diameter		Length		Packaging
		in	mm	in	mm	
BR900-722	Threaded Guide Wire with Diamond Point	0.049	1.25	5.9	150.0	1 Pin Per Pack - Non-Sterile
Replaces 900.722						





Items not shown at actual size.

Brasseler USA® Quick Connect Twist Drills - Solid Replacements - DePuy® Synthes®

Compatible with DePuy® Synthes® Quick Connect Coupling

Fabricated from autoclavable stainless steel. Features one piece construction.








Order Number		Replaces		Diameter (mm)	Total Length (mm)	Effective Length (mm)	Number of Flutes
Non-Sterile (1/pk)	Sterile* (1/pk)	Non-Sterile	Sterile				
KM166-310-11	**KM166-310-11S**	310.11	310.11S	1.1	60	35	2
							
KM166-310-15	**KM166-310-15S**	310.15	310.15S	1.5	87	61	2
							
KM166-310-16	**KM166-310-16S**	310.16	310.16S	1.5	111	86	2
							
KM166-310-19	**KM166-310-19S**	310.19	310.19S	2.0	100	75	2
							
KM166-310-21	**KM166-310-21S**	310.21	310.21S	2.0	125	100	2
							
KM166-310-23	**KM166-310-23S**	310.23	310.23S	2.5	181	156	2
							
TiN - Titanium Nitride Coating							
KM166-310-25	**KM166-310-25S**	310.25	310.25S	2.5	111	86	2
							
TiN - Titanium Nitride Coating							
KM166-310-26	**KM166-310-26S**	310.26	310.26S	2.7	102	76	2
							

Items not shown at actual size

Brasseler USA® Quick Connect Twist Drills - Solid Replacements - DePuy® Synthes®

Compatible with DePuy® Synthes® Quick Connect Coupling

Fabricated from autoclavable stainless steel. Features one piece construction.





Order Number		Replaces		Diameter (mm)	Total Length (mm)	Effective Length (mm)	Number of Flutes
Non-Sterile (1/pk)	Sterile* (1/pk)	Non-Sterile	Sterile				
KM166-310-28	**KM166-310-28S**	310.28	310.28S	2.7	126	100	2
							
KM166-310-29	**KM166-310-29S**	310.29	310.29S	3.2	196	170	2
							
KM166-310-31	**KM166-310-31S**	310.31	310.31S	3.2	147	121	2
							
KM166-310-35	**KM166-310-35S**	310.35	310.35S	3.5	112	86	2
							
KM166-310-37	**KM166-310-37S**	310.37	310.37S	3.5	196	171	2
							
KM166-310-44	**KM166-310-44S**	310.44	310.44S	4.5	147	121	2
							
KM166-310-48	**KM166-310-48S**	310.48	310.48S	4.5	195	170	2
							
KM166-310-288	**N/A**	310.288	N/A	2.8	165	140	2
							

Items not shown at actual size

Brasseler USA® Quick Connect Twist Drills - Solid Replacements - DePuy® Synthes®

Compatible with DePuy® Synthes® Quick Connect Coupling

Fabricated from autoclavable stainless steel. Features one piece construction.

Order Number		Replaces		Diameter (mm)	Total Length (mm)	Effective Length (mm)	Number of Flutes
Non-Sterile (1/pk)	Sterile* (1/pk)	Non-Sterile	Sterile				
KM166-310-509	**N/A**	310.509	N/A	1.8	110	85	2
							
KM166-310-530	**KM166-310-530S**	310.530	310.530S	2.4	100	75	2
							
KM166-315-28	**N/A**	315.28	N/A	2.7	127	102	3
							
KM166-323-062	**N/A**	323.062	N/A	2.0	140	1145	3
							
KM166-324-214	**N/A**	324.214	N/A	2.8	197	171	3
							
KM166-357-407	**N/A**	357.407	N/A	4.0	260	235	3
							

Sterilization Parameters

Steam Sterilization Type	Minimum Temperature	Minimum Exposure Time	Minimum Dry Time
Pre-Vacuum (Wrapped)	*270°F (132°C)*	*4 minutes*	*30 minutes*
Gravity (Wrapped)	*270°F (132°C)*	*15 minutes*	*30 minutes*




- All cycles require a minimum of 30 minutes dry time.
- Observe AAMI and hospital guidelines for steam sterilization and the sterilizer manufacturer's written instructions for cycle parameters and load configurations.

Items not shown at actual size


Brasseler USA® Quick Connect Twist Drills - Cannulated Replacements - DePuy® Synthes®

Compatible with DePuy® Synthes® Quick Connect Coupling

Fabricated from autoclavable stainless steel. Features one piece construction.

Order Number Non-Sterile (1/pk)	Replaces (Non-Sterile)	Diameter (mm)	Cannulation (mm)	Total Length (mm)	Effective Length (mm)	Number of Flutes
KM166-310-65	310.65	3.2	1.7	170	139	3
						
KM166-310-66	310.66	4.5	1.7	170	139	3
						
KM166-310-67	310.67	2.7	1.4	160	130	3
						
KM166-310-68	310.68	3.5	1.4	160	130	3
						
KM166-310-221	310.221	2.0	1.2	150	50	3
						

Note: Because of their hollow cross section, cannulated drill bits are more susceptible to breakage than solid drill bits of the same diameter. Use less axial force, avoid bending and advance the drill bit slowly to minimize the possibility of breakage.






Sterilization Parameters

Steam Sterilization Type	Minimum Temperature	Minimum Exposure Time	Minimum Dry Time
Pre-Vacuum (Wrapped)	*270°F (132°C)*	*4 minutes*	*30 minutes*
Gravity (Wrapped)	*270°F (132°C)*	*15 minutes*	*30 minutes*

- All cycles require a minimum of 30 minutes dry time.
- Observe AAMI and hospital guidelines for steam sterilization and the sterilizer manufacturer's written instructions for cycle parameters and load configurations.

Items not shown at actual size

Table of Contents

Index		
Cross Reference		302 - 315
Large Bone Saw Blades		
	Compatible with DePuy® Synthes® Large Bone Oscillating Saw Systems: Air Power Line, Battery Power Line, Compact Air Drive & Trauma Recon System (TRS) Sagittal Saw; Zimmer® Biomet® Large Bone Oscillating Saw System: Universal	316 - 320
	Compatible with Zimmer® Biomet® Reciprocating Saw System: Universal	321
Accessories - Orthopaedic Pin/Drill Pack		
	Compatible with Zimmer® Biomet® Knee Instrumentation Systems	322

Biomet® is a registered trademark of Biomet, Inc., or its affiliates.
DePuy® and Synthes® are registered trademarks of DePuy Synthes, Inc., a Johnson & Johnson Company, or its affiliates.
Zimmer® is a registered trademark of Zimmer, Inc. or its affiliates.
Brasseler USA® and BR2000™ are trademarks of Peter Brasseler Holdings, LLC, or its affiliates.

Cross Reference

DePuy® Synthes®	Brasseler USA®	Page Number(s)
1098	KM166-00-08	103
112210	BR1-1990-50	81, 140
112212	BR11-2212	161
112213	BR1-2590-35	83, 142
112214	BR11-2214	161
112216	BR1-19110-50	81, 140
112220	BR11-2220	161
112222	BR11-2222	161
112325	BR11-2325	162
112586	BR1-2590-47	84, 143
112608	BR11-2608	162
112714	BR1-2190-47F	82, 141
112721	BR1-2190-50F	83, 142
112735	BR1-2190-54F	142
112787	BR1-2190-39F	82, 141
112853	BR1-1990-39	80, 139
113110	BR1-1990-47	80, 139
113156	BR1-2590-54	85, 144
113162	BR1-2590-58	86, 145
113205	BR1-19110-50	81, 140
113208	BR1-2590-50	84, 143
113213	BR1-2590-58	86, 145
113221	BR1-2590-54	85, 144
113237	BR1-2590-47	84, 143
113254	BR1-1990-50	81, 140
113255	BR1-1990-47	80, 139
113289	BR1-2190-54F	142
113290	BR1-2190-50F	83, 142
113291	BR1-2190-47F	82, 141
113453	BR1-1990-35	80, 139
11-2210	BR1-1990-50	81, 140
113657	BR1-2590-50	84, 143
113658	BR1-2190-50F	83, 142
113659	BR1-2590-39	83, 142
113662	BR1-1290-50	79, 138
113663	BR1-1290-35	79, 138

DePuy® Synthes®	Brasseler USA®	Page Number(s)
113669	BR1-2590-47	84, 143
113670	BR1-2590-54	85, 144
113671	BR1-2190-47F	82, 141
113672	BR1-2190-54F	142
113676	BR1-1990-50	81, 140
113684	BR1-2590-58	86, 145
113684	BR1-2590-58F	86, 145
113685	BR1-2590-50	84, 143
113686	BR1-2590-47	84, 143
113688	BR1-2590-35	83, 142
113690	BR1-1990-54	82, 141
113691	BR1-1990-54	82, 141
113692	BR1-1990-50	81, 140
113693	BR1-1990-47	80, 139
113694	BR1-1990-47	80, 139
113695	BR1-1990-50	81, 140
113696	BR1-1990-39	80, 139
113697	BR1-1990-35	80, 139
113699	BR1-2190-54F	142
113700	BR1-2190-50F	83, 142
113701	BR1-2190-47F	82, 141
113702	BR1-2190-39F	82, 141
113704	BR1-1290-47	79, 138
113706	BR1-1290-39	79, 138
11-2212	BR11-2212	161
11-2213	BR1-2590-35	83, 142
11-2214	BR11-2214	161
11-2216	BR1-19110-50	81, 140
11-2220	BR11-2220	161
11-2222	BR11-2222	161
11-2325	BR11-2325	162
231815	KM166-00-00	103
231820	KM166-00-01	103
231825	KM166-00-02	103
231827	KM166-00-03	103
231832	KM166-00-04	103

Cross Reference

DePuy® Synthes®	Brasseler USA®	Page Number(s)
231840	KM166-00-06	103
231848	KM166-00-07	103
231864	KM166-00-08	103
11-2586	BR1-2590-47	84, 143
11-2608	BR11-2608	162
11-2714	BR1-2190-47F	82, 141
11-2721	BR1-2190-50F	83, 142
11-2735	BR1-2190-54F	142
11-2787	BR1-2190-39F	82, 141
11-2853	BR1-1990-39	80, 139
11-3110	BR1-1990-47	80, 139
11-3156	BR1-2590-54	85, 144
11-3162	BR1-2590-58	86, 145
11-3205	BR1-19110-50	81, 140
11-3208	BR1-2590-50	84, 143
11-3213	BR1-2590-58	86, 145
11-3221	BR1-2590-54	85, 144
11-3237	BR1-2590-47	84, 143
11-3254	BR1-1990-50	81, 140
11-3255	BR1-1990-47	80, 139
506090	BR1-1290-35	79, 138
506096	BR1-2190-54F	142
11-3289	BR1-2190-54F	142
11-3290	BR1-2190-50F	83, 142
11-3291	BR1-2190-47F	82, 141
516051	BR1-2590-54	85, 144
516061	BR1-19100-54	82, 142
11-3453	BR1-1990-35	80, 139
11-3657	BR1-2590-50	84, 143
11-3658	BR1-2190-50F	83, 142
11-3659	BR1-2590-39	83, 142
11-3662	BR1-1290-50	79, 138
11-3663	BR1-1290-35	79, 138
11-3669	BR1-2590-47	84, 143
11-3670	BR1-2590-54	85, 144
11-3671	BR1-2190-47F	82, 141

DePuy® Synthes®	Brasseler USA®	Page Number(s)
11-3672	BR1-2190-54F	142
11-3676	BR1-1990-50	81, 140
11-3684	BR1-2590-58	86, 145
11-3685	BR1-2590-50	84, 143
11-3686	BR1-2590-47	84, 143
11-3688	BR1-2590-35	83, 142
11-3690	BR1-1990-54	82, 141
11-3691	BR1-1990-54	82, 141
11-3692	BR1-1990-50	81, 140
11-3693	BR1-1990-47	80, 139
11-3694	BR1-1990-47	80, 139
11-3695	BR1-1990-50	81, 140
11-3696	BR1-1990-39	80, 139
11-3697	BR1-1990-35	80, 139
11-3699	BR1-2190-54F	142
11-3700	BR1-2190-50F	83, 142
11-3701	BR1-2190-47F	82, 141
11-3702	BR1-2190-39F	82, 141
11-3704	BR1-1290-47	79, 138
11-3706	BR1-1290-39	79, 138
2318015	KM166-10-00	103
2318020	KM166-00-01	103
2318020	KM166-10-01	103
2318025	KM166-00-02	103
2318025	KM166-10-02	103
2318027	KM166-00-03	103
2318027	KM166-10-03	103
2318032	KM166-00-04	103
2318032	KM166-10-04	103
2318035	KM166-00-05	103
2318035	KM166-10-05	103
2318040	KM166-00-06	103
2318040	KM166-10-06	103
2318048	KM166-00-07	103
2318048	KM166-10-07	103
2318064	KM166-00-08	103

Cross Reference

DePuy® Synthes®	Brasseler USA®	Page Number(s)
2318064	KM166-10-08	103
2560126	KM166-00-05	103
00018600169	KM172-39-35	97
00018600179	KM172-49-35	97
00018600269	KM172-39-45	97
00018600279	KM172-49-45	97
00018600369	KM172-36-62	97
00018600379	KM172-46-62	97
00018600414	KM172-24-28	97
00018602712	KM172-36-45	97
00018602716	KM172-36-62	97
00018604400	KM172-26-35	97
00018604600	KM172-29-35	97
00018605400	KM172-44-35	97
00018605800	KM172-46-35	97
00018606000	KM172-26-45	97
00018606200	KM172-29-45	97
00018607000	KM172-44-45	97
00018607400	KM172-46-45	97
00018607600	KM172-26-62	97
00018607800	KM172-29-62	97
00018608200	KM172-19-62	97
00018608600	KM172-44-62	97
00018609000	KM172-46-62	97
00018700159	KM168-19-56	100
00018700169	KM168-39-56	100
00018700259	KM168-19-33	100
00018700269	KM168-39-33	100
00018700359	KM168-19-76	100
00018700369	KM168-39-76	100
00018700459	KM168-19-18	100
00018700469	KM168-39-18	100
00018700559	KM168-19-96	100
00018700569	KM168-39-96	100
00018700669	KM168-19-53	100
00018700769	KM168-39-31	100

DePuy® Synthes®	Brasseler USA®	Page Number(s)
00026200104	KM169-39-31	101
00026200204	KM169-39-53	101
00026200304	KM169-39-96	101
00026200404	KM169-39-18	101
00026200504	KM169-39-76	101
00026200604	KM169-39-33	101
00026200704	KM169-39-56	101
00026200804	KM173-39-62	99
00026201100	KM173-49-35	99
00026201200	KM173-49-45	99
00026201300	KM173-49-62	99
231801500	KM166-00-00	103
00231801500	KM166-00-00	103
00231801500	KM166-10-00	103
00231801506	KM166-00-00	103
231802000	KM166-00-01	103
00231802000	KM166-00-01	103
231802000	KM166-10-01	103
00231802006	KM166-00-01	103
231802500	KM166-00-02	103
00231802500	KM166-00-02	103
00231802500	KM166-10-02	103
00231802506	KM166-00-02	103
231802700	KM166-00-03	103
00231802700	KM166-00-03	103
00231802700	KM166-10-03	103
00231802706	KM166-00-03	103
231803200	KM166-00-04	103
00231803200	KM166-00-04	103
00231803200	KM166-10-04	103
00231803206	KM166-00-04	103
231803500	KM166-00-05	103
00231803500	KM166-00-05	103
00231803500	KM166-10-05	103
00231803506	KM166-00-05	103
231804000	KM166-00-06	103

Cross Reference

DePuy® Synthes®	Brasseler USA®	Page Number(s)
00231804000	KM166-00-06	103
00231804000	KM166-10-06	103
00231804006	KM166-00-06	103
231804800	KM166-00-07	103
00231804800	KM166-00-07	103
00231804800	KM166-10-07	103
00231804806	KM166-00-07	103
231806400	KM166-00-08	103
00231806400	KM166-00-08	103
00231806400	KM166-10-08	103
00231806406	KM166-00-08	103
00241001100	KM166-310-11	104, 297
00241001500	KM166-310-15	104, 297
00241001600	KM166-310-16	104, 297
00241002000	KM166-310-19	104, 297
00241002100	KM166-310-21	104, 297
00241002500	KM166-310-25	104, 297
00241002600	KM166-310-23	104, 297
241002600	KM166-310-23	104, 297
00241002700	KM166-310-26	104, 297
00241002800	KM166-310-28	105, 298
00241003200	KM166-310-31	105, 298
00241003300	KM166-310-29	105, 298
00241003500	KM166-310-35	105, 298
00241003600	KM166-310-37	105, 298
00241004500	KM166-310-44	105, 298
00241004600	KM166-310-48	105, 298
00262003300	KM169-19-56	101
00262003500	KM173-29-62	99
00262003700	KM173-29-45	99
00262003900	KM173-29-35	99
00590102000	ZB00-5901-020-00	110, 322
00890901100	KM-500	112
47018600179	KM172-49-35S	97
47018600279	KM172-49-45S	97
47018600379	KM172-49-62S	97

DePuy® Synthes®	Brasseler USA®	Page Number(s)
47018600414	KM172-24-28S	97
47018604400	KM172-26-35S	97
47018604600	KM172-29-35S	97
47018605400	KM172-44-35S	97
47018605800	KM172-46-35S	97
47018606000	KM172-26-45S	97
47018606200	KM172-29-45S	97
47018607000	KM172-44-45S	97
47018607400	KM172-46-45S	97
47018607600	KM172-26-62S	97
47018607800	KM172-29-62S	97
47018608600	KM172-44-62S	97
47018609000	KM172-46-62S	97
47018700159	KM168-19-56S	100
47018700259	KM168-19-33S	100
47018700359	KM168-19-76S	100
47018700459	KM168-19-18S	100
47018700569	KM168-39-96S	100
47018700659	KM168-19-53S	100
47018700759	KM168-19-31S	100
47026200304	KM169-39-96S	101
47026200404	KM169-39-18S	101
47026200604	KM169-39-33S	101
47262001300	KM169-19-31S	101
47262001700	KM169-19-53S	101
47262002500	KM169-19-76S	101
47262003300	KM169-19-56S	101
00-0186-001-69	KM172-39-35	97
00-0186-001-79	KM172-49-35	97
00-0186-002-69	KM172-39-45	97
00-0186-002-79	KM172-49-45	97
00-0186-003-69	KM172-36-62	97
00-0186-003-79	KM172-46-62	97
00-0186-004-14	KM172-24-28	97
00-0186-027-12	KM172-36-45	97
00-0186-027-16	KM172-36-62	97

Cross Reference

DePuy® Synthes®	Brasseler USA®	Page Number(s)
00-0186-044-00	KM172-26-35	97
00-0186-046-00	KM172-29-35	97
00-0186-054-00	KM172-44-35	97
00-0186-058-00	KM172-46-35	97
00-0186-060-00	KM172-26-45	97
00-0186-062-00	KM172-29-45	97
00-0186-070-00	KM172-44-45	97
00-0186-074-00	KM172-46-45	97
00-0186-076-00	KM172-26-62	97
00-0186-078-00	KM172-29-62	97
00-0186-082-00	KM172-19-62	97
00-0186-086-00	KM172-44-62	97
00-0186-090-00	KM172-46-62	97
00-0187-001-59	KM168-19-56	100
00-0187-001-69	KM168-39-56	100
00-0187-002-59	KM168-19-33	100
00-0187-002-69	KM168-39-33	100
00-0187-003-59	KM168-19-76	100
00-0187-003-69	KM168-39-76	100
00-0187-004-59	KM168-19-18	100
00-0187-004-69	KM168-39-18	100
00-0187-005-59	KM168-19-96	100
00-0187-005-69	KM168-39-96	100
00-0187-006-69	KM168-19-53	100
00-0187-007-69	KM168-39-31	100
00-0262-001-04	KM169-39-31	101
00-0262-002-04	KM169-39-53	101
00-0262-003-04	KM169-39-96	101
00-0262-004-04	KM169-39-18	101
00-0262-005-04	KM169-39-76	101
00-0262-006-04	KM169-39-33	101
00-0262-007-04	KM169-39-56	101
00-0262-008-04	KM173-39-62	99
00-0262-011-00	KM173-49-35	99
00-0262-012-00	KM173-49-45	99
00-0262-013-00	KM173-49-62	99

DePuy® Synthes®	Brasseler USA®	Page Number(s)
00-2318-015-00	KM166-00-00	103
00-2318-015-00	KM166-10-00	103
00-2318-015-06	KM166-00-00	103
00-2318-020-00	KM166-00-01	103
00-2318-020-00	KM166-10-01	103
00-2318-020-06	KM166-00-01	103
00-2318-025-00	KM166-00-02	103
00-2318-025-00	KM166-10-02	103
00-2318-025-06	KM166-00-02	103
00-2318-027-00	KM166-00-03	103
00-2318-027-00	KM166-10-03	103
00-2318-027-06	KM166-00-03	103
00-2318-032-00	KM166-00-04	103
00-2318-032-00	KM166-10-04	103
00-2318-032-06	KM166-00-04	103
00-2318-035-00	KM166-00-05	103
00-2318-035-00	KM166-10-05	103
00-2318-035-06	KM166-00-05	103
00-2318-040-00	KM166-00-06	103
00-2318-040-00	KM166-10-06	103
00-2318-040-06	KM166-00-06	103
00-2318-048-00	KM166-00-07	103
00-2318-048-00	KM166-10-07	103
00-2318-048-06	KM166-00-07	103
00-2318-064-00	KM166-00-08	103
00-2318-064-00	KM166-10-08	103
00-2318-064-06	KM166-00-08	103
00-2410-011-00	KM166-310-11	104, 297
00-2410-015-00	KM166-310-15	104, 297
00-2410-016-00	KM166-310-16	104, 297
00-2410-020-00	KM166-310-19	104, 297
00-2410-021-00	KM166-310-21	104, 297
00-2410-025-00	KM166-310-25	104, 297
00-2410-026-00	KM166-310-23	104, 297
00-2410-027-00	KM166-310-26	104, 297
00-2410-028-00	KM166-310-28	105, 298

Cross Reference

DePuy® Synthes®	Brasseler USA®	Page Number(s)
00-2410-032-00	KM166-310-31	105, 298
00-2410-033-00	KM166-310-29	105, 298
00-2410-035-00	KM166-310-35	105, 298
00-2410-036-00	KM166-310-37	105, 298
00-2410-045-00	KM166-310-44	105, 298
00-2410-046-00	KM166-310-48	105, 298
00-2620-033-00	KM169-19-56	101
00-2620-035-00	KM173-29-62	99
00-2620-037-00	KM173-29-45	99
00-2620-039-00	KM173-29-35	99
00-4806-060-11	KM166-310-11	104, 297
00-4806-085-15	KM166-310-15	104, 297
00-4806-100-20	KM166-310-19	104, 297
00-4806-100-27	KM166-310-26	104, 297
00-4806-110-25	KM166-310-25	104, 297
00-4806-110-35	KM166-310-35	105, 298
00-4806-125-20	KM166-310-21	104, 297
00-4806-145-32	KM166-310-31	105, 298
00-4806-145-45	KM166-310-44	105, 298
00-4806-195-32	KM166-310-29	105, 298
00-4806-195-35	KM166-310-37	105, 298
00-4806-195-45	KM166-310-48	105, 298
00-5901-020-00	ZB00-5901-020-00	110, 322
00-8909-011-00	KM-500	112
10070119SR1	KM-325R	164
10-0701-19S-R1	KM-325R	164
112078119SS	KM-325R	164
12076100SRT	KM-276R	163
12-0761-00S-RT	KM-276R	163
12076100UR1	ZB12-0761-00U-R1	321
12-0761-00U-R1	ZB12-0761-00U-R1	321
12090119UR1	ZB12-0901-19U-R1	321
12-0901-19U-R1	ZB12-0901-19U-R1	321
125090119SS	BR1-1290-47	79, 138
125090127SS	BR1-1290-50	79, 138
12509099SS	BR1-1290-39	79, 138

DePuy® Synthes®	Brasseler USA®	Page Number(s)
127076097LP	KM-479	236
13060089SF1	BR11-2214	161
13-0600-89S-F1	BR11-2214	161
13060089TF1	BR11-2214	161
13-0600-89T-F1	BR11-2214	161
13060089YF1	BR11-2214	161
13-0600-89Y-F1	BR11-2214	161
13070127LL1	K7-1270-50F	87, 221
13-0701-27L-L1	K7-1270-50F	87, 221
13070127SL1	BR11-2608	162
13-0701-27S-L1	BR11-2608	162
13070127TL1	BR11-2608	162
13-0701-27T-L1	BR11-2608	162
13070127YL1	BR11-2608	162
13-0701-27Y-L1	BR11-2608	162
13076089LR1	KM-479	236
13-0760-89L-R1	KM-479	236
13076089SR1	KM-2279-73	164
13-0760-89S-R1	KM-2279-73	164
13090089AF1	K5-1290-35	92, 287, 316
13-0900-89A-F1	K5-1290-35	92, 287, 316
13090089SF1	BR1-1290-35	79, 138
13-0900-89S-F1	BR1-1290-35	79, 138
13090089TF1	BR1-1290-35	79, 138
13-0900-89T-F1	BR1-1290-35	79, 138
13090089YF1	BR1-1290-35	79, 138
13-0900-89Y-F1	BR1-1290-35	79, 138
13090100AF1	K5-1290-39	92, 287, 316
13-0901-00A-F1	K5-1290-39	92, 287, 316
13090100SF1	BR1-1290-39	79, 138
13-0901-00S-F1	BR1-1290-39	79, 138
13090100TF1	BR1-1290-39	79, 138
13-0901-00T-F1	BR1-1290-39	79, 138
13090100YF1	BR1-1290-39	79, 138
13-0901-00Y-F1	BR1-1290-39	79, 138
13090119AF1	K5-1290-47	92, 287, 316

Cross Reference

DePuy® Synthes®	Brasseler USA®	Page Number(s)
13-0901-19A-F1	K5-1290-47	92, 287, 316
13090119LF1	K7-1290-47	87, 221
13-0901-19L-F1	K7-1290-47	87, 221
13090119ST1	BR1-1290-47	79, 138
13-0901-19S-T1	BR1-1290-47	79, 138
13090119TF1	BR1-1290-47	79, 138
13-0901-19T-F1	BR1-1290-47	79, 138
13090119YF1	BR1-1290-47	79, 138
13-0901-19Y-F1	BR1-1290-47	79, 138
13090127AF1	K5-1290-50	92, 287, 316
13-0901-27A-F1	K5-1290-50	92, 287, 316
13090127LF1	K7-1290-50	87, 221
13-0901-27L-F1	K7-1290-50	87, 221
13090127SF1	BR11-2325	162
13090127SF1	BR1-1290-50	79, 138
13-0901-27S-F1	BR11-2325	162
13-0901-27S-F1	BR1-1290-50	79, 138
13090127TF1	BR11-2325	162
13090127TF1	BR1-1290-50	79, 138
13-0901-27T-F1	BR11-2325	162
13-0901-27T-F1	BR1-1290-50	79, 138
13090127YF1	BR11-2325	162
13090127YF1	BR1-1290-50	79, 138
13-0901-27Y-F1	BR11-2325	162
13-0901-27Y-F1	BR1-1290-50	79, 138
13090127YG1	BR1-1290-50	79, 138
13-0901-27Y-G1	BR1-1290-50	79, 138
13090137AF1	K5-1290-54	93, 288, 317
13-0901-37A-F1	K5-1290-54	93, 288, 317
13090137SF1	BR1-1290-54	80, 139
13-0901-37S-F1	BR1-1290-54	80, 139
13090137TF1	BR1-1290-54	80, 139
13-0901-37T-F1	BR1-1290-54	80, 139
13090137YF1	BR1-1290-54	80, 139
13-0901-37Y-F1	BR1-1290-54	80, 139
13090189LF1	K7-1290-35	87, 221

DePuy® Synthes®	Brasseler USA®	Page Number(s)
13-0901-89L-F1	K7-1290-35	87, 221
186-01-69	KM172-39-35	97
186-01-79	KM172-49-35	97
186-02-69	KM172-39-45	97
186-02-79	KM172-49-45	97
186-03-69	KM172-39-62	97
186-03-79	KM172-49-62	97
186-04-14	KM172-24-28	97
186-04-54	KM172-14-28	97
186-44	KM172-26-35	97
186-46	KM172-29-35	97
186-50	KM172-19-35	97
186-54	KM172-44-35	97
186-58	KM172-46-35	97
186-60	KM172-16-45	97
186-62	KM172-29-45	97
186-66	KM172-19-45	97
186-66	KM172-19-45S	97
186-70	KM172-44-45	97
186-74	KM172-46-45	97
186-76	KM172-26-62	97
186-78	KM172-29-62	97
186-82	KM172-19-62	97
186-86	KM172-44-62	97
186-90	KM172-46-62	97
187-01-19	KM168-29-56	100
187-01-59	KM168-19-56	100
187-01-69	KM168-39-56	100
187-01-79	KM168-49-56	100
187-02-19	KM168-29-33	100
187-02-59	KM168-19-33	100
187-02-69	KM168-39-33	100
187-02-79	KM168-49-33	100
187-03-19	KM168-29-76	100
187-03-59	KM168-19-76	100
187-03-69	KM168-39-76	100

Cross Reference

DePuy® Synthes®	Brasseler USA®	Page Number(s)
187-03-79	KM168-49-76	100
187-04-19	KM168-29-18	100
187-04-59	KM168-19-18	100
187-04-69	KM168-39-18	100
187-04-79	KM168-49-18	100
187-05-19	KM168-29-96	100
187-05-59	KM168-19-96	100
187-05-69	KM168-39-96	100
187-05-79	KM168-49-96	100
187-06-19	KM168-29-53	100
187-06-59	KM168-19-53	100
187-06-69	KM168-39-53	100
187-06-79	KM168-49-53	100
187-07-19	KM168-29-31	100
187-07-59	KM168-19-31	100
187-07-69	KM168-39-31	100
187-07-79	KM168-49-31	100
190090127SS	BR1-1990-50	81, 140
190110127SS	BR1-19110-50	81, 140
19090089AF1	K5-1990-35	93, 288, 317
19-0900-89A-F1	K5-1990-35	93, 288, 317
19090089LF1	K7-1990-35	88, 222
19-0900-89L-F1	K7-1990-35	88, 222
19090089SF1	BR1-1990-35	80, 139
19-0900-89S-F1	BR1-1990-35	80, 139
19090089TF1	BR1-1990-35	80, 139
19-0900-89T-F1	BR1-1990-35	80, 139
19090089YF1	BR1-1990-35	80, 139
19-0900-89Y-F1	BR1-1990-35	80, 139
19090100AF1	K5-1990-39	93, 288, 317
19-0901-00A-F1	K5-1990-39	93, 288, 317
19090100SF1	BR1-1990-39	80, 139
19-0901-00S-F1	BR1-1990-39	80, 139
19090100TF1	BR1-1990-39	80, 139
19-0901-00T-F1	BR1-1990-39	80, 139
19090100YF1	BR1-1990-39	80, 139

DePuy® Synthes®	Brasseler USA®	Page Number(s)
19-0901-00Y-F1	BR1-1990-39	80, 139
19090119AG1	K5-1990-47	93, 288, 317
19-0901-19A-G1	K5-1990-47	93, 288, 317
19090119LG1	K7-1990-47	88, 222
19-0901-19L-G1	K7-1990-47	88, 222
19090119SG1	BR1-1990-47	80, 139
19-0901-19S-G1	BR1-1990-47	80, 139
19090119TG1	BR1-1990-47	80, 139
19-0901-19T-G1	BR1-1990-47	80, 139
19090119YG1	BR1-1990-47	80, 139
19-0901-19Y-G1	BR1-1990-47	80, 139
19090127AF1	K5-1990-50	94, 289, 318
19-0901-27A-F1	K5-1990-50	94, 289, 318
19090127AG1	K5-1990-50	94, 289, 318
19-0901-27A-G1	K5-1990-50	94, 289, 318
19090127LF1	K7-1990-50	88, 222
19-0901-27L-F1	K7-1990-50	88, 222
19090127LG1	K7-1990-50	88, 222
19-0901-27L-G1	K7-1990-50	88, 222
19090127SG1	BR1-1990-50	81, 140
19-0901-27S-G1	BR1-1990-50	81, 140
19090127TG1	BR1-1990-50	81, 140
19-0901-27T-G1	BR1-1990-50	81, 140
19090127YG1	BR1-1990-50	81, 140
19-0901-27Y-G1	BR1-1990-50	81, 140
19090137AG1	K5-1990-54	94, 289, 318
19-0901-37A-G1	K5-1990-54	94, 289, 318
19090137LG1	K7-1990-54	88, 222
19-0901-37L-G1	K7-1990-54	88, 222
19090137SG1	BR1-1990-54	82, 141
19-0901-37S-G1	BR1-1990-54	82, 141
19090137TG1	BR1-1990-54	82, 141
19-0901-37T-G1	BR1-1990-54	82, 141
19090137YG1	BR1-1990-54	82, 141
19-0901-37Y-G1	BR1-1990-54	82, 141
19100119YG1	BR1-19100-47	81, 140

Cross Reference

DePuy® Synthes®	Brasseler USA®	Page Number(s)
19-1001-19Y-G1	BR1-19100-47	81, 140
19100127YG1	BR1-19100-50	81, 140
19-1001-27Y-G1	BR1-19100-50	81, 140
19110127YG1	BR1-19110-50	81, 140
19-1101-27Y-G1	BR1-19110-50	81, 140
21090100AL1	K5-2190-39F	94, 289, 318
21-0901-00A-L1	K5-2190-39F	94, 289, 318
21090100LL1	K7-2190-39F	89, 223
21-0901-00L-L1	K7-2190-39F	89, 223
21090100SL1	BR1-2190-39F	82, 141
21-0901-00S-L1	BR1-2190-39F	82, 141
21090100TL1	BR1-2190-39F	82, 141
21-0901-00T-L1	BR1-2190-39F	82, 141
21090100YL1	BR1-2190-39F	82, 141
21-0901-00YL1	BR1-2190-39F	82, 141
21090119AV1	K5-2190-47F	94, 289, 318
21-0901-19A-V1	K5-2190-47F	94, 289, 318
21090119LV1	K7-2190-47F	89, 223
21-0901-19L-V1	K7-2190-47F	89, 223
21090119SV1	BR1-2190-47F	82, 141
21-0901-19S-V1	BR1-2190-47F	82, 141
21090119TV1	BR1-2190-47F	82, 141
21-0901-19T-V1	BR1-2190-47F	82, 141
21090119YV1	BR1-2190-47F	82, 141
21-0901-19Y-V1	BR1-2190-47F	82, 141
21090127AV1	K5-2190-50F	95, 290, 319
21-0901-27A-V1	K5-2190-50F	95, 290, 319
21090127LV1	K7-2190-50F	89, 223
21-0901-27L-V1	K7-2190-50F	89, 223
21090127SV1	BR1-2190-50F	83, 142
21-0901-27S-V1	BR1-2190-50F	83, 142
21090127TV1	BR1-2190-50F	83, 142
21-0901-27T-V1	BR1-2190-50F	83, 142
21090127YV1	BR1-2190-50F	83, 142
21-0901-27Y-V1	BR1-2190-50F	83, 142
21090137AV1	K5-2190-54F	95, 290, 319

DePuy® Synthes®	Brasseler USA®	Page Number(s)
21-0901-37A-V1	K5-2190-54F	95, 290, 319
21090137LV1	K7-2190-54F	89, 223
21-0901-37L-V1	K7-2190-54F	89, 223
21090137SV1	BR1-2190-54F	142
21-0901-37S-V1	BR1-2190-54F	142
21090137TV1	BR1-2190-54F	142
21-0901-37T-V1	BR1-2190-54F	142
21090137YV1	BR1-2190-54F	142
21-0901-37Y-V1	BR1-2190-54F	142
2318-015	KM166-00-00	103
2318-015	KM166-10-00	103
2318-015-00	KM166-00-00	103
2318-015-00	KM166-10-00	103
2318-020	KM166-00-01	103
2318-020	KM166-10-01	103
2318-020-00	KM166-00-01	103
2318-020-00	KM166-10-01	103
2318-025	KM166-00-02	103
2318-025	KM166-10-02	103
2318-025-00	KM166-00-02	103
2318-025-00	KM166-10-02	103
2318-027	KM166-00-03	103
2318-027	KM166-10-03	103
2318-027-00	KM166-00-03	103
2318-027-00	KM166-10-03	103
2318-032	KM166-00-04	103
2318-032	KM166-10-04	103
2318-032-00	KM166-00-04	103
2318-032-00	KM166-10-04	103
2318-035	KM166-00-05	103
2318-035	KM166-10-05	103
2318-035-00	KM166-00-05	103
2318-035-00	KM166-10-05	103
2318-040	KM166-00-06	103
2318-040	KM166-10-06	103
2318-040-00	KM166-00-06	103

Cross Reference

DePuy® Synthes®	Brasseler USA®	Page Number(s)
2318-040-00	KM166-10-06	103
2318-048	KM166-00-07	103
2318-048	KM166-10-07	103
2318-048-00	KM166-00-07	103
2318-048-00	KM166-10-07	103
2318-064	KM166-00-08	103
2318-064	KM166-10-08	103
2318-064-00	KM166-00-08	103
2318-064-00	KM166-10-08	103
2318-15	KM166-00-00	103
2318-20	KM166-00-01	103
2318-25	KM166-00-02	103
2318-27	KM166-00-03	103
2318-32	KM166-00-04	103
2318-35	KM166-00-05	103
2318-40	KM166-00-06	103
2318-48	KM166-00-07	103
2318-64	KM166-00-08	103
2410-11	KM166-310-11	104, 297
2410-15	KM166-310-15	104, 297
2410-16	KM166-310-16	104, 297
2410-20	KM166-310-19	104, 297
2410-21	KM166-310-21	104, 297
2410-25	KM166-310-25	104, 297
2410-26	KM166-310-23	104, 297
2410-27	KM166-310-26	104, 297
2410-28	KM166-310-28	105, 298
2410-32	KM166-310-31	105, 298
2410-33	KM166-310-29	105, 298
2410-35	KM166-310-35	105, 298
2410-36	KM166-310-37	105, 298
2410-45	KM166-310-44	105, 298
2410-46	KM166-310-48	105, 298
25090089AF1	K5-2590-35	95, 290, 319
25-0900-89A-F1	K5-2590-35	95, 290, 319
25090089LF1	K7-2590-35	90, 224

DePuy® Synthes®	Brasseler USA®	Page Number(s)
25-0900-89L-F1	K7-2590-35	90, 224
25090089SF1	BR1-2590-35	83, 142
25-0900-89S-F1	BR1-2590-35	83, 142
25090089TF1	BR1-2590-35	83, 142
25-0900-89T-F1	BR1-2590-35	83, 142
25090089YF1	BR1-2590-35	83, 142
25-0900-89Y-F1	BR1-2590-35	83, 142
25090100AF1	K5-2590-39	95, 290, 319
25-0901-00A-F1	K5-2590-39	95, 290, 319
25090100LF1	K7-2590-39	90, 224
25-0901-00L-F1	K7-2590-39	90, 224
25090100SF1	BR1-2590-39	83, 142
25-0901-00S-F1	BR1-2590-39	83, 142
25090100SL1	BR1-2590-39F	84, 143
25-0901-00S-L1	BR1-2590-39F	84, 143
25090100TF1	BR1-2590-39	83, 142
25-0901-00T-F1	BR1-2590-39	83, 142
25090100TL1	BR1-2590-39F	84, 143
25-0901-00T-L1	BR1-2590-39F	84, 143
25090100YF1	BR1-2590-39	83, 142
25-0901-00Y-F1	BR1-2590-39	83, 142
25090100YL1	BR1-2590-39F	84, 143
25-0901-00Y-L1	BR1-2590-39F	84, 143
25090119AB1	K5-2590-47	96, 291, 320
25-0901-19A-B1	K5-2590-47	96, 291, 320
25090119AF1	K5-2590-47	96, 291, 320
25-0901-19A-F1	K5-2590-47	96, 291, 320
25090119AG1	K5-2590-47	96, 291, 320
25-0901-19A-G1	K5-2590-47	96, 291, 320
25090119AGC	BR1-2590-47	84, 143
25-0901-19A-GC	BR1-2590-47	84, 143
25090119LB1	K7-2590-47	90, 224
25-0901-19L-B1	K7-2590-47	90, 224
25090119LF1	K7-2590-47	90, 224
25-0901-19L-F1	K7-2590-47	90, 224
25090119LG1	K7-2590-47	90, 224

Cross Reference

DePuy® Synthes®	Brasseler USA®	Page Number(s)
25-0901-19L-G1	K7-2590-47	90, 224
25090119SB1	BR1-2590-47	84, 143
25-0901-19S-B1	BR1-2590-47	84, 143
25090119SF1	BR1-2590-47	84, 143
25-0901-19S-F1	BR1-2590-47	84, 143
25090119SG1	BR1-2590-47	84, 143
25-0901-19S-G1	BR1-2590-47	84, 143
25090119SV1	BR1-2590-47F	84, 143
25-0901-19S-V1	BR1-2590-47F	84, 143
25090119TB1	BR1-2590-47	84, 143
25-0901-19T-B1	BR1-2590-47	84, 143
25090119TF1	BR1-2590-47	84, 143
25-0901-19T-F1	BR1-2590-47	84, 143
25090119TG1	BR1-2590-47	84, 143
25-0901-19T-G1	BR1-2590-47	84, 143
25090119TV1	BR1-2590-47F	84, 143
25-0901-19T-V1	BR1-2590-47F	84, 143
25090119YB1	BR1-2590-47	84, 143
25-0901-19Y-B1	BR1-2590-47	84, 143
25090119YG1	BR1-2590-47	84, 143
25-0901-19Y-G1	BR1-2590-47	84, 143
25090119YV1	BR1-2590-47F	84, 143
25-0901-19Y-V1	BR1-2590-47F	84, 143
25090127AB1	K5-2590-50	96, 291, 320
25-0901-27A-B1	K5-2590-50	96, 291, 320
25090127AF1	K5-2590-50	96, 291, 320
25-0901-27A-F1	K5-2590-50	96, 291, 320
25090127AG1	K5-2590-50	96, 291, 320
25-0901-27A-G1	K5-2590-50	96, 291, 320
25090127AGC	BR1-2590-50	84, 143
25090127AGC	BR1-2590-54	85, 144
25-0901-27A-GC	BR1-2590-50	84, 143
25-0901-27A-GC	BR1-2590-54	85, 144
25090127LB1	K7-2590-50	90, 224
25-0901-27L-B1	K7-2590-50	90, 224
25090127LF1	K7-2590-50	90, 224

DePuy® Synthes®	Brasseler USA®	Page Number(s)
25-0901-27L-F1	K7-2590-50	90, 224
25090127LG1	K7-2590-50	90, 224
25-0901-27L-G1	K7-2590-50	90, 224
25090127SB1	BR11-2222	161
25-0901-27S-B1	BR11-2222	161
25090127SF1	BR1-2590-50	84, 143
25-0901-27S-F1	BR1-2590-50	84, 143
25090127SG1	BR11-2212	161
25090127SG1	BR1-2590-50	84, 143
25-0901-27S-G1	BR11-2212	161
25-0901-27S-G1	BR1-2590-50	84, 143
25090127SV1	BR1-2590-50F	85, 144
25-0901-27S-V1	BR1-2590-50F	85, 144
25090127TB1	BR11-2222	161
25-0901-27T-B1	BR11-2222	161
25090127TF1	BR1-2590-50	84, 143
25-0901-27T-F1	BR1-2590-50	84, 143
25090127TG1	BR11-2212	161
25090127TG1	BR1-2590-50	84, 143
25-0901-27T-G1	BR11-2212	161
25-0901-27T-G1	BR1-2590-50	84, 143
25090127TV1	BR1-2590-50F	85, 144
25-0901-27T-V1	BR1-2590-50F	85, 144
25090127YB1	BR11-2222	161
25090127YB1	BR1-2590-50	84, 143
25-0901-27Y-B1	BR11-2222	161
25-0901-27Y-B1	BR1-2590-50	84, 143
25090127YF1	BR11-2212	161
25090127YF1	BR1-2590-50	84, 143
25-0901-27Y-F1	BR11-2212	161
25-0901-27Y-F1	BR1-2590-50	84, 143
25090127YG1	BR1-2590-50	84, 143
25-0901-27Y-G1	BR1-2590-50	84, 143
25090127YV1	BR1-2590-50F	85, 144
25-0901-27Y-V1	BR1-2590-50F	85, 144
25090137AB1	K5-2590-54	96, 291, 320

Cross Reference

DePuy® Synthes®	Brasseler USA®	Page Number(s)
25-0901-37A-B1	K5-2590-54	96, 291, 320
25090137AG1	K5-2590-54	96, 291, 320
25-0901-37A-G1	K5-2590-54	96, 291, 320
25090137LB1	K7-2590-54	91, 225
25-0901-37L-B1	K7-2590-54	91, 225
25090137LF1	K7-2590-54	91, 225
25-0901-37L-F1	K7-2590-54	91, 225
25090137LG1	K7-2590-54	91, 225
25-0901-37L-G1	K7-2590-54	91, 225
25090137SB1	BR1-2590-54	85, 144
25-0901-37S-B1	BR1-2590-54	85, 144
25090137SG1	BR1-2590-54	85, 144
25-0901-37S-G1	BR1-2590-54	85, 144
25090137SV1	BR1-2590-54F	85, 144
25-0901-37S-V1	BR1-2590-54F	85, 144
25090137TB1	BR1-2590-54	85, 144
25-0901-37T-B1	BR1-2590-54	85, 144
25090137TG1	BR1-2590-54	85, 144
25-0901-37T-G1	BR1-2590-54	85, 144
25090137TV1	BR1-2590-54F	85, 144
25-0901-37T-V1	BR1-2590-54F	85, 144
25090137YB1	BR1-2590-54	85, 144
25-0901-37Y-B1	BR1-2590-54	85, 144
25090137YG1	BR1-2590-54	85, 144
25-0901-37Y-G1	BR1-2590-54	85, 144
25090137YV1	BR1-2590-54F	85, 144
25-0901-37Y-V1	BR1-2590-54F	85, 144
25090147AB1	K5-2590-58	96, 291, 320
25-0901-47A-B1	K5-2590-58	96, 291, 320
25090147LB1	K7-2590-58	91, 225
25-0901-47L-B1	K7-2590-58	91, 225
25090147LF1	K7-2590-58	91, 225
25-0901-47L-F1	K7-2590-58	91, 225
25090147LG1	K7-2590-58	91, 225
25-0901-47L-G1	K7-2590-58	91, 225
25-0901-47R-B1	BR1-2590-58	86, 145

DePuy® Synthes®	Brasseler USA®	Page Number(s)
25090147SB1	BR11-2220	161
25090147SB1	BR1-2590-58	86, 145
25-0901-47S-B1	BR11-2220	161
25-0901-47S-B1	BR1-2590-58	86, 145
25090147SV1	BR1-2590-58F	86, 145
25-0901-47S-V1	BR1-2590-58F	86, 145
25090147TB1	BR11-2220	161
25090147TB1	BR1-2590-58	86, 145
25-0901-47T-B1	BR11-2220	161
25-0901-47T-B1	BR1-2590-58	86, 145
25090147TV1	BR1-2590-58F	86, 145
25-0901-47T-V1	BR1-2590-58F	86, 145
25090147YB1	BR11-2220	161
25090147YB1	BR1-2590-58	86, 145
25-0901-47Y-B1	BR11-2220	161
25-0901-47Y-B1	BR1-2590-58	86, 145
25090147YV1	BR1-2590-58F	86, 145
25-0901-47Y-V1	BR1-2590-58F	86, 145
254090099SS	BR1-2590-39F	84, 143
254090119SS	BR1-2590-47F	84, 143
254090127SS	BR1-2590-50F	85, 144
254090147SS	BR1-2590-58	86, 145
254090147SS	BR1-2590-58F	86, 145
256-01-21	KM166-00-00	103
256-01-22	KM166-00-01	103
256-01-23	KM166-00-02	103
256-01-24	KM166-00-03	103
256-01-25	KM166-00-04	103
256-01-26	KM166-00-05	103
256-01-27	KM166-00-06	103
256-01-29	KM166-00-07	103
2620-01	KM169-29-96	101
2620-03	KM169-29-76	101
2620-05	KM173-19-62	99
2620-07	KM173-19-45	99
2620-09	KM173-19-35	99

Cross Reference

DePuy® Synthes®	Brasseler USA®	Page Number(s)
262-01-04	KM169-39-31	101
2620-11	KM169-29-31	101
2620-13	KM169-19-31	101
2620-15	KM169-29-53	101
2620-17	KM169-19-53	101
262-01-79	KM169-49-31	101
2620-19	KM169-19-96	101
262-02-04	KM169-39-53	101
2620-21	KM169-29-18	101
2620-23	KM169-19-18	101
2620-25	KM169-19-76	101
2620-27	KM169-29-33	101
262-02-79	KM169-49-53	101
2620-29	KM169-19-33	101
262-03-04	KM169-39-96	101
2620-31	KM169-29-56	101
2620-33	KM169-19-56	101
2620-35	KM173-29-62	99
2620-37	KM173-29-45	99
262-03-79	KM169-49-96	101
2620-39	KM173-29-35	99
262-04-04	KM169-39-18	101
262-04-79	KM169-49-18	101
262-05-04	KM169-39-76	101
262-05-79	KM169-49-76	101
262-06-04	KM169-39-33	101
262-06-79	KM169-49-33	101
262-07-04	KM169-39-56	101
262-07-79	KM169-49-56	101
262-08-04	KM173-39-62	99
262-09-04	KM173-39-45	99
262-10-04	KM173-39-35	99
262-11-00	KM173-49-35	99
262-12-00	KM173-49-45	99
262-13-00	KM173-49-62	99
26-351578	KM172-39-62	97

DePuy® Synthes®	Brasseler USA®	Page Number(s)
26-352518	KM172-39-35	97
26-352548	KM172-39-45	97
27-361092	KM168-39-56	100
27-361292	KM168-39-33	100
27-361492	KM168-39-76	100
27-361692	KM168-39-18	100
27-361892	KM168-39-96	100
27-362092	KM168-39-53	100
27-363717	KM169-39-56	101
27-363727	KM169-39-33	101
27-363737	KM169-39-76	101
27-363747	KM169-39-18	101
27-363757	KM169-39-96	101
27-363787	KM169-39-31	101
310065099SS	BR1-3165-39F	86, 145
35-463004	KM166-00-00	103
35-463005	KM166-00-01	103
35-463006	KM166-00-02	103
35-463007	KM166-00-03	103
35-463008	KM166-00-04	103
35-463009	KM166-00-05	103
35-463010	KM166-00-06	103
35-463011	KM166-00-07	103
35-463012	KM166-00-08	103
4115-00-51	KM166-00-00	103
4115-00-52	KM166-00-01	103
4115-00-53	KM166-00-02	103
4115-00-54	KM166-00-03	103
4115-00-55	KM166-00-04	103
4115-00-56	KM166-00-05	103
4115-00-57	KM166-00-06	103
4115-00-59	KM166-00-07	103
4115-00-60	KM166-00-08	103
47-0186-001-79	KM172-49-35S	97
47-0186-002-79	KM172-49-45S	97
47-0186-003-79	KM172-49-62S	97





Cross Reference

DePuy® Synthes®	Brasseler USA®	Page Number(s)
47-0186-004-14	KM172-24-28S	97
47-0186-044-00	KM172-26-35S	97
47-0186-046-00	KM172-29-35S	97
47-0186-054-00	KM172-44-35S	97
47-0186-058-00	KM172-46-35S	97
47-0186-060-00	KM172-26-45S	97
47-0186-062-00	KM172-29-45S	97
47-0186-070-00	KM172-44-45S	97
47-0186-074-00	KM172-46-45S	97
47-0186-076-00	KM172-26-62S	97
47-0186-078-00	KM172-29-62S	97
47-0186-086-00	KM172-44-62S	97
47-0186-090-00	KM172-46-62S	97
47-0187-001-59	KM168-19-56S	100
47-0187-002-59	KM168-19-33S	100
47-0187-003-59	KM168-19-76S	100
47-0187-004-59	KM168-19-18S	100
47-0187-005-69	KM168-39-96S	100
47-0187-006-59	KM168-19-53S	100
47-0187-007-59	KM168-19-31S	100
47-0262-003-04	KM169-39-96S	101
47-0262-004-04	KM169-39-18S	101
47-0262-006-04	KM169-39-33S	101
47-186-01-79	KM172-49-35S	97
47-186-02-79	KM172-49-45S	97
47-186-03-79	KM172-49-62S	97
47-186-44	KM172-26-35S	97
47-186-46	KM172-29-35S	97
47-186-50	KM172-19-35	97
47-186-54	KM172-44-35S	97
47-186-58	KM172-46-35S	97
47-186-60	KM172-26-45S	97
47-186-62	KM172-29-45S	97
47-186-66	KM172-19-45	97
47-186-66	KM172-19-45S	97
47-186-70	KM172-44-45S	97

DePuy® Synthes®	Brasseler USA®	Page Number(s)
47-186-74	KM172-46-45S	97
47-186-76	KM172-26-62S	97
47-186-78	KM172-29-62S	97
47-186-82	KM172-19-62S	97
47-186-86	KM172-44-62S	97
47-186-90	KM172-46-62S	97
47-2620-013-00	KM169-19-31S	101
47-2620-017-00	KM169-19-53S	101
47-2620-025-00	KM169-19-76S	101
47-2620-033-00	KM169-19-56S	101





Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating
BR2000™ (Aggressive Cut) - Proprietary - (K5 Series - Zimmer® Biomet®)

Compatible with DePuy® Synthes® Large Bone Oscillating Saw Systems: Air Power Line, Battery Power Line, Compact Air Drive & Trauma Recon System (TRS) Sagittal Saw; Zimmer® Biomet® Large Bone Oscillating Saw System: Universal

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
K5-1290-35	mm	90	12.5	0.89	0.89
	in	3.54	0.49	0.035	0.035
Substitute for DePuy® Synthes® 05.002.201S, 05.003.100S; Zimmer® Biomet® 13-0900-89A-F1					
No Tooth Offset 					
K5-1290-39	mm	90	12.5	0.99	0.99
	in	3.54	0.49	0.039	0.039
Substitute for DePuy® Synthes® 05.002.405S, 05.003.102S; Zimmer® Biomet® 13-0901-00A-F1					
No Tooth Offset 					
K5-1290-47	mm	90	12.5	1.19	1.19
	in	3.54	0.49	0.047	0.047
Substitute for DePuy® Synthes® 05.002.202S, 05.003.104S; Zimmer® Biomet® 13-0901-19A-F1					
No Tooth Offset 					
K5-1290-50	mm	90	12.5	1.27	1.27
	in	3.54	0.49	0.050	0.050
Substitute for DePuy® Synthes® 05.002.203S, 05.003.106S; Zimmer® Biomet® 13-0901-27A-F1					
No Tooth Offset 					

Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating
BR2000™ (Aggressive Cut) - Proprietary - (K5 Series - Zimmer® Biomet®)

Compatible with DePuy® Synthes® Large Bone Oscillating Saw Systems: Air Power Line, Battery Power Line, Compact Air Drive & Trauma Recon System (TRS) Sagittal Saw; Zimmer® Biomet® Large Bone Oscillating Saw System: Universal


Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
K5-1290-54	mm	90	12.5	1.37	1.37
	in	3.54	0.49	0.054	0.054
Substitute for DePuy® Synthes® 05.002.204S, 05.003.107S; Zimmer® Biomet® 13-0901-37A-F1					
No Tooth Offset 					
K5-1990-35	mm	90	19	0.89	0.89
	in	3.54	0.75	0.035	0.035
Substitute for DePuy® Synthes® 05.002.001S, 05.003.110S; Zimmer® Biomet® 19-0900-89A-F1					
No Tooth Offset 					
K5-1990-39	mm	90	19	0.99	0.99
	in	3.54	0.75	0.039	0.039
Substitute for DePuy® Synthes® 05.002.007S, 05.003.112S; Zimmer® Biomet® 19-0901-00A-F1					
No Tooth Offset 					
K5-1990-47	mm	90	19	1.19	1.19
	in	3.54	0.75	0.047	0.047
Substitute for DePuy® Synthes® 05.002.002S, 05.003.114S; Zimmer® Biomet® 19-0901-19A-G1					
No Tooth Offset 					

Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating
BR2000™ (Aggressive Cut) - Proprietary - (K5 Series - Zimmer® Biomet®)

Compatible with DePuy® Synthes® Large Bone Oscillating Saw Systems: Air Power Line, Battery Power Line, Compact Air Drive & Trauma Recon System (TRS) Sagittal Saw; Zimmer® Biomet® Large Bone Oscillating Saw System: Universal


Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
K5-1990-50	mm	90	19	1.27	1.27
	in	3.54	0.75	0.050	0.050
Substitute for DePuy® Synthes® 05.002.003S, 05.003.116S; Zimmer® Biomet® 19-0901-27A-F1, 19-0901-27A-G1					

No Tooth Offset




K5-1990-54	mm	90	19	1.37	1.37
	in	3.54	0.75	0.054	0.054
Substitute for DePuy® Synthes® 05.002.004S, 05.003.117S; Zimmer® Biomet® 19-0901-37A-G1					

No Tooth Offset



K5-2190-39F	mm	90	21	0.99	0.99
	in	3.54	0.83	0.039	0.039
Substitute for DePuy® Synthes® 05.002.306S, 05.003.122S; Zimmer® Biomet® 21-0901-00A-L1					


No Tooth Offset



Flared Blade

K5-2190-47F	mm	90	21	1.19	1.19
	in	3.54	0.83	0.047	0.047
Substitute for DePuy® Synthes® 05.002.302S, 05.003.124S; Zimmer® Biomet® 21-0901-19A-V1					

No Tooth Offset




Flared Blade

Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating
BR2000™ (Aggressive Cut) - Proprietary - (K5 Series - Zimmer® Biomet®)

Compatible with DePuy® Synthes® Large Bone Oscillating Saw Systems: Air Power Line, Battery Power Line, Compact Air Drive & Trauma Recon System (TRS) Sagittal Saw; Zimmer® Biomet® Large Bone Oscillating Saw System: Universal

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
K5-2190-50F	mm	90	21	1.27	1.27
	in	3.54	0.83	0.050	0.050
Substitute for DePuy® Synthes® 05.002.303S, 05.003.126S; Zimmer® Biomet® 21-0901-27A-V1					


No Tooth Offset



Flared Blade

K5-2190-54F	mm	90	21	1.37	1.37
	in	3.54	0.83	0.054	0.054
Substitute for DePuy® Synthes® 05.002.304S, 05.003.127S; Substitute for Zimmer® Biomet® 21-0901-37A-V1					


No Tooth Offset



Flared Blade


K5-2590-35	mm	90	25	0.89	0.89
	in	3.54	0.98	0.035	0.035
Substitute for DePuy® Synthes® 05.002.101S, 05.003.130S; Zimmer® Biomet® 25-0900-89A-F1					

No Tooth Offset







K5-2590-39	mm	90	25	0.99	0.99
	in	3.54	0.98	0.039	0.039
Substitute for DePuy® Synthes® 05.002.106S, 05.003.132S; Zimmer® Biomet® 25-0901-00A-F1					

No Tooth Offset




Brasseler USA® Large Bone Saw Blades - Sagittal/Oscillating
BR2000™ (Aggressive Cut) - Proprietary - (K5 Series - Zimmer® Biomet®)

Compatible with DePuy® Synthes® Large Bone Oscillating Saw Systems: Air Power Line, Battery Power Line, Compact Air Drive & Trauma Recon System (TRS) Sagittal Saw; Zimmer® Biomet® Large Bone Oscillating Saw System: Universal

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
K5-2590-47	mm	90	25	1.19	1.19
	in	3.54	0.98	0.047	0.047
Substitute for DePuy® Synthes® 05.002.102S, 05.003.134S; Zimmer® Biomet® 25-0901-19A-B1, 25-0901-19A-F1, 25-0901-19A-G1					
					*No Tooth Offset*
K5-2590-50	mm	90	25	1.27	1.27
	in	3.54	0.98	0.050	0.050
Substitute for DePuy® Synthes® 05.002.103S, 05.003.136S; Zimmer® Biomet® 25-0901-27A-B1, 25-0901-27A-F1, 25-0901-27A-G1					
					*No Tooth Offset*
K5-2590-54	mm	90	25	1.37	1.37
	in	3.54	0.98	0.054	0.054
Substitute for DePuy® Synthes® 05.002.104S, 05.003.137S; Zimmer® Biomet® 25-0901-37A-B1, 25-0901-37A-G1					
					*No Tooth Offset*
K5-2590-58	mm	90	25	1.47	1.47
	in	3.54	0.98	0.058	0.058
Substitute for DePuy® Synthes® 05.002.105S, 05.003.139S; Zimmer® Biomet® 25-0901-47A-B1					
					*No Tooth Offset*

Brasseler USA® Large Bone Saw Blades - Reciprocating Replacements - Zimmer® Biomet®

Compatible with Zimmer® Biomet® Reciprocating Saw System: Universal


Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
ZB12-0761-00U-R1	mm	70	12.5	0.61	0.90
	in	2.76	0.49	0.024	0.035
Replaces 12-0761-00U-R1					
				*Tooth Offset* *Sterile* *Double-Sided*	
ZB12-0901-19U-R1	mm	89.4	12.2	0.90	1.14
	in	3.52	0.48	0.035	0.045
Replaces 12-0901-19U-R1					
				*Tooth Offset* *Sterile* *Single-Sided*	

Brasseler USA® Orthopaedic Pin / Drill Packs – Replacements - Zimmer® Biomet®

Compatible with Zimmer® Biomet® Knee Instrumentation Systems




Fabricated from 17-4 stainless steel.

Order Number	Product Description	Diameter		Length		Packaging
		in	mm	in	mm	
ZB00-5901-020-00	Headless Drill Pin (Hex End & Trocar Point)	1/8	3.2	2.95	75.0	4 Pins Individually Sterile Packaged Per Box
Replaces 00-5901-020-00						



Items not shown at actual size.





Table of Contents

High Speed Burs		
	Compatible with High Speed Drill Systems: Stryker® CORE & TPS™; ConMed® Linvatec® UltraPower®; Medtronic® Midas Rex® Classic I & II	324 - 328
Sternum Saw Blades		
	Compatible with Codman® Sternum Saw Systems	329
	Compatible with Terumo® Sarns™ Sternal Saw II	330

Codman® is a registered trademark of DePuy Synthes, Inc., a Johnson & Johnson Company, or its affiliates.
ConMed®, Linvatec® and UltraPower® are registered trademarks of CONMED Corporation or its affiliates.
CORE, Stryker® and TPS™ are trademarks of Stryker Corporation or its affiliates.
Medtronic® and Midas Rex® are registered trademarks of Medtronic, Inc., or its affiliates.
Sarns™ and Terumo® are trademarks of Terumo Cardiovascular Systems Corporation or its affiliates.
Brasseler USA® is a registered trademark of Peter Brasseler Holdings, LLC, or its affiliates.





Brasseler USA® High Speed Burs - 3.16mm Stryker® CORE & TPS™ Shank Replacements - Stryker®, ConMed® Linvatec® & Medtronic® Midas Rex®

Compatible with High Speed Drill Systems: Stryker® CORE & TPS™; ConMed® Linvatec® UltraPower®; Medtronic® Midas Rex® Classic I & II

Order Number	Description	Unit	Head Diameter	Head Length
KM-M8U	Match Head	mm	2.9	3.8
		in	0.11	0.15
Replaces ConMed® Linvatec® 7021-237 *Replaces Medtronic® Midas Rex® M-8* *Replaces Stryker® 5120-107-30, 5220-107-30, 5420-107-30*				
				
KM-AM8U	Match Head	mm	2.9	3.8
		in	0.11	0.15
Replaces ConMed® Linvatec® 7021-337 *Replaces Medtronic® Midas Rex® AM-8* *Replaces Stryker® 5130-107-30, 5230-107-30, 5430-107-30*				
				
KM-M51U	Metal Cutter (Diamond Wheel)	mm	25.4	0.8
		in	1.00	0.03
Replaces ConMed® Linvatec® 7021-292 *Replaces Medtronic® Midas Rex® M-51* *Replaces Stryker® 5120-130-250*				
 				
KM-M52U	Metal Cutter (Carbide)	mm	3.1	17.5
		in	0.12	0.69
Replaces ConMed® Linvatec® 7021-294 *Replaces Medtronic® Midas Rex® M-52* *Replaces Stryker® 5120-80-30, 5420-80-30*				
				





Brasseler USA® High Speed Burs - 3.16mm Stryker® CORE & TPS™ Shank Replacements - Stryker®, ConMed® Linvatec® & Medtronic® Midas Rex®

Compatible with High Speed Drill Systems: Stryker® CORE & TPS™; ConMed® Linvatec® UltraPower®; Medtronic® Midas Rex® Classic I & II

Order Number	Description	Unit	Head Diameter	Head Length
KM-U295	Oval	mm	4.0	8.0
		in	0.16	0.31
Replaces ConMed® Linvatec® 7021-295 *Replaces Medtronic® Midas Rex® N/A* *Replaces Stryker® 5120-15-140*				
				
KM5110-15-40	Oval	mm	4.0	9.5
		in	0.16	0.37
Replaces ConMed® Linvatec® N/A *Replaces Medtronic® Midas Rex® N/A* *Replaces Stryker® 5110-15-40*				
				
KM-M340DU	Round Diamond	mm	4.0	4.0
		in	0.16	0.16
Replaces ConMed® Linvatec® 7021-264 *Replaces Medtronic® Midas Rex® M-340D* *Replaces Stryker® 5120-12-40*				
				
KM-M330U	Round Fluted	mm	3.0	3.0
		in	0.12	0.12
Replaces ConMed® Linvatec® 7021-226 *Replaces Medtronic® Midas Rex® M-330* *Replaces Stryker® 5120-10-30, 5220-10-30*				
				





Brasseler USA® High Speed Burs - 3.16mm Stryker® CORE & TPS™ Shank Replacements - Stryker®, ConMed® Linvatec® & Medtronic® Midas Rex®

Compatible with High Speed Drill Systems: Stryker® CORE & TPS™; ConMed® Linvatec® UltraPower®; Medtronic® Midas Rex® Classic I & II

Order Number	Description	Unit	Head Diameter	Head Length
KM5120-10-230	Round Fluted Extended Length	mm	3.0	3.0
		in	0.12	0.12
Replaces ConMed® Linvatec® N/A *Replaces Medtronic® Midas Rex® N/A* *Replaces Stryker® 5120-10-230, 5220-10-230*				
				
KM-M340U	Round Fluted	mm	4.0	4.0
		in	0.16	0.16
Replaces ConMed® Linvatec® 7021-227 *Replaces Medtronic® Midas Rex® M-340* *Replaces Stryker® 5120-10-40, 5220-10-40*				
				
KM5120-10-240	Round Fluted Extended Length	mm	4.0	4.0
		in	0.16	0.16
Replaces ConMed® Linvatec® N/A *Replaces Medtronic® Midas Rex® N/A* *Replaces Stryker® 5120-10-240, 5220-10-240*				
				
KM-M35U	Round Fluted	mm	5.0	5.0
		in	0.20	0.20
Replaces ConMed® Linvatec® 7021-228 *Replaces Medtronic®Midas Rex® M-35* *Replaces Stryker® 5120-10-50, 5220-10-50, 5420-10-50*				
				



Brasseler USA® High Speed Burs - 3.16mm Stryker® CORE & TPS™ Shank Replacements - Stryker®, ConMed® Linvatec® & Medtronic® Midas Rex®

Compatible with High Speed Drill Systems: Stryker® CORE & TPS™; ConMed® Linvatec® UltraPower®; Medtronic® Midas Rex® Classic I & II

Order Number	Description	Unit	Head Diameter	Head Length
KM-M33U	Round Fluted	mm	6.0	6.0
		in	0.24	0.24
Replaces ConMed® Linvatec® 7021-229 *Replaces Medtronic® Midas Rex® M-33* *Replaces Stryker® 5120-10-60, 5220-10-60*				
				
KM-AM330U	Round Fluted	mm	3.0	3.0
		in	0.12	0.12
Replaces ConMed® Linvatec® 7021-326 *Replaces Medtronic® Midas Rex® AM-330* *Replaces Stryker® 5130-10-30, 5230-10-30*				
				
KM5130-10-240	Round Fluted Extended Length	mm	4.0	4.0
		in	0.16	0.16
Replaces ConMed® Linvatec® N/A *Replaces Medtronic® Midas Rex® N/A* *Replaces Stryker® 5130-10-240, 5230-10-240*				
				
KM-AM35U	Round Fluted	mm	5.0	5.0
		in	0.20	0.20
Replaces ConMed® Linvatec® 7021-328 *Replaces Medtronic® Midas Rex® AM-35* *Replaces Stryker® 5130-10-50, 5230-10-50, 5430-10-50*				
				


Brasseler USA® High Speed Burs - 3.16mm Stryker® CORE & TPS™ Shank Replacements - Stryker®, ConMed® Linvatec® & Medtronic® Midas Rex®

Compatible with High Speed Drill Systems: Stryker® CORE & TPS™; ConMed® Linvatec® UltraPower®; Medtronic® Midas Rex® Classic I & II

Order Number	Description	Unit	Head Diameter	Head Length
KM5130-10-250	Round Fluted Extended Length	mm	5.0	5.0
		in	0.20	0.20
Replaces ConMed® Linvatec® N/A *Replaces Medtronic® Midas Rex® N/A* *Replaces Stryker® 5130-10-250, 5230-10-250*				
				
KM-AM32U	Round Fluted	mm	7.6	7.6
		in	0.30	0.30
Replaces ConMed® Linvatec® 7021-331 *Replaces Medtronic® Midas Rex® AM-32* *Replaces Stryker® 5130-10-75, 5230-10-75*				
				



Brasseler USA® Sternum Saw Blades - Replacements - Codman®

Compatible with Codman® Sternum Saw Systems

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM-7010	mm	34	9.4	0.89	1.20
	in	1.34	0.37	0.035	0.047
Replaces 26-7010					
					*Sterile*

Brasseler USA® Sternum Saw Blades - Replacements - Terumo®

Compatible with Sarns™ Sternal Saw II

Order Number	Unit	Length	Width	Material Thickness	Cut Thickness
KM-278	mm	32	6.4	0.79	1.02
	in	1.26	0.25	0.031	0.040
Replaces 5589					
					*Sterile*
KM-278N	mm	32	6.4	0.79	1.02
	in	1.26	0.25	0.031	0.040
Replaces 5756					
					*Non-Sterile*

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
03-C0312	5091-154 5091-254 5091-54 M40S	5607-28	ZB-154	5300-10-925	N/A	67, 263
03-C0901	5091-136 5091-236 5091-36 M40B	5607-25	ZB-136	5300-10-901	N/A	61, 257
03-C0905	5091-138 5091-238 5091-38 M55B	5607-26	ZB-138	5300-10-903	N/A	61, 257
03-D0135	5091-164 5091-264 5091-64 M40D	5607-30	ZB-164	5300-10-307	N/A	68, 264
04-C0101	5091-120 5091-20 5091-220 5091-122	5607-17	ZB-121	N/A	N/A	62, 258
04-C0103	5091-122 5091-22 5091-222 M15R	5607-18	ZB-122	5300-10-503	N/A	62, 258
04-C0104	5091-121 5091-21 5091-221 M18R	5607-06	ZB-75	5300-10-504	N/A	62, 258
04-C0105	5091-124 5091-224 5091-24 M20R	5607-19	ZB-124	5300-10-505	N/A	62, 258
04-C0106	5091-123 5091-125 5091-223 5091-225 5091-23 5091-25 M23R M24R	5607-01 5607-20	ZB-070 ZB-125 ZB-70	5300-10-506 5300-10-507	N/A	62, 258
04-C0107	5091-126 5091-226 5091-26 M30R	5607-21	ZB-126	5300-10-509	N/A	62, 258
04-C0108	5091-128 5091-228 5091-28 M40R	5605-07 5607-22	ZB-128	5300-10-511	N/A	63, 259
04-C0109	5091-130 5091-230 5091-30 M50R	5607-23	ZB-130	5300-10-513	N/A	63, 259
04-C0110	M60R	N/A	N/A	N/A	N/A	63, 259
04-C0170	5091-132 5091-232 5091-32 M65R	5607-24	ZB-132	5300-10-516	N/A	63, 259

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
04-C0302	5091-01 5091-101 5091-201 M10S	5607-10	ZB-101	5300-10-210	N/A	67, 263
04-C0306	5091-04 5091-104 5091-204 M15S	5607-13	ZB-104	5300-10-214	N/A	67, 263
04-C0307	5091-117 5091-17 5091-217 M17S	5607-02	ZB-071	5300-10-216	N/A	67, 263
04-C0601	5091-115 5091-15 5091-215	N/A	N/A	N/A	N/A	65, 261
04-C0606	M12T	N/A	ZB-72	N/A	N/A	65, 261
04-C0607	5091-118 5091-18 5091-218		ZB-73	5300-10-710	N/A	66, 262
04-C0609	5091-02 5091-102 5091-202 M15T	5607-11	ZB-102	5300-10-708	N/A	66, 262
04-C0612	5091-113 5091-13 5091-213 M18T	5607-05	ZB-74	5300-10-719	N/A	66, 262
04-C0615	N/A	N/A	N/A	5300-10-718	N/A	66, 262
04-C0617	5091-06 5091-106 5091-206 M27T	5607-14	ZB-106	5300-10-714	N/A	66, 262
04-C0623	N/A	N/A	N/A	5300-10-704	N/A	66, 262
04-D0133	5091-162 5091-262 5091-62 5091-160	N/A	N/A	N/A	N/A	68, 264
04-D0139	5091-160 5091-260 5091-60 M20D	5607-29	ZB-160	5300-10-303	N/A	68, 264
04-S1501	N/A	5607-39	ZB-192	N/A	N/A	70, 266
04-S1701	5091-147 5091-247 5091-47 M10W	5606-66	ZB-147	5300-10-59	N/A	71, 267
04-S1703	5091-148 5091-248 5091-48 M15W	5606-67	ZB-148	5300-10-63	N/A	71, 267
04-S1704	5091-149 5091-249 5091-49 M20W	5608-69	ZB-149	5300-10-71	N/A	71, 267
06-C0619	5091-114 5091-14 5091-214 M20T	5607-16	ZB-114	5300-10-716	N/A	66, 262

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
06-S1601	5091-142 5091-242 5091-42 M20F	5608-62	ZB-142	5300-10-131	N/A	70, 266
07-S1602	5091-143 5091-243 5091-43 M30F	5608-63	ZB-143	5300-10-133	N/A	70, 266
07-S1605	5091-144 5091-244 5091-44 M40F	5608-64	ZB-144	5300-10-135	N/A	71, 267
08-S1802	5091-112 5091-12 5091-212 L17L	5607-15 5607-40	ZB-112 ZB-200	5300-10-41	N/A	69, 265
09-C0109	5092-130 5092-230 5092-30 L50R	5607-50	ZB-230	5300-20-513	N/A	63, 259
09-C0110	L60R	5607-51	N/A	5300-20-516	N/A	63, 259
09-C0170	5092-132 5092-232 5092-32 L65R	N/A	ZB-232	N/A	N/A	64, 260
09-C0901	5092-136 5092-236 5092-36 L40B	5607-52	ZB-236	5300-20-901	N/A	61, 257
09-C0905	5092-138 5092-238 5092-38 L55B	5607-53	ZB-238	5300-20-903	N/A	61, 257
09-D0135	5092-164 5092-264 5092-64 L40D L60D	5607-58	ZB-264	5300-20-307	N/A	68, 264
09-D0138	5092-168 5092-268 5092-68	5607-60	ZB-268	5300-20-311	N/A	69, 265
09-D0141	5092-166 5092-266 5092-66 L50D	5607-59	ZB-266	5300-20-309	N/A	69, 265
09-S0115	N/A	N/A	N/A	N/A	N/A	70, 266
09-S0120	N/A	N/A	N/A	N/A	N/A	70, 266
09-S0151	N/A	N/A	N/A	N/A	N/A	69, 265
10-C0101	5092-120 5092-20 5092-220 L10R	5607-45	ZB-220	5300-20-501	N/A	64, 260
10-C0103	5092-122 5092-22 5092-222 L15R	5607-46	ZB-222	5300-20-503	N/A	64, 260

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
10-C0105	5092-124 5092-224 5092-24 L20R	5607-47	ZB-224	5300-20-505	N/A	64, 260
10-C0107	5092-126 5092-226 5092-26 L30R	5607-48	ZB-226	5300-20-509	N/A	64, 260
10-C0108	5092-128 5092-228 5092-28 L40R	5607-49	ZB-228	5300-20-511	N/A	64, 260
10-C0306	5092-04 5092-104 5092-204 L13S L17S	5607-42	ZB-204	5300-20-214	N/A	68, 264
10-C0310	5092-152 5092-252 5092-52 L20S	5607-54	ZB-252	5300-20-921	N/A	68, 264
10-C0617	5092-06 5092-106 5092-206 L27T	5607-43	ZB-206	5300-20-714	N/A	67, 263
10-D0133	5092-162 5092-262 5092-62 L30D	5607-57	ZB-262	5300-20-305	N/A	69, 265
10-D0139	5092-160 5092-260 5092-60 L20D	5607-56	ZB-260	5300-20-303	N/A	69, 265
11-C0619	5092-114 5092-14 5092-214 L20T	5607-44	ZB-214	5300-20-716	N/A	67, 263
12-C0105	5093-124 5093-224 5093-24 X20R	5607-64	ZB-324	5300-30-505	N/A	65, 261
12-C0108	5093-128 5093-228 5093-28 X40R	5607-66	ZB-328	5300-30-511	N/A	65, 261
12-C0109	5093-130 5093-230 5093-30 X50R	5607-67	ZB-330	5300-30-513	N/A	65, 261
12-C0901	5093-136 5093-236 5093-36 X40B	5607-68	ZB-336	5300-30-901	N/A	61, 257
12-C0905	5093-138 5093-238 5093-38 X55B	5607-69	ZB-338	5300-30-903	N/A	61, 257
12-S0153	N/A	N/A	N/A	N/A	N/A	70, 266

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
14-C0104	N/A	5605-79	K-75	277010418 277-010-418 277-10-418	N/A	188
14-C0105	N/A	N/A	N/A	277010225 277-010-225 277-10-225	N/A	188
14-C0106	N/A	5605-74	K-70	277010423 277-010-423 277-10-423	N/A	188
14-C0107	N/A	N/A	N/A	277010230 277-010-230 277-10-230	N/A	189
14-C0108	N/A	N/A	N/A	277010240 277-010-240 277-10-240	N/A	189
14-C0109	N/A	N/A	N/A	27710250 277010250 277-010-250 277-10-250	N/A	189
14-C0110	N/A	N/A	N/A	N/A	N/A	189
14-C0308	N/A	5605-75	K-71	1607002103 1607-002-103 1607-2-103	N/A	190
14-C0405	N/A	N/A	K-77	N/A	N/A	190
14-C0606	N/A	5605-76	K-72	27701021 2277-010-212 277-10-212	N/A	190
14-C0608	N/A	5605-77	K-73	277010216 277-010-216 277-10-216	N/A	190
14-C0616	N/A	5605-78	K-74	277010221 277-010-221 277-10-221	N/A	190
14-C0901	N/A	N/A	N/A	277010062 277-010-062 277-10-62	N/A	188
14-C0905	N/A	N/A	N/A	N/A	N/A	188
14-S0201	N/A	N/A	K-29	1607002057 1607-002-057 1607-2-57	N/A	192
14-S0402	N/A	5605-15	K-01	1607002001 1607-002-001 1607-2-1	N/A	191
14-S0903	N/A	5605-16	K-02	1607002035 1607-002-035 1607-2-35	N/A	193
14-S0909	N/A	5605-17	K-03	1607002003 1607-002-003 1607-2-3	N/A	193
14-S1201	N/A	5605-18	K-04	1607002005 1607-002-005 1607-2-5	N/A	194
15-S1101	N/A	5605-21	K-08	1607002047 1607-002-047 1607-2-47	N/A	192
16-C0107	N/A	N/A	N/A	N/A	N/A	189
16-C0108	N/A	N/A	N/A	N/A	N/A	189
16-C0901	N/A	N/A	N/A	N/A	N/A	188

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
16-D0130	N/A	5605-52	K-42	1608006087 1608-006-087 1608-6-87	N/A	190
16-D0131	N/A	5605-53	K-43	1608006089 1608-006-089 1608-6-89	N/A	191
16-D0132	N/A	5605-54	K-44	1608006091 1608-006-091 1608-6-91	N/A	191
16-D0134	N/A	5605-55	K-45	1608006093 1608-006-093 1608-6-93	N/A	191
16-D0135	N/A	5605-56	K-46	1608006095 1608-006-095 1608-6-95	N/A	191
16-D0137	N/A	5605-58	K-48	1608006099 1608-006-099 1608-6-99	N/A	191
16-S0103	N/A	5605-22	K-09	1608002007 1608-002-007 1608-2-7	N/A	194
16-S0106	N/A	5605-59	K-50	1608006147 1608-006-147 1608-6-147	N/A	194
16-S0107	N/A	5605-60	K-51	1608006149 1608-006-149 1608-6-149	N/A	195
16-S0108	N/A	5605-62	K-53	1608006137 1608-006-137 1608-6-137	N/A	195
16-S0109	N/A	5605-65	K-56	1608006141 1608-006-141 1608-6-141	N/A	196
16-S0110	N/A	5605-66	K-57	1608006143 1608-006-143 1608-6-143	N/A	196
16-S0115	N/A	5605-23	K-10	1608002009 1608-002-009 1608-2-9	N/A	194
16-S0116	N/A	5605-72	K-64	1608006163 1608-006-163 1608-6-163	N/A	195
16-S0117	N/A	5605-24	K-11	1608002011 1608-002-011 1608-2-11	N/A	195
16-S0118	N/A	5605-73	K-65	1608006165 1608-006-165 1608-6-165	N/A	196
16-S0119	N/A	5605-61	K-52	1608006151 1608-006-151 1608-6-151	N/A	195
16-S0120	N/A	5605-25	K-12	1608002055 1608-002-055 1608-2-55	N/A	195
16-S0121	N/A	5605-63	K-54	1608006153 1608-006-153 1608-6-153	N/A	196

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
16-S0122	N/A	5605-64	K-55	1608006139 1608-006-139 1608-6-139	N/A	196
16-S0123	N/A	5605-26	K-13	1608002013 1608-002-013 1608-2-13	N/A	196
16-S0126	N/A	5605-67	K-58	1608006145 1608-006-145 1608-6-145	N/A	197
16-S0402	N/A	5605-44	K-33	1608002001 1608-002-001 1608-2-1	N/A	192
16-S0621	N/A	5605-33	K-20	1608006167 1608-006-167 1608-6-167	N/A	197
16-S0903	N/A	5605-49	K-38	1608002035 1608-002-035 1608-2-35	N/A	193
16-S0909	N/A	5605-45	K-34	1608002003 1608-002-003 1608-2-3	N/A	194
16-S1201	N/A	5605-46	K-35	1608002005 1608-002-005 1608-2-5	N/A	194
16-S1401	N/A	5605-43	K-32	1608002101 1608-002-101 1608-2-101	N/A	197
16-S1601	N/A	5605-39	K-26	1608002131 1608-002-131 1608-2-131	N/A	197
16-S1702	N/A	5605-30	K-17	1608002071 1608-002-071 1608-2-71	N/A	198
16-S1801	N/A	5605-34	K-21	1608002021 1608-002-021 1608-2-21	N/A	192
16-S1805	N/A	N/A	N/A	N/A	N/A	192
16-S1806	N/A	N/A	N/A	N/A	N/A	192
17-S1602	N/A	5605-40	K-27	1608002133 1608-002-133 1608-2-133	N/A	192
17-S1603	N/A	5605-41	K-28	1608002135 1608-002-135 1608-2-135	N/A	197
18-S1701	N/A	5605-29	K-16	1608002063 1608-002-063 1608-2-63	N/A	198
18-S1703	N/A	5605-31	K-18	1608002059 1608-002-059 1608-2-59	N/A	198
19-416	7020-046	N/A	N/A	N/A	N/A	113
19-909	N/A	N/A	N/A	N/A	N/A	113
19-S1705	N/A	5605-32	K-19	1608002061 1608-002-061 1608-2-61	N/A	198
19-S1802	N/A	5605-35	K-22	1608002043 1608-002-043 1608-2-43	N/A	193

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
22-S1808	N/A	N/A	N/A	N/A	N/A	193
23-S1809	N/A	N/A	N/A	N/A	N/A	193
70-C0108	5056-119 5056-19	5609-03	ZB-619	5301-10-119 5330-40-119	N/A	268
70-C0109	5056-118 5056-18	5609-02	ZB-618	5301-10-118 5330-50-118	N/A	268
70-C0170	5056-117 5056-17	5609-01	ZB-617	5301-10-117 5330-65-117	N/A	268
71-C0107	5056-128 5056-28	5609-07	ZB-628	5301-10-128 5338-30-128	N/A	268
71-C0108	5056-127 5056-27	5609-06	ZB-627	5301-10-127 5338-40-127	N/A	268
71-C0109	5056-126 5056-26	5609-05	ZB-626	5301-10-126 5338-50-126	N/A	268
71-C0170	5056-125 5056-25	5609-04	ZB-625	5301-10-125 5338-65-125	N/A	269
71-D0135	5056-148 5056-48	5609-14	ZB-648	5301-10-148 5338-40-148	N/A	270
71-D0141	5056-147 5056-150 5056-47 5056-50	5609-13	ZB-647	5301-10-147 5338-50-147	N/A	270
72-C0107	5056-146 5056-46	5609-12	ZB-646	5301-10-146 5348-30-146	N/A	269
72-C0108	5056-145 5056-45	5609-11	ZB-645	5301-10-145 5348-40-145	N/A	269
72-D0133	5056-159 5056-59	5609-18	ZB-659	5301-10-159 5348-30-159	N/A	270
72-D0135	5056-152 5056-52	5609-16	ZB-652	5301-10-152 5348-40-152	N/A	270
72-D0141	5056-150 5056-50	5609-15	ZB-650	5301-10-150 5348-50-150	N/A	270
75-D0128	5056-158 5056-58	5609-17	ZB-658	5301-10-158 5348-10-158	N/A	271
75-D0139	5056-162 5056-62	5609-21	ZB-662	5301-10-162 5348-20-162	N/A	271
75-D0142	5056-161 5056-61	5609-20	ZB-661	5301-10-161 5348-5-161	N/A	271
75-D0143	5056-160 5056-60	5609-19	ZB-660	5301-10-160 5348-7-160	N/A	271
75-S0101	5056-164 5056-64	5609-23	ZB-664	5301-10-164 5348-10-164	N/A	269
75-S0148	5056-166 5056-66	5609-25	ZB-666	5301-10-166 5348-5-166	N/A	269
75-S0150	5056-140 5056-40	5609-08	ZB-640	5301-10-140 5348-15-140	N/A	269
75-S0151	5056-142 5056-42	5609-09	ZB-642	5301-10-142 5348-20-142	N/A	270
BMA-S90006S	N/A	249095 249095000 2490-95 2490-95-000	N/A	N/A	N/A	108, 295
BMA-S90007S	N/A	86-4192 864192	N/A	N/A	N/A	108, 295

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
BMA-S90008S	N/A	N/A	N/A	76501038 76502038 7650-1038 7650-2038	N/A	109, 165
BMA-S90010S	N/A	N/A	N/A	76501038A 7650-1038A 76502038A 7650-2038A	N/A	109, 165
BMA-S90012S	N/A	N/A	N/A	65414003 6541004003 6541-004-003 6541-4-003	N/A	109, 165
BR11-2212	N/A	5627-82 5627-82-000	N/A	N/A	112212 11-2212 25090127SG1 25-0901-27S-G1 25090127TG1 25-0901-27T-G1 25090127YF1 25-0901-27Y-F1	161
BR11-2214	N/A	5627-44-00	N/A	N/A	112214 11-2214 13060089SF1 13-0600-89S-F1 13060089TF1 13-0600-89T-F1 13060089YF1 13-0600-89Y-F1	161
BR11-2220	N/A	N/A	N/A	N/A	112220 11-2220 25090147SB1 25-0901-47S-B1 25090147TB1 25-0901-47T-B1 25090147YB1 25-0901-47Y-B1	161
BR11-2222	N/A	N/A	N/A	N/A	112222 11-2222 25090127SB1 25-0901-27S-B1 25090127TB1 25-0901-27T-B1 25090127YB1 25-0901-27Y-B1	161
BR11-2325	N/A	N/A	N/A	N/A	112325 11-2325 13090127SF1 13-0901-27S-F1 13090127TF1 13-0901-27T-F1 13090127YF1 13-0901-27Y-F1	162

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
BR11-2608	N/A	562787 562787000 5627-87 5627-87-000	N/A	621312770 6213127070 6213-127-070 6213-127-70	112608 11-2608 13070127SL1 13-0701-27S-L1 13070127TL1 13-0701-27T-L1 13070127YL1 13-0701-27Y-L1	162
BR1-1290-35	STK13008990 STK130-089-90	562744 562744000 5627-44 5627-44-000	N/A	21081526 61138990 611308990 611389090 2108152006 6113089090 2108-152-006 2108-152-6 6113-089-090 6113-089-90 6113-89-090 6113-89-90	113663 506090 11-3663 13090089SF1 13-0900-89S-F1 13090089TF1 13-0900-89T-F1 13090089YF1 13-0900-89Y-F1	79, 138
BR1-1290-39	STK13010090 STK130-100-90	N/A	N/A	61139790 611309790 611397090 6113097090 6113-097-090 6113-097-90 6113-97-090 6113-97-90	113706 11-3706 12509099SS 13090100SF1 13-0901-00S-F1 13090100TF1 13-0901-00T-F1 13090100YF1 13-0901-00Y-F1	79, 138
BR1-1290-47	STK13011990 STK130-119-90	562711500 5627-11-500 5627-50 5627-11-50	SO-6352 SO6352	2108352 611311990 2108352000 6113119090 2108-352 2108-352-000 6113-119-090 6113-119-90	113704 11-3704 125090119SS 13090119ST1 13-0901-19S-T1 13090119TF1 13-0901-19T-F1 13090119YF1 13-0901-19Y-F1	79, 138
BR1-1290-50	STK13012790 STK130-127-90	N/A	SO-6356 SO6356	2108356 611312790 2108356000 6113127090 2108-356 2108-356-000 6113-127-090 6113-127-90	N/A	79, 138
BR1-1290-54	STK13013790 STK130-137-90	N/A	SO-6580 SO6580	611313790 6113137090 6113-137-090 6113-137-90	13090137SF1 13-0901-37S-F1 13090137TF1 13-0901-37T-F1 13090137YF1 13-0901-37Y-F1	80, 139
BR1-19100-47	STK190119105 STK190-119-105	N/A	N/A	6118119100 6118-119-100	19100119YG1 19-1001-19Y-G1	81, 140

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
BR1-19100-50	STK190127105 STK190-127-105	N/A	SO-685 SO685	2108385 21081851 21081852 2108185001 2108185002 2108385000 6118127100 2108-185-001 2108-185-002 2108-185-1 2108-185-2 2108-385 2108-385-000 6118-127-100	19100127YG1 19-1001-27Y-G1	81, 140
BR1-19100-54	N/A	N/A	N/A	6118137100 6118-137-100	516061	82, 142
BR1-19110-50	N/A	N/A	N/A	6118127110 6118-127-110	112216 113205 11-2216 11-3205 190110127SS 19110127YG1 19-1101-27Y-G1	81, 140
BR1-1990-35	STK19008990 STK190-089-90	N/A	SO-6309 SO6309	21081091 61188990 611808990 611889090 2108109001 6118089090 2108-109-001 2108-109-1 6118-089-090 6118-089-90 6118-89-090 6118-89-90	113453 113697 11-3453 11-3697 19090089SF1 19-0900-89S-F1 19090089TF1 19-0900-89T-F1 19090089YF1 19-0900-89Y-F1	80, 139
BR1-1990-39	STK19010090 STK190-100-90	N/A	N/A	61189790 611809790 611897090 6118097090 6118-097-090 6118-097-90 6118-97-090 6118-97-90	112853 113696 11-2853 11-3696 19090100SF1 19-0901-00S-F1 19090100TF1 19-0901-00T-F1 19090100YF1 19-0901-00Y-F1	80, 139
BR1-1990-47	STK19011990 STK190-119-90	N/A	N/A	611811990 6118119090 6118-119-090 6118-119-90	113110 113255 113693 113694 11-3110 11-3255 11-3693 11-3694 19090119SG1 19-0901-19S-G1 19090119TG1 19-0901-19T-G1 19090119YG1 19-0901-19Y-G1	80, 139

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
BR1-1990-50	STK19012790 STK190-127-90	N/A	SO-682 SO682	2108382 21081094 21081826 611812790 2108109004 2108182006 2108382000 6118127090 2108-109-004 2108-109-4 2108-182-006 2108-182-6 2108-382 2108-382-000 6118-127-090 6118-127-90	112210 113254 11-2210 113676 113692 113695 11-3254 11-3676 11-3692 11-3695 190090127SS 19090127SG1 19-0901-27S-G1 19090127TG1 19-0901-27T-G1 19090127YG1 19-0901-27Y-G1	81, 140
BR1-1990-54	STK19013790 STK190-137-90	N/A	N/A	611813790 6118137090 6118-137-090 6118-137-90	113690 113691 11-3690 11-3691 19090137SG1 19-0901-37S-G1 19090137TG1 19-0901-37T-G1 19090137YG1 19-0901-37Y-G1	82, 141
BR1-2190-39F	STK19310090 STK193-100-90	N/A	N/A	622110090 6221100090 6221-100-090 6221-100-90	112787 113702 11-2787 11-3702 21090100SL1 21-0901-00S-L1 21090100TL1 21-0901-00T-L1 21090100YL1 21-0901-00YL1	82, 141
BR1-2190-47F	STK19311990 STK193-119-90	562710651 56271055 5627-10-55 5627-10-651	N/A	622111990 4221120085 6221119090 4221-120-085 6221-119-090 6221-119-90	112714 113291 113671 113701 11-2714 11-3291 11-3671 11-3701 21090119SV1 21-0901-19S-V1 21090119TV1 21-0901-19T-V1 21090119YV1 21-0901-19Y-V1	82, 141

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
BR1-2190-50F	STK19312790 STK193-127-90	N/A	N/A	21083821 21083823 210838201 210838203 622112790 2108382001 2108382003 6221127090 2108-382-001 2108-382-003 2108-382-01 2108-382-03 2108-382-1 2108-382-3 6221-127-090 6221-127-90	112721 113290 113658 113700 11-2721 11-3290 11-3658 11-3700 21090127SV1 21-0901-27S-V1 21090127TV1 21-0901-27T-V1 21090127YV1 21-0901-27Y-V1	83, 142
BR1-2190-54F	STK19313790 STK193-137-90	N/A	SO-6380 SO6380	21083822 210838202 622113790 2108382002 6221137090 2108-382-002 2108-382-02 2108-382-2 6221-137-090 6221-137-90	112735 113289 113672 113699 11-2735 506096 11-3289 11-3672 11-3699 21090137SV1 21-0901-37S-V1 21090137TV1 21-0901-37T-V1 21090137YV1 21-0901-37Y-V1	142
BR1-25100-50	N/A	N/A	SO-718 SO718	2108328 21081101 21081104 2108110001 2108110004 2108328000 6125127100 2108-110-001 2108-110-004 2108-110-1 2108-110-4 2108-328 2108-328-000 6125-127-100	N/A	85, 144

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
BR1-2590-35	STK25008990 STK250-089-90	562743 56274360 562743000 5627-43 5627-43-00 5627-43-000 5627-43-60	SO-6302 SO6302	2108302 21081023 21081028 61258990 612508990 612589090 2108102003 2108102008 2108302000 6125089090 2108-102-003 2108-102-008 2108-102-3 2108-102-8 2108-302 2108-302-000 6125-089-090 6125-089-90 6125-89-090 6125-89-90	112213 113688 11-2213 11-3688 25090089SF1 25-0900-89S-F1 25090089TF1 25-0900-89T-F1 25090089YF1 25-0900-89Y-F1	83, 142
BR1-2590-39	STK25010090 STK250-100-90	N/A	SO-696 SO696	21083936 61259790 210839306 612509790 612597090 2108393006 6125097090 2108-393-006 2108-393-06 2108-393-6 6125-097-090 6125-097-90 6125-97-090 6125-97-90	113659 11-3659 25090100SF1 25-0901-00S-F1 25090100TF1 25-0901-00T-F1 25090100YF1 25-0901-00Y-F1	83, 142
BR1-2590-39F	N/A	N/A	N/A	21083935 210839305 2108393005 2108-393-005 2108-393-05 2108-393-5	25090100SL1 25-0901-00S-L1 25090100TL1 25-0901-00T-L1 25090100YL1 25-0901-00Y-L1 254090099SS	84, 143

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
BR1-2590-47	STK25011990 STK250-119-90	562710601 56271050 65271060 562710500 5627-10-50 5627-10-500 5627-10-601 6527-10-60	SO-699 SO699	2108351 21081511 612511990 2108151001 2108351000 6125119090 2108-151-001 2108-151-1 2108-351 2108-351-000 6125-119-090 6125-119-90	112586 113237 113669 113686 11-2586 11-3237 11-3669 11-3686 25090119AGC 25-0901-19A-GC 25090119SB1 25-0901-19S-B1 25090119SF1 25-0901-19S-F1 25090119SG1 25-0901-19S-G1 25090119TB1 25-0901-19T-B1 25090119TF1 25-0901-19T-F1 25090119TG1 25-0901-19T-G1 25090119YB1 25-0901-19Y-B1 25090119YG1 25-0901-19Y-G1	84, 143
BR1-2590-47F	N/A	5627-10-55 6527-10-65	N/A	21083512 210835102 2108351002 2108-351-002 2108-351-02 2108-351-2	25090119SV1 25-0901-19S-V1 25090119TV1 25-0901-19T-V1 25090119YV1 25-0901-19Y-V1 254090119SS	84, 143
BR1-2590-50	STK25012790 STK250-127-90	5627-82-00 5627-82-60	SO-661 SO661	2108377 21081102 21081106 21081621 21083762 210837602 612512790 2108110002 2108110006 2108162001 2108376002 6125127090 2108-110-002 2108-110-006 2108-110-2 2108-110-6 2108-162-001 2108-162-1 2108-376-002 2108-376-02 2108-376-2 2108-377 6125-127-090 6125-127-90	113208 113657 113685 11-3208 11-3657 11-3685 25090127AGC 25-0901-27A-GC 25090127SF1 25-0901-27S-F1 25090127SG1 25-0901-27S-G1 25090127TF1 25-0901-27T-F1 25090127TG1 25-0901-27T-G1 25090127YB1 25-0901-27Y-B1 25090127YF1 25-0901-27Y-F1 25090127YG1 25-0901-27Y-G1	84, 143

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
BR1-2590-50F	N/A	N/A		2108383 2108383000 2108-383 2108-383-000	25090127SV1 25-0901-27S-V1 25090127TV1 25-0901-27T-V1 25090127YV1 25-0901-27Y-V1 254090127SS	85, 144
BR1-2590-54	STK25013790 STK250-137-90	N/A	SO-663 SO663	612513790 6125137090 6125-137-090 6125-137-90	113156 113221 113670 11-3156 11-3221 516051 11-3670 25090127AGC 25-0901-27A-GC 25090137SB1 25-0901-37S-B1 25090137SG1 25-0901-37S-G1 25090137TB1 25-0901-37T-B1 25090137TG1 25-0901-37T-G1 25090137YB 125-0901-37Y-B1 25090137YG1 25-0901-37Y-G1	85, 144
BR1-2590-54F	N/A	N/A	N/A	N/A	25090137SV1 25-0901-37S-V1 25090137TV1 25-0901-37T-V1 25090137YV1 25-0901-37Y-V1	85, 144
BR1-2590-58F	N/A	N/A	N/A	N/A	113684 25090147SV1 25-0901-47S-V1 25090147TV1 25-0901-47T-V1 25090147YV1 25-0901-47Y-V1 254090147SS	86, 145
BR1-3165-39F	N/A	N/A	N/A	N/A	310065099SS	86, 145
BR2108-100	5072-100 5072100	N/A	SO600 SO-600 SO6100 SO6-100	2108100 2108100000 2108-100 2108-100-000	N/A	151
BR2108-102	5072-102 5072102	N/A	SO602 SO-602 SO6102 SO6-102	2108102 2108102000 2108-102 2108-102-000	N/A	151
BR2108-103	5072-103 5072103	N/A	SO603 SO-603 SO6103 SO6-103	2108103 2108103000 2108-103 2108-103-000	N/A	151
BR2108-105	5072-105 5072105	N/A	SO605 SO-605 SO6105 SO6-105	2108105 2108105000 2108-105 2108-105-000	N/A	151

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
BR2108-107-4S1	N/A	N/A	N/A	2108107004S1 2108-107-004S1 21081074S1 2108-107-4S1 21081074SI 2108-107-4SI	N/A	152
BR2108-107-9	N/A	N/A	N/A	21081079 210810709 2108107009 2107-107-09 2108-107-009 2108-107-9	N/A	152
BR2108-109	5072-109 5072109	N/A	SO609 SO-609 SO6109 SO6-109	2108109 2108109000 2108-109 2108-109-000	N/A	152
BR2108-110	5072-110 5072110	N/A	SO610 SO-610 SO6110 SO6-110	2108110 2108110000 2108-110 2108-110-000	N/A	152
BR2108-111	5072-111 5072111	N/A	SO611 SO-611 SO6111 SO6-111	2108111 2108111000 2108-111 2108-111-000	N/A	153
BR2108-113	5072-113 5072113	N/A	SO6113 SO6-113 SO613 SO-613	2108113 2108113000 2108-113 2108-113-000	N/A	153
BR2108-115	5072-115 5072115	N/A	SO6115 SO6-115 SO615 SO-615	2108115 2108115000 2108-115 2108-115-000	N/A	153
BR2108-118	5072-118 5072118	N/A	SO6118 SO6-118 SO618 SO-618	2108118 2108118000 2108-118 2108-118-000	N/A	153
BR2108-120	5072-120 5072120	N/A	SO6120 SO6-120 SO620 SO-620	2108120 2108120000 2108-120 2108-120-000	N/A	154
BR2108-125	5072-125 5072125	N/A	SO6-125 SO6125 SO625 SO-625	2108125 2108125000 2108-125 2108-125-000	N/A	154
BR2108-140	5072-140 5072140	N/A	SO6140 SO6-140 SO640 SO-640	2108140 2108140000 2108-140 2108-140-000	N/A	154
BR2108-145	5072-145 5072145	N/A	SO6145 SO6-145 SO645 SO-645	2108145 2108145000 2108-145 2108-145-000	N/A	154
BR2108-148	5072-148 5072148	N/A	SO6148 SO6-148 SO648 SO648	2108148 2108148000 2108-148 2108-148-000	N/A	155

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
BR2108-150	5072-150 5072150	N/A	SO6150 SO6-150 SO650 SO-650	2108150 2108150000 2108-150 2108-150-000	N/A	155
BR2108-151	5072-151 5072151	N/A	SO6151 SO6-151 SO651 SO-651	2108151 2108151000 2108-151 2108-151-000	N/A	155
BR2108-152	5072-152 5072152	N/A	SO6152 SO6-152 SO652 SO-652	2108152 2108152000 2108-152 2108-152-000	N/A	155
BR2108-155	5072-155 5072155	N/A	SO6155 SO6-155 SO655 SO-655	2108155 2108155000 2108-155 2108-155-000	N/A	156
BR2108-156	5072-156 5072156	N/A	SO6156 SO6-156 SO656 SO-656	2108156 2108156000 2108-156 2108-156-000	N/A	156
BR2108-158	5072-158 5072158	N/A	SO6158 SO6-158 SO658 SO-658	2108158 2108158000 2108-158 2108-158-000	N/A	156
BR2108-160	5072-160 5072160	N/A	SO6160 SO6-160 SO660 SO-660	2108160 2108160000 2108-160 2108-160-000	N/A	156
BR2108-176	5072-176 5072176	N/A	SO6176 SO6-176 SO676 SO-676	2108176 2108176000 2108-176 2108-176-000	N/A	157
BR2108-177	5072-177 5072177	N/A	SO6177 SO6-177 SO677 SO-677	2108177 2108177000 2108-177 2108-177-000	N/A	157
BR2108-182	5072-182 5072182	N/A	SO6182 SO6-182 SO682 SO-682	2108182 2108182000 2108-182 2108-182-000	N/A	157
BR2108-183	5072-183 5072183	N/A	SO6183 SO6-183 SO683 SO-683	2108183 2108183000 2108-183 2108-183-000	N/A	157
BR2108-185	5072-185 5072185	N/A	SO6185 SO6-185 SO685 SO-685	2108185 2108185000 2108-185 2108-185-000	N/A	158
BR2108-189	5072-189 5072189	N/A	SO6189 SO6-189 SO689 SO-689	2108189 2108189000 2108-189 2108-189-000	N/A	158
BR2108-193	5072-193 5072193	N/A	SO6193 SO6-193 SO693 SO-693	2108193 2108193000 2108-193 2108-193-000	N/A	158

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
BR2108-195	5072-195 5072195	N/A	SO6195 SO6-195 SO695 SO-695	2108195 2108195000 2108-195 2108-195-000	N/A	159
BR2108-197	5072-197 5072197	N/A	SO6197 SO6-197 SO697 SO-697	2108197 2108197000 2108-197 2108-197-000	N/A	159
BR2108-218	5072-218 5072218	N/A	SO6218 SO6-218	2108218 2108218000 2108-218 2108-218-000	N/A	159
BR4111-119-090	N/A	N/A	SO11-119-090 SO11119090 SO611119090 SO611-119-090	4111119090 4111-119-090	N/A	146
BR4111-127-090	N/A	N/A	SO11127090 SO11-127-090 SO611127090 SO611-127-090	411112790 4111127090 4111-127-090 4111-127-90	N/A	146
BR4111-147-075	N/A	N/A	SO11147075 SO11-147-075 SO611147075 SO611-147-075	411114775 4111147075 4111-147-075 4111-147-75	N/A	146
BR4118-089-075	N/A	N/A	SO18089075 SO18-089-075 SO618089075 SO618-089-075	41188975 411808975 411889075 4118089075 4118-089-075 4118-089-75 4118-89-075 4118-89-75	N/A	146
BR4118-089-090	N/A	N/A	SO18089090 SO18-089-090 SO618089090 SO618-089-090	41188990 411808990 411889090 4118089090 4118-089-090 4118-089-90 4118-89-090 4118-89-90	N/A	147
BR4118-119-090	N/A	N/A	SO18119090 SO18-119-090 SO618119090 SO618-119-090	411811990 4118119090 4118-119-090 4118-119-90	N/A	147
BR4118-127-090	N/A	N/A	SO18127090 SO18-127-090 SO618127090 SO618-127-090	411812790 4118127090 4118-127-090 4118-127-90	N/A	147
BR4118-127-100	N/A	N/A	SO18127100 SO18-127-100 SO618127100 SO618-127-100	4118127100 4118-127-100	N/A	147
BR4118-135-090	N/A	N/A	SO18135090 SO18-135-090 SO618135090 SO618-135-090	411813590 4118135090 4118-135-090 4118-135-90	N/A	148

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
BR4118-137-090	N/A	N/A	SO18137090 SO18-137-090 SO618137090 SO618-137-090	411813790 4118137090 4118-137-090 4118-137-90	N/A	148
BR4125-089-075	N/A	N/A	SO25089075 SO25-089-075 SO625089075 SO625-089-075	41258975 412508975 412589075 4125089075 4125-089-075 4125-089-75 4125-89-075 4125-89-75	N/A	148
BR4125-119-090	N/A	N/A	SO25-119-090 SO25119090 SO625119090 SO625-119-090	4125119090 4125-119-090	N/A	148
BR4125-127-090	N/A	N/A	SO25127090 SO25-127-090 SO625127090 SO625-127-090	412512790 4125127090 4125-127-090 4125-127-90	N/A	149
BR4125-127-100	N/A	N/A	SO25127100 SO25-127-100 SO625127100 SO625-127-100	4125127100 4125-127-100	N/A	149
BR4125-135-090	N/A	N/A	SO25135090 SO25-135-090 SO625135090 SO625-135-090	412513590 4125135090 4125-135-090 4125-135-90	N/A	149
BR4125-137-090	N/A	N/A	SO25137090 SO25-137-090 SO625137090 SO625-137-090	412513790 4125137090 4125-137-090 4125-137-90	N/A	149
BR4125-147-090	N/A	N/A	SO25147090 SO25-147-090 SO625147090 SO625-147-090	412514790 4125147090 4125-147-090 4125-147-90	N/A	150
BR5072-101	5072101 5072-101	N/A	SO-601 S0601	N/A	N/A	160
BR5072-181	5072181 5072-181	N/A	N/A	2108-109-000S11 2108109000S11	N/A	160
BR511-905S	N/A	511.905S 511905S	N/A	N/A	N/A	294
BR511-907S	N/A	511.907S 511907S	N/A	N/A	N/A	294
BR511-909S	N/A	511.909S 511909S	N/A	N/A	N/A	294
BR511-912S	N/A	511.912S 511912S	N/A	N/A	N/A	294
BR511-915S	N/A	511.915S 511915S	N/A	N/A	N/A	294
BR900-722	N/A	900.722 900722	N/A	N/A	N/A	111, 296
K5-1290-35	N/A	05.002.201S 05.003.100S 05002201S 05003100S	N/A	N/A	13090089AF1 13-0900-89A-F1	92, 287, 316

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
K5-1290-39	N/A	05.002.405S 05.003.102S 05002405S 05003102S	N/A	N/A	13090100AF1 13-0901-00A-F1	92, 287, 316
K5-1290-47	N/A	05.002.202S 05.003.104S 05002202S 05003104S	N/A	N/A	13090119AF1 13-0901-19A-F1	92, 287, 316
K5-1290-50	N/A	05.002.203S 05.003.106S 05002203S 05003106S	N/A	N/A	13090127AF1 13-0901-27A-F1	92, 287, 316
K5-1290-54	N/A	05.002.204S 05.003.107S 05002204S 05003107S	N/A	N/A	13090137AF1 13-0901-37A-F1	93, 288, 317
K5-1990-35	N/A	05.002.001S 05.003.110S 05002001S 05003110S	N/A	05002001S	19090089AF1 19-0900-89A-F1	93, 288, 317
K5-1990-39	N/A	05.002.007S 05.003.112S 05002007S 05003112S	N/A	N/A	19090100AF1 19-0901-00A-F1	93, 288, 317
K5-1990-47	N/A	05.002.002S 05.003.114S 05002002S 05003114S	N/A	N/A	19090119AG1 19-0901-19A-G1	93, 288, 317
K5-1990-50	N/A	05.002.003S 05.003.116S 05002003S 05003116S	N/A	N/A	19090127AF1 19-0901-27A-F1 19090127AG1 19-0901-27A-G1	94, 289, 318
K5-1990-54	N/A	05.002.004S 05.003.117S 05002004S 05003117S	N/A	N/A	19090137AG1 19-0901-37A-G1	94, 289, 318
K5-2190-39F	N/A	05.002.306S 05.003.122S 05002306S 05003122S	N/A	N/A	21090100AL1 21-0901-00A-L1	94, 289, 318
K5-2190-47F	N/A	05.002.302S 05.003.124S 05002302S 05003124S	N/A	N/A	21090119AV1 21-0901-19A-V1	94, 289, 318
K5-2190-50F	N/A	05.002.303S 05.003.126S 05002303S 05003126S	N/A	N/A	21090127AV1 21-0901-27A-V1	95, 290, 319
K5-2190-54F	N/A	05.002.304S 05.003.127S 05002304S 05003127S	N/A	N/A	21090137AV1 21-0901-37A-V1	95, 290, 319
K5-2590-35	N/A	05.002.101S 05.003.130S 05002101S 05003130S	N/A	N/A	25090089AF1 25-0900-89A-F1	95, 290, 319

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
K5-2590-39	N/A	05.002.106S 05.003.121S 05.003.132S 05002106S 05003121S 05003132S	N/A	N/A	25090100AF1 25-0901-00A-F1	95, 290, 319
K5-2590-47	N/A	05.002.102S 05.003.134S 05002102S 05003134S	N/A	N/A	25090119AB1 25-0901-19A-B1 25090119AF1 25-0901-19A-F1 25090119AG1 25-0901-19A-G1	96, 291, 320
K5-2590-50	N/A	05.002.103S 05.003.136S 05002103S 05003136S	N/A	N/A	25090127AB1 25-0901-27A-B1 25090127AF1 25-0901-27A-F1 25090127AG1 25-0901-27A-G1	96, 291, 320
K5-2590-54	N/A	05.002.104S 05.003.137S 05002104S 05003137S	N/A	N/A	25090137AB1 25-0901-37A-B1 25090137AG1 25-0901-37A-G1	96, 291, 320
K5-2590-58	N/A	05.002.105S 05.003.139S 05003139S	N/A	05002105S	25090147AB1 25-0901-47A-B1	96, 291, 320
K7-1270-50F	5071354 5071-354	N/A	N/A	N/A	13070127LL1 13-0701-27L-L1	87, 221
K7-1290-35	5071340 50711340 5071-340 T13008990 T130-089-90 TN130089090 TN130-089-090 TN13008990 TN130-089-90 V130-089-90	N/A	N/A	N/A	13090189LF1 13-0901-89L-F1	87, 221,
K7-1290-47	5071343 5071-343 T13011990 T130-119-90 TN130119090 TN130-119-090 TN13011990 TN130-119-90 V130-119-90	N/A	N/A	N/A	13090119LF1 13-0901-19L-F1	87, 221
K7-1290-50	5071344 5071-344 T13012790 T130-127-90 TN130127090 TN130-127-090 TN13012790 TN130-127-90 V130-127-90	N/A	N/A	N/A	13090127LF1 13-0901-27L-F1	87, 221

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
K7-1990-35	5071300 5071-300 T19008990 T190-089-90 TN190089090 TN190-089-090 TN19008990 TN190-089-90 V190-089-90	N/A	N/A	N/A	19090089LF1 19-0900-89L-F1	88, 221
K7-1990-47	5071303 5071-303 T19011990 T190-119-90 TN190119090 TN190-119-090 TN19011990 TN190-119-90 V190-119-90	N/A	N/A	N/A	19090119LG1 19-0901-19L-G1	88, 222
K7-1990-50	5071304 5071-304 T19012790 T190-127-90 TN190127090 TN190-127-090 TN19012790 TN190-127-90 V190-127-90	N/A	N/A	N/A	19090127LF1 19090127LG1 19-0901-27L-F1 19-0901-27L-G1	88, 222
K7-1990-54	5071305 5071-305 T19013790 T190-137-90 TN190137090 TN190-137-090 TN19013790 TN190-137-90 V190-137-90	N/A	N/A	N/A	19090137LG1 19-0901-37L-G1	88, 222
K7-2190-39F	5071311 5071-311 T193100090 T193-100-090 T19310090 T193-100-90 TN193100090 TN193-100-090 TN19310090 TN193-100-90 V193100090 V193-100-090 V19310090 V193-100-90	N/A	N/A	N/A	21090100LL1 21-0901-00L-L1	89, 223
K7-2190-47F	5071313 5071-313 T19311990 T193-119-90 TN193119090 TN193-119-090 TN19311990 TN193-119-90 V193-119-90	N/A	N/A	N/A	21090119LV1 21-0901-19L-V1	89, 223

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
K7-2190-50F	5071314 5071-314 T19312790 T193-127-90 TN193127090 TN193-127-090 TN19312790 TN193-127-90 V193-127-90	N/A	N/A	N/A	21090127LV1 21-0901-27L-V1	89, 223
K7-2190-54F	5071315 5071-315 T19313790 T193-137-90 TN193137090 TN193-137-090 TN19313790 TN193-137-90 V193-137-90	N/A	N/A	N/A	21090137LV1 21-0901-37L-V1	89, 223
K7-2590-35	5071320 5071-320 T25008990 T250-089-90 TN250089090 TN250-089-090 TN25008990 TN250-089-90 V250-089-90	N/A	N/A	N/A	25-0900-89L-F1 25090089LF1	90, 224
K7-2590-39	5071321 5071-321 T25010090 T250-100-90 TN250100090 TN250-100-090 TN25010090 TN250-100-90 V250-100-90	N/A	N/A	N/A	25-0901-00L-F1 25090100LF1	90, 224
K7-2590-47	5071323 5071-323 T25011990 T250-119-90 TN250119090 TN250-119-090 TN25011990 TN250-119-90 V250-119-90	N/A	N/A	N/A	25090119LB1 25-0901-19L-B1 25090119LF1 25-0901-19L-F1 25090119LG1 25-0901-19L-G1	90, 224
K7-2590-50	5071324 5071-324 T25012790 T250-127-90 TN250127090 TN250-127-090 TN25012790 TN250-127-90 V250-127-90	N/A	N/A	N/A	25090127LB1 25-0901-27L-B1 25090127LF1 25-0901-27L-F1 25090127LG1 25-0901-27L-G1	90, 224

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
K7-2590-54	5071325 5071-325 T25013790 T250-137-90 TN250137090 TN250-137-090 TN25013790 TN250-137-90 V250-137-90	N/A	N/A	N/A	25090137LB1 25-0901-37L-B1 25090137LF1 25-0901-37L-F1 25090137LG1 25-0901-37L-G1	91, 225
K7-2590-58	5071326 5071-326 T25014790 T250-147-90 TN250147090 TN250-147-090 TN25014790 TN250-147-90 V250-147-90	N/A	N/A	N/A	25090147LB1 25-0901-47L-B1 25090147LF1 25-0901-47L-F1 25090147LG1 25-0901-47L-G1	91, 225
KM-060	5053-020 5053-120 5053-20 5053-220 Z320	5608-28 5608-41	ZR-120	5301-35-20	N/A	57, 244
KM-062	5053-341 S433	5606-55	SR-007	1675-133	N/A	178
KM-070	5053-021 5053-121 5053-21 5053-221 Z321	5608-29	ZR-021	5301-35-21	N/A	57, 244
KM-103S	5053-311 S303	5606-14	SO-103	277-31-103	N/A	177
KM-1201-44	5071-201	N/A	N/A	N/A	N/A	234
KM-1201-84	N/A	N/A	N/A	N/A	N/A	293
KM166-00-00	N/A	560460000 1801-10 5604-60 5604-60-000	8054-010NS	N/A	231815 231801500 00231801500 00231801506 00-2318-015-00 00-2318-015-06 2318-015 2318-015-00 2318-15 256-01-21 35-463004 4115-00-51	103

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
KM166-00-01	N/A	560461000 1801-12 5604-61 5604-61-000	8054-011NS 8054020NS 8054-020NS	027708208 5S7 0277-082-085S7 027708285S7 0277-082-85S7 277082085S7 277-082-085S7 27708285S7 277-082-85S7 2778285S7 277-82-85S7	231820 2318020 231802000 00231802000 00231802006 00-2318-020-00 00-2318-020-06 2318-020 2318-020-00 2318-20 256-01-22 35-463005 4115-00-52	103
KM166-00-02	N/A	560462000 1801-14 5604-62 5604-62-000	8054-012NS	027708208 6S5 0277-082-086S5 027708286S5 0277-082-86S5 277082086S5 277-082-086S5 27708286S5 277-082-86S5 2778286S5 277-82-86S5	231825 2318025 231802500 00231802500 00231802506 00-2318-025-00 00-2318-025-06 2318-025 2318-025-00 2318-25 256-01-23 35-463006 4115-00-53	103
KM166-00-03	N/A	560463000 1801-16 5604-63 5604-63-000	8054-013NS 8054-021NS 80540421NS	027708208 5S5 0277-082-085S5 027708285S5 0277-082-85S5 277082085S5 277-082-085S5 27708285S5 277-082-85S5 2778285S5 277-82-85S5	231827 2318027 231802700 00231802700 00231802706 00-2318-027-00 00-2318-027-06 2318-027 2318-027-00 2318-27 256-01-24 35-463007 4115-00-54	103
KM166-00-04	N/A	560464000 1801-18 5604-64 5604-64-000	8054-014NS 8054022NS 8054-022NS	027708208 7S6 0277-082-087S6	231832 2318032 231803200 00231803200 00231803206 00-2318-032-00 00-2318-032-06 2318-032 2318-032-00 2318-32 256-01-25 35-463008 4115-00-55	103

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
KM166-00-05	N/A	560466000 1801-20 5604-66 5604-66-000	8054-015NS 8054023NS 8054-023NS	277082085 0277-082-086	2318035 2560126 231803500 00231803500 00231803506 00-2318-035-00 00-2318-035-06 2318-035 2318-035-00 2318-35 256-01-26 35-463009 4115-00-56	103
KM166-00-06	N/A	560467000 1801-22 5604-67 5604-67-000	8054-016NS	N/A	231840 2318040 231804000 00231804000 00231804006 00-2318-040-00 00-2318-040-06 2318-040 2318-040-00 2318-40 256-01-27 35-463010 4115-00-57	103
KM166-00-07	N/A	560469 560469000 1801-24 5604-69 5604-69-000	8054-018NS	N/A	231848 2318048 231804800 00231804800 00231804806 00-2318-048-00 00-2318-048-06 2318-048 2318-048-00 2318-48 256-01-29 35-463011 4115-00-59	103
KM166-00-08	N/A	N/A	8054-019NS	N/A	1098 231864 2318064 231806400 00231806400 00231806406 00-2318-064-00 00-2318-064-06 2318-064 2318-064-00 2318-64 35-463012 4115-00-60	103

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
KM166-10-00	N/A	1801-10 5604-60	8054-010	027708285S3 0277-082-085S3 02770828 5S3 0277-082-85S3 27708285S3 277-082-085S3 2770828 5S3 277-082-85S3 2778285S3 277-82-85S3	2318015 00231801500 00-2318-015-00 2318-015 2318-015-00	103
KM166-10-01	N/A	1801-12 5604-61	805402 8054-011 8054-020	027708285S4 0277-082-085S4 02770828 5S4 0277-082-85S4 27708285S4 277-082-085S4 2770828 5S4 277-082-85S4 2778285S4 277-82-85S4	231802000 2318020 00-2318-020-00 2318-020 2318-020-00	103
KM166-10-02	N/A	1801-14 5604-62	8054-012	027708285S1 0277-082-085S1 02770828 5S1 0277-082-85S1 27708285S1 277-082-085S1 2770828 5S1 277-082-85S1 2778285S1 277-82-85S1	2318025 00231802500 00-2318-025-00 2318-025 2318-025-00	103
KM166-10-03	N/A	1801-16 5604-63	8054021 8054-013 8054-021	027708285S2 0277-082-085S2 02770828 7S2 0277-082-087S2 02770828 5S2 0277-082-85S2 27708285S2 277-082-085S2 2770828 5S2 277-082-85S2 27708585S2 2778285S2 277-82-85S2	2318027 00231802700 00-2318-027-00 2318-027 2318-027-00	103

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
KM166-10-04	N/A	1801-18 5604-64	8054022 8054-014 8054-022	0277082087S1 0277-082-087S1 027708287S1 0277-082-87S1 027708287S6 0277-082-87S6 277082087S1 277-082-087S1 27708287S1 277-082-87S1 27708287S6 277-082-87S6 2778287S1 277-82-87S1 2778287S6 277-82-87S6	2318032 00231803200 00-2318-032-00 2318-032 2318-032-00	103
KM166-10-05	N/A	1801-20 5604-66	8054923 8054-015 8054-923	0277082086S1 0277-082-086S1 027708286S1 0277-082-86S1 27708286S1 277-082-086S1 27708286S1 277-082-86S1 2778286S1 277-82-86S1	2318035 00231803500 00-2318-035-00 2318-035 2318-035-00	103
KM166-10-06	N/A	1801-22 5604-67	8054-016	0277082086S2 0277-082-086S2 027708286S2 0277-082-86S2 27708286S2 277-082-086S2 27708286S2 277-082-86S2 2778286S2 277-82-86S2	0023180400 02318040 00-2318-040-00 2318-040 2318-040-00	103
KM166-10-07	N/A	N/A	8054-018	0277082086S4 0277-082-086S4 027708286S4 0277-082-86S4 27708286S4 277-082-086S4 27708286S4 277-082-86S4 2778286S4 277-82-86S4	00231804800 2318048 00-2318-048-00 2318-048 2318-048-00	103
KM166-10-08	N/A	N/A	8054-019	0277082087S7 0277-082-087S7 027708287S7 0277-082-87S7 27708287S7 277-082-087S7 27708287S7 277-082-87S7 2778287S7 277-82-87S7	2318064 00231806400 00-2318-064-00 2318-064 2318-064-00	103

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
KM166-310-11	N/A	310.11	8053-011NS	N/A	00241001100 00-2410-011-00 00-4806-060-11 2410-11	104, 297
KM166-310-11S	N/A	310.11S	8053-011	N/A	N/A	104, 297
KM166-310-15	N/A	310.15	8053-015NS	N/A	00241001500 00-2410-015-00 00-4806-085-15 2410-15	104, 297
KM166-310-15S	N/A	310.15S	8053-015	N/A	N/A	104, 297
KM166-310-16	N/A	310.16	8053-016NS	N/A	00241001600 00-2410-016-00 2410-16	104, 297
KM166-310-16S	N/A	310.16S	8053-016	N/A	N/A	104, 297
KM166-310-19	N/A	310.19	8053-019NS	N/A	0024100200 000-2410-020-00 00-4806-100-20 2410-20	104, 297
KM166-310-19S	N/A	310.19S	8053-019	N/A	N/A	104, 297
KM166-310-21	N/A	310.21	8053-021NS	N/A	00241002100 00-2410-021-00 00-4806-125-20 2410-21	104, 297
KM166-310-21S	N/A	310.21S	8053-021	N/A	N/A	104, 297
KM166-310-221	N/A	310.221	N/A	702453	N/A	104, 297
KM166-310-23	N/A	310.23	8053-023NS	700351	00241002600 241002600 00-2410-026-00 2410-26	104, 297
KM166-310-23S	N/A	310.23S	8053-023	N/A	N/A	104, 297
KM166-310-25	N/A	310.25	8053-025NS	N/A	00241002500 00-2410-025-00 00-4806-110-25 2410-25	104, 297
KM166-310-25S	N/A	310.25S	8053-025	N/A	N/A	104, 297
KM166-310-26	N/A	310.26	8053-026NS	N/A	00241002700 00-2410-027-00 00-4806-100-27 2410-27	104, 297
KM166-310-26S	N/A	310.26S	8053-026	N/A	N/A	104, 297
KM166-310-28	N/A	310.28	8053-028NS	N/A	00241002800 00-2410-028-00 2410-28	105, 298
KM166-310-288	N/A	310.288 310288	N/A	N/A	N/A	105, 298
KM166-310-28S	N/A	310.28S	8053-028	N/A	N/A	105, 298
KM166-310-29	N/A	310.29	8053-029NS	N/A	00241003300 00-2410-033-00 00-4806-195-32 2410-33	105, 298
KM166-310-29S	N/A	310.29S	8053-029	N/A	N/A	105, 298
KM166-310-31	N/A	310.31	8053-031NS	700358	00241003200 00-2410-032-00 00-4806-145-32 2410-32	105, 298
KM166-310-31S	N/A	310.31S	8053-031	N/A	N/A	105, 298

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
KM166-310-35	N/A	310.35	8053-035NS	N/A	00241003500 00-2410-035-00 00-4806-110-35 2410-35	105, 298
KM166-310-35S	N/A	310.35S	8053-035	N/A	N/A	105, 298
KM166-310-37	N/A	310.37	8053-037NS	N/A	00241003600 00-2410-036-00 00-4806-195-35 2410-36	105, 298
KM166-310-37S	N/A	310.37S	8053-037	N/A	N/A	105, 298
KM166-310-44	N/A	310.44	8053-044NS	700359	00241004500 00-2410-045-00 00-4806-145-45 2410-45	105, 298
KM166-310-44S	N/A	310.44S	8053-044	N/A	N/A	105, 298
KM166-310-48	N/A	310.48	8053-048NS		00241004600 00-2410-046-00 00-4806-195-45 2410-46	105, 298
KM166-310-48S	N/A	310.48S	8053-048	N/A	N/A	105, 298
KM166-310-509	N/A	357.509	N/A	N/A	N/A	106, 299
KM166-310-530	N/A	310.530	N/A	N/A	N/A	106, 299
KM166-310-530S	N/A	310.530S	N/A	N/A	N/A	106, 299
KM166-310-65	N/A	310.65	N/A	N/A	N/A	107, 300
KM166-310-66	N/A	310.66	N/A	N/A	N/A	107, 300
KM166-310-67	N/A	310.67	N/A	702449	N/A	107, 300
KM166-310-68	N/A	310.68	N/A	702450	N/A	107, 300
KM166-315-28	N/A	315.28 31528	N/A	N/A	N/A	106, 299
KM166-323-062	N/A	323.062 323062	N/A	N/A	N/A	106, 299
KM166-324-214	N/A	324.214 324214	N/A	N/A	N/A	106, 299
KM166-357-407	N/A	357.407 357407	N/A	N/A	N/A	106, 299
KM168-19-18	N/A	162718000 1627-18 1627-18-000 1653-32	1632-509NS	3811-4-090	00018700459 00-0187-004-59 187-04-59	100
KM168-19-18S	N/A	N/A	1632-509	N/A	47018700459 47-0187-004-59	100
KM168-19-31	N/A	163018000 1630-18 1630-18-000 1653-62	1648-509NS	3811-7-090	187-07-59	100
KM168-19-31S	N/A	N/A	1648-509	N/A	47018700759 47-0187-007-59	100
KM168-19-33	N/A	162518000 1625-18 1628-18-000 1653-12	1624-509NS	3811-2-090	00018700259 00-0187-002-59 187-02-59	100
KM168-19-33S	N/A	N/A	1624-509	N/A	47018700259 47-0187-002-59	100

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
KM168-19-53	N/A	16291800 1629-18 1629-18-000 1653-53	1640-509NS	3811-6-090	00018700669 00-0187-006-69 187-06-59	100
KM168-19-53S	N/A	N/A	1640-509	N/A	47018700659 47-0187-006-59	100
KM168-19-56	N/A	162418000 1624-18 1624-18-000 1653-02	1620-509NS	3811-1-090	00018700159 00-0187-001-59 187-01-59	100
KM168-19-56S	N/A	N/A	1620-509	N/A	47018700159 47-0187-001-59	100
KM168-19-76	N/A	162618000 1626-18 1626-18-000 1653-22	1628-509NS	3811-3-090	00018700359 00-0187-003-59 187-03-59	100
KM168-19-76S	N/A	N/A	1628-509	N/A	47018700359 47-0187-003-59	100
KM168-19-96	N/A	162818000 1628-18 1628-18-000 1653-42	1636-509NS	3811-5-090	00018700559 00-0187-005-59 187-05-59	100
KM168-19-96S	N/A	N/A	1636-509	N/A	N/A	100
KM168-29-18	N/A	162738000 1627-38 1627-38-000 1653-30	1632-109NS	3711-4-090	187-04-19	100
KM168-29-18S	N/A	N/A	1632-109	5500-19-32	N/A	100
KM168-29-31	N/A	163038000 1630-38 1630-38-000 1653-60	1648-109NS	3711-7-090	187-07-19	100
KM168-29-31S	N/A	N/A	1648-109	5500-19-48	N/A	100
KM168-29-33	N/A	162538000 1625-38 1625-38-000 1653-10	1624-109NS	3711-2-090	187-02-19	100
KM168-29-33S	N/A	N/A	1624-109	5500-19-24	N/A	100
KM168-29-53	N/A	162938000 1629-38 1629-38-000 1653-50	1640-109NS	3711-6-090	187-06-19	100
KM168-29-53S	N/A	N/A	1640-109	5500-19-40	N/A	100
KM168-29-56	N/A	162438000 1624-38 1624-38-000 1653-00	1620-109NS	3711-1-090	187-01-19	100
KM168-29-56S	N/A	N/A	1620-109	5500-19-20	N/A	100
KM168-29-76	N/A	162638000 1626-38 1626-38-000 1653-20	1628-109NS	3711-3-090	187-03-19	100
KM168-29-76S	N/A	N/A	1628-109	5500-19-28	N/A	100
KM168-29-96	N/A	162838000 1628-38 1628-38-000 1653-40	1636-109NS	3711-5-090	187-05-19	100

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
KM168-29-96S	N/A	N/A	1636-109	5500-19-36	N/A	100
KM168-39-18	N/A	163418000 1634-18 1634-18-000 1653-35	1632-609NS	3810-4-090	00018700469 00-0187-004-69 187-04-69 27-361692	100
KM168-39-18S	N/A	N/A	1632-609	N/A	N/A	100
KM168-39-31	N/A	163718000 1637-18 1637-18-000 1653-64	1648-609NS	3810-7-090	00018700769 00-0187-007-69 187-07-69	100
KM168-39-31S	N/A	N/A	1648-609	N/A	N/A	100
KM168-39-33	N/A	163218000 1632-18 1632-18-000 1653-14	1624-609NS	3810-2-090	00018700269 00-0187-002-69 187-02-69 27-361292	100
KM168-39-33S	N/A	N/A	1624-609	N/A	N/A	100
KM168-39-53	N/A	163618000 1636-18 1636-18-000 1653-54	1640-609NS	3810-6-090	187-06-69 27-362092	100
KM168-39-53S	N/A	N/A	1640-609	N/A	N/A	100
KM168-39-56	N/A	163118000 1631-18 1631-18-000 1653-04	1620-609NS	3810-1-090	00018700169 00-0187-001-69 187-01-69 27-361092	100
KM168-39-56S	N/A	N/A	1620-609	N/A	N/A	100
KM168-39-76	N/A	163318000 1633-18 1633-18-000 1653-24	1628-609NS	3810-3-090	00018700369 00-0187-003-69 187-03-69 27-361492	100
KM168-39-76S	N/A	N/A	1628-609	N/A	N/A	100
KM168-39-96	N/A	163518000 1635-18 1635-18-000 1653-44	1636-609NS	3810-5-090	00018700569 00-0187-005-69 187-05-69 27-361892	100
KM168-39-96S	N/A	N/A	1636-609	N/A	47018700569 47-0187-005-69	100
KM168-49-18	N/A	163123000 1631-23 1631-23-000 1653-36	1632-709NS	3710-4-090	187-04-79	100
KM168-49-18S	N/A	N/A	1632-709	5500-219-32	N/A	100
KM168-49-31	N/A	163126000 1631-26 1631-26-000 1653-66	1648-709NS	3710-7-090	187-07-79	100
KM168-49-31S	N/A	N/A	1648-709	5500-219-48	N/A	100
KM168-49-33	N/A	163121000 1631-21 1631-21-000 1653-16	1624-709NS	3710-2-090	187-02-79	100
KM168-49-33S	N/A	N/A	1624-709	5500-219-24	N/A	100
KM168-49-53	N/A	163125000 1631-25 1631-25-000 1653-56	1640-709NS	3710-6-090	187-06-79	100

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
KM168-49-53S	N/A	N/A	1640-709	5500-219-40	N/A	100
KM168-49-56	N/A	163120000 1631-20 1631-20-000 1653-06	1620-709NS	3710-1-090	187-01-79	100
KM168-49-56S	N/A	N/A	1620-709	5500-219-20	N/A	100
KM168-49-76	N/A	163122000 1631-22 1631-22-000 1653-26	1628-709NS	3710-3-090	187-03-79	100
KM168-49-76S	N/A	N/A	1628-709	5500-219-28	N/A	100
KM168-49-96	N/A	163124000 1631-24 1631-24-000 1653-46	1636-709NS	3710-5-090	187-05-79	100
KM168-49-96S	N/A	N/A	1636-709	5500-219-36	N/A	100
KM169-19-18	N/A	161418000 1614-18 1614-18-000 1653-33	1632-509TNS	3593-4-090	2620-23	101
KM169-19-18S	N/A	N/A	1632-509T	N/A	N/A	101
KM169-19-31	N/A	161117000 1611-17-000 1611-58-000 1617-18 1653-63	1648-509TNS	3593-7-090	2620-13	101
KM169-19-31S	N/A	N/A	1648-509T	N/A	47262001300 47-2620-013-00	101
KM169-19-33	N/A	161218000 1612-18 1612-18-000 1653-13	1624-509TNS	3593-2-090	2620-29	101
KM169-19-33S	N/A	N/A	1624-509T	N/A	N/A	101
KM169-19-53	N/A	161618000 1616-18 1616-18-000 1653-53	1640-509TNS	3593-6-090	2620-17	101
KM169-19-53S	N/A	N/A	1640-509T	N/A	47262001700 47-2620-017-00	101
KM169-19-56	N/A	161118000 1611-18 1611-18-000 1653-03	1620-509TNS	3593-1-090	00262003300 00-2620-033-00 2620-33	101
KM169-19-56S	N/A	N/A	1620-509T	N/A	47262003300 47-2620-033-00	101
KM169-19-76	N/A	161318000 1613-18 1613-18-000 1653-23	1628-509TNS	3593-3-090	2620-25	101
KM169-19-76S	N/A	N/A	1628-509T	N/A	47262002500 47-2620-025-00	101
KM169-19-96	N/A	161518000 1615-18 1615-18-000 1653-43	1636-509TNS	3593-5-090	2620-19	101
KM169-19-96S	N/A	N/A	1636-509T	N/A	N/A	101

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
KM169-29-18	N/A	161763000 1617-63 1617-63-000 1653-31	1632-109TNS	3598-4-090	2620-21	101
KM169-29-18S	N/A	N/A	1632-109T	5500-119-32	N/A	101
KM169-29-31	N/A	161766000 1617-66 1617-66-000 1653-61	1648-109TNS	3598-7-090	2620-11	101
KM169-29-31S	N/A	N/A	1648-109T	5500-119-48	N/A	101
KM169-29-33	N/A	161761000 1617-61 1617-61-000 1653-11	1624-109TNS	3598-2-090	2620-27	101
KM169-29-33S	N/A	N/A	1624-109T	5500-119-24	N/A	101
KM169-29-53	N/A	161765000 1617-65 1617-65-000 1653-51	1640-109TNS	3598-6-090	2620-15	101
KM169-29-53S	N/A	N/A	1640-109T	5500-119-40	N/A	101
KM169-29-56	N/A	161760000 1617-60 1617-60-000 1653-01	1620-109TNS	3598-1-090	2620-31	101
KM169-29-56S	N/A	N/A	1620-109T	5500-119-20	N/A	101
KM169-29-76	N/A	161762000 1617-62 1617-62-000 1653-21	1628-109TNS	3598-3-090	2620-03	101
KM169-29-76S	N/A	N/A	1628-109T	5500-119-28	N/A	101
KM169-29-96	N/A	161764000 1617-64 1617-64-000 1653-41	1636-109TNS	3598-5-090	2620-01	101
KM169-29-96S	N/A	N/A	1636-109T	5500-119-36	N/A	101
KM169-39-18	N/A	161458000 161773000 1614-58 1614-58-000 1617-73-000 1653-35	1632-609TNS	3594-4-090	00026200404 00-0262-004-04 262-04-04 27-363747	101
KM169-39-18S	N/A	N/A	1632-609T	N/A	47026200404 47-0262-004-04	101
KM169-39-31	N/A	161756000 161776000 1617-56 1617-56-000 1617-76-000 1653-65	1648-609TNS	3594-7-090	00026200104 00-0262-001-04 262-01-04 27-363787	101
KM169-39-31S	N/A	N/A	1648-609T	N/A	N/A	101
KM169-39-33	N/A	161258000 161771000 1612-58 1612-58-000 1617-71-000 1653-15	1624-609TNS	3594-2-090	00026200604 00-0262-006-04 262-06-04 27-363727	101

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
KM169-39-33S	N/A	N/A	1624-609T	N/A	47026200604 47-0262-006-04	101
KM169-39-53	N/A	161656000 161775000 1616-56 1616-56-000 1617-75-000 1653-55	1640-609TNS	3594-6-090	00026200204 00-0262-002-04 262-02-04	101
KM169-39-53S	N/A	N/A	1640-609T	N/A	N/A	101
KM169-39-56	N/A	161158000 161770000 1611-58 1611-58-000 1617-70-000 1653-05	1620-609TNS	3594-1-090	00026200704 00-0262-007-04 262-07-04 27-363717	101
KM169-39-56S	N/A	N/A	1620-609T	N/A	N/A	101
KM169-39-76	N/A	16158000 161772000 1613-58 1613-58-000 1617-72-000 1653-25	1628-609TNS	3594-3-090	00026200504 00-0262-005-04 262-05-04 27-363737	101
KM169-39-76S	N/A	N/A	1628-609T	N/A	N/A	101
KM169-39-96	N/A	161558000 161774000 1615-58 1615-58-000 1617-74-000 1653-45	1636-609TNS	3594-5-090	00026200304 00-0262-003-04 262-03-04 27-363757	101
KM169-39-96S	N/A	N/A	1636-609T	N/A	47026200304 47-0262-003-04	101
KM169-49-18	N/A	1617-73 1653-37	1632-709TNS	3595-4-090	262-04-79	101
KM169-49-18S	N/A	N/A	1632-709T	5500-319-32	N/A	101
KM169-49-31	N/A	1617-76 1653-67	1648-709TNS	3595-7-090	262-01-79	101
KM169-49-31S	N/A	N/A	1648-709T	5500-319-48	N/A	101
KM169-49-33	N/A	1617-71 1653-17	1624-709TNS	3595-2-090	262-06-79	101
KM169-49-33S	N/A	N/A	1624-709T	5500-319-24	N/A	101
KM169-49-53	N/A	1617-75 1653-57	1640-709TNS	3595-6-090	262-02-79	101
KM169-49-53S	N/A	N/A	1640-709T	5500-319-40	N/A	101
KM169-49-56	N/A	1617-70 1653-07	1620-709TNS	3595-1-090	262-07-79	101
KM169-49-56S	N/A	N/A	1620-709T	5500-319-20	N/A	101
KM169-49-76	N/A	1617-72 1653-27	1628-709TNS	3595-3-090	262-05-79	101
KM169-49-76S	N/A	N/A	1628-709T	5500-319-28	N/A	101
KM169-49-96	N/A	1617-74 1653-47	1636-709TNS	3595-5-090	262-03-79	101
KM169-49-96S	N/A	N/A	1636-709T	5500-319-36	N/A	101
KM172-14-28	N/A	165000000 1650-00 1650-00-000	1604-128NS	N/A	186-04-54	97

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
KM172-14-28S	N/A	N/A	1604-128	N/A	N/A	97
KM172-14-35	N/A	165001000 1650-01 1650-01-000	1604-135NS	1346-001-000	N/A	97
KM172-14-35S	N/A	N/A	1604-135	N/A	N/A	97
KM172-14-45	N/A	165002000 1650-02 1650-02-000	1604-145NS	1346-003-000	N/A	97
KM172-14-45S	N/A	N/A	1604-145	N/A	N/A	97
KM172-14-54	N/A	165003000 1650-03 1650-03-000	1604-154NS	N/A	N/A	97
KM172-14-54S	N/A	N/A	1604-154	N/A	N/A	97
KM172-14-62	N/A	165004000 1650-04 1650-04-000	1604-162NS	1346-005-000	N/A	97
KM172-14-62S	N/A	N/A	1604-162	N/A	N/A	97
KM172-16-28	N/A	N/A	N/A	1346-026-000	N/A	97
KM172-16-28S	N/A	N/A	N/A	N/A	N/A	97
KM172-16-35	N/A	N/A	N/A	1346-002-000	N/A	97
KM172-16-35S	N/A	N/A	N/A	N/A	N/A	97
KM172-16-45	N/A	292.10	N/A	1346-004-000	186-60	97
KM172-16-45S	N/A	N/A	N/A	N/A	N/A	97
KM172-16-54	N/A	N/A	N/A	N/A	N/A	97
KM172-16-54S	N/A	N/A	N/A	N/A	N/A	97
KM172-16-62	N/A	292.16	N/A	1346-006-000	N/A	97
KM172-16-62S	N/A	N/A	N/A	N/A	N/A	97
KM172-19-35	N/A	160214000 1602-14 1602-14-000	1600-9355NS	3813-1-090	186-50 47-186-50	97
KM172-19-35S	N/A	N/A	1600-9355	N/A	N/A	97
KM172-19-45	N/A	160414000 1604-14 1604-14-000	1600-9455NS	3813-2-090	186-66 47-186-66	97
KM172-19-45S	N/A	1652-22-0000	1600-9455	N/A	186-66 47-186-66	97
KM172-19-54	N/A	160614000 1606-14 1606-14-000	1600-9545NS	N/A	N/A	97
KM172-19-54S	N/A	N/A	1600-9545	N/A	N/A	97
KM172-19-62	N/A	160814000 1608-14 1608-14-000	1600-9625NS	3813-3-090	00018608200 00-0186-082-00 186-82	97
KM172-19-62S	N/A	1652-42-0000	1600-9625	N/A	47-186-82	97
KM172-24-28	N/A	164200000 1642-00 1642-00-000 1652-55	1600-428NS	1346-26	00018600414 00-0186-004-14 186-04-14	97
KM172-24-28S	N/A	N/A	1600-428	5300-4-28	47018600414 47-0186-004-14	97
KM172-24-35	N/A	164310000 1643-10 1643-10-000 1652-65	1600-435NS	1346-1 3715-1-040	N/A	97

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
KM172-24-35S	N/A	N/A	1600-435	5300-4-35	N/A	97
KM172-24-45	N/A	164410000 1644-10 1644-10-000 1652-75	1600-445NS	1346-3 3715-2-040	N/A	97
KM172-24-45S	N/A	N/A	1600-445	5300-4-45	N/A	97
KM172-24-54	N/A	164510000 1645-10 1645-10-000 1652-85	1600-454NS	N/A	N/A	97
KM172-24-54S	N/A	N/A	1600-454	5300-4-54	N/A	97
KM172-24-62	N/A	164610000 1646-10 1646-10-000 1652-95	1600-462NS	1346-5 3715-3-040	N/A	97
KM172-24-62S	N/A	N/A	1600-462	5300-4-62	N/A	97
KM172-26-28	N/A	164206028 1642-06-028 1652-59	1600-628NS	N/A	N/A	97
KM172-26-28S	5050046 5050246 00505004600 00505024600 5050-046 5050-246	N/A	1600-628	5300-6-28	N/A	97
KM172-26-35	N/A	164206035 1642-06-035 1652-69	1600-635NS	1346-2	00018604400 00-0186-044-00 186-44	97
KM172-26-35S	5050047 5050247 00505004700 00505024700 5050-047 5050-247	N/A	1600-635	5300-6-35	47018604400 47-0186-044-00 47-186-44	97
KM172-26-45	N/A	292.50 164206045 1642-06-045 1652-79	1600-645NS	1346-4	00018606000 00-0186-060-00	97
KM172-26-45S	5050048 5050248 00505004800 00505024800 5050-048 5050-248	N/A	1600-645	5300-6-45	47018606000 47-0186-060-00 47-186-60	97
KM172-26-54	N/A	164206054 1642-06-054 1652-89	1600-654NS	N/A	N/A	97
KM172-26-54S	N/A	N/A	1600-654	5300-6-54	N/A	97
KM172-26-62	N/A	292.56 164206062 1642-06-062 1652-99	1600-662NS	1346-6	00018607600 00-0186-076-00 186-76	97
KM172-26-62S	5050049 5050249 00505004900 00505024900 5050-049 5050-249	N/A	1600-662	5300-6-62	47018607600 47-0186-076-00 47-186-76	97

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
KM172-29-28	N/A	160131000 1601-31 1601-31-000 1638-32-000	N/A	1346-9-1	N/A	97
KM172-29-28S	N/A	N/A	N/A	5300-9-28	N/A	97
KM172-29-35	N/A	16471000 1647-10 1647-10-000 1652-12	1600-935NS	1346-9-2 3713-1-090	00018604600 00-0186-046-00 186-46	97
KM172-29-35S	N/A	N/A	1600-935	5300-9-35	47018604600 47-0186-046-00 47-186-46	97
KM172-29-45	N/A	164810000 1648-10 1648-10-000 1652-22	1600-945NS	1346-9-3 3713-2-090	00018606200 00-0186-062-00 186-62	97
KM172-29-45S	N/A	N/A	1600-945	5300-9-45	47018606200 47-0186-062-00 47-186-62	97
KM172-29-54	N/A	160132000 1601-32 1601-32-000	1600-954NS	N/A	N/A	97
KM172-29-54S	N/A	N/A	1600-954	5300-9-54	N/A	97
KM172-29-62	N/A	164910000 1649-10 1649-10-000	1600-962NS	1346-9-4 3713-3-090	00018607800 00-0186-078-00 186-78	97
KM172-29-62S	N/A	N/A	1600-962	5300-9-62	47018607800 47-0186-078-00 47-186-78	97
KM172-36-28	N/A	N/A	N/A	N/A	N/A	97
KM172-36-35	N/A	N/A	N/A	N/A	N/A	97
KM172-36-45	N/A	N/A	N/A	N/A	00018602712 00-0186-027-12	97
KM172-36-62	N/A	N/A	N/A	N/A	00018600369 00018602716 00-0186-003-69 00-0186-027-16	97
KM172-39-28	N/A	160136000 1601-36 1601-36-000	N/A	N/A	N/A	97
KM172-39-35	N/A	160314000 1603-14 1603-14-000	N/A	3813-4-090	00018600169 00-0186-001-69 186-01-69 26-352518	97
KM172-39-45	N/A	160514000 1605-14 1605-14-000	N/A	3813-5-090	00018600269 00-0186-002-69 186-02-69 26-352548	97
KM172-39-54	N/A	160714000 1607-14 1607-14-000	N/A	N/A	N/A	97
KM172-39-62	N/A	160914000 1609-14 1609-14-000	N/A	3813-6-090	186-03-69 26-351578	97
KM172-44-28	N/A	165020000 1650-20 1650-20-000	N/A	3715-5-040	N/A	97
KM172-44-28ESS	N/A	N/A	N/A	N/A	N/A	97

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
KM172-44-28S	N/A	N/A	N/A	N/A	N/A	97
KM172-44-35	N/A	165021000 1650-21 1650-21-000	N/A	3715-6-040	00018605400 00-0186-054-00 186-54	97
KM172-44-35ESS	N/A	N/A	N/A	N/A	N/A	97
KM172-44-35S	N/A	N/A	N/A	N/A	47018605400 47-0186-054-00 47-186-54	97
KM172-44-45	N/A	165022000 1650-22 1650-22-000	N/A	3715-7-040	00018607000 00-0186-070-00 186-70	97
KM172-44-45ESS	N/A	N/A	N/A	N/A	N/A	97
KM172-44-45S	N/A	N/A	N/A	N/A	47018607000 47-0186-070-00 47-186-70	97
KM172-44-54	N/A	165023000 1650-23 1650-23-000	N/A	N/A	N/A	97
KM172-44-54S	N/A	N/A	N/A	N/A	N/A	97
KM172-44-62	N/A	165024000 1650-24 1650-24-000	N/A	3715-8-040	00018608600 00-0186-086-00 186-86	97
KM172-44-62ESS	N/A	N/A	N/A	N/A	N/A	98
KM172-44-62S	N/A	N/A	N/A	N/A	47018608600 47-0186-086-00 47-186-86	97
KM172-46-28	N/A	N/A	N/A	N/A	N/A	97
KM172-46-28S	N/A	N/A	N/A	N/A	N/A	97
KM172-46-35	N/A	N/A	N/A	N/A	00018605800 00-0186-058-00 186-58	97
KM172-46-45ESS	N/A	N/A	N/A	N/A	N/A	98
KM172-46-35S	N/A	N/A	N/A	N/A	47018605800 47-0186-058-00 47-186-58	97
KM172-46-45	N/A	N/A	N/A	N/A	00018607400 00-0186-074-00 186-74	97, 98
KM172-46-45S	N/A	N/A	N/A	N/A	47018607400 47-0186-074-00 47-186-74	97
KM172-46-54	N/A	N/A	N/A	N/A	N/A	97
KM172-46-54S	N/A	N/A	N/A	N/A	N/A	97
KM172-46-62	N/A	N/A	N/A	N/A	00018600379 00018609000 00-0186-003-79 00-0186-090-00 186-90	97, 98
KM172-46-62ESS	N/A	N/A	N/A	N/A	N/A	98
KM172-46-62S	N/A	N/A	N/A	N/A	47018609000 47-0186-090-00 47-186-90	97
KM172-49-28	N/A	160137000 1601-37 1601-37-000	N/A	N/A	N/A	97
KM172-49-28S	N/A	N/A	N/A	N/A	N/A	97

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
KM172-49-35	N/A	160138000 1601-38 1601-38-000	N/A	3713-4-090	00018600179 00-0186-001-79 186-01-79	97
KM172-49-35S	N/A	N/A	N/A	N/A	47018600179 47-0186-001-79 47-186-01-79	97
KM172-49-45	N/A	160139000 1601-39 1601-39-000	N/A	3713-5-090	00018600279 00-0186-002-79 186-02-79	97
KM172-49-45S	N/A	N/A	N/A	N/A	47018600279 47-0186-002-79 47-186-02-79	97
KM172-49-54	N/A	160140000 1601-40 1601-40-000	N/A	N/A	N/A	97
KM172-49-54S	N/A	N/A	N/A	N/A	N/A	97
KM172-49-62	N/A	160141000 1601-41 1601-41-000	N/A	3713-6-090	186-03-79	97
KM172-49-62S	N/A	N/A	N/A	N/A	47018600379 47-0186-003-79 47-186-03-79	97
KM173-19-35	N/A	163918000 1639-18 1639-18-000	N/A	3596-1-090	2620-09	99
KM173-19-35S	N/A	N/A	N/A	N/A	N/A	99
KM173-19-45	N/A	164018000 1640-18 1640-18-000 1640-19	N/A	3596-2-090	2620-07	99
KM173-19-45S	N/A	N/A	N/A	N/A	N/A	99
KM173-19-62	N/A	1610-18	N/A	3596-3-090	2620-05	99
KM173-19-62S	N/A	N/A	N/A	N/A	N/A	99
KM173-29-35	N/A	163834000 1638-34 1638-34-000		3597-1-090	00262003900 00-2620-039-00 2620-39	99
KM173-29-35S	N/A	N/A	N/A	5500-9-35 5500935	N/A	99
KM173-29-45	N/A	163836000 1638-36 1638-36-000	1600-945TNS	3597-2-090	00262003700 00-2620-037-00 2620-37	99
KM173-29-45S	N/A	N/A	N/A	5500-9-45 5500945	N/A	99
KM173-29-54	N/A	163838000 1638-38 1638-38-000	1600-954TNS	N/A	N/A	99
KM173-29-54S	N/A	N/A	N/A	5500-9-54 5500954	N/A	99
KM173-29-62	N/A	163840000 1638-40 1638-40-000	1600-962TNS	3597-3-090	00262003500 00-2620-035-00 2620-35	99
KM173-29-62S	N/A	N/A	N/A	5500-9-62 5500962	N/A	99
KM173-39-35	N/A	163824000 1638-24 1638-24-000	N/A	3596-4-090	262-10-04	99
KM173-39-35S	N/A	N/A	N/A	N/A	N/A	99

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
KM173-39-45	N/A	163826000 1638-26 1638-26-000	N/A	3596-5-090	262-09-04	99
KM173-39-45S	N/A	N/A	N/A	N/A	N/A	99
KM173-39-54	N/A	163828000 1638-28 1638-28-000	N/A	N/A	N/A	99
KM173-39-54S	N/A	N/A	N/A	N/A	N/A	99
KM173-39-62	N/A	161058000 1610-58 1610-58-000	N/A	3596-6-090	00026200804 00-0262-008-04 262-08-04	99
KM173-39-62S	N/A	N/A	N/A	N/A	N/A	99
KM173-49-35	N/A	163844000 1638-44 1638-44-000	N/A	3597-4-090	00026201100 00-0262-011-00 262-11-00	99
KM173-49-35S	N/A	N/A	N/A	N/A	N/A	99
KM173-49-45	N/A	163846000 1638-46 1638-46-000	N/A	3597-5-090	00026201200 00-0262-012-00 262-12-00	99
KM173-49-45S	N/A	N/A	N/A	N/A	N/A	99
KM173-49-54	N/A	163848000 1638-48 1638-48-000	N/A	N/A	N/A	99
KM173-49-54S	N/A	N/A	N/A	N/A	N/A	99
KM173-49-62	N/A	163850000 1638-50 1638-50-000	N/A	3597-6-090	00026201300 00-0262-013-00 262-13-00	99
KM173-49-62S	N/A	N/A	N/A	N/A	N/A	99
KM-21K	K121	5610-36	MS-121	5305-25-121	N/A	246
KM-2279-73	N/A	N/A	N/A	N/A	13076089SR1 13-0760-89S-R1	164
KM-22K	K122	5610-37	MS-122	5301-25-122 5305-25-122	N/A	246
KM-23K	K123	5610-38	MS-123	5305-25-123	N/A	246
KM-24K	K124	5610-39	MS-124	5305-25-124	N/A	246
KM-250R	5052-330 S025	5606-59	SR-250	0277096250 277096250 0277-096-250 0277-96-250 277-096-250 277-96-250	N/A	163
KM-251	5052-051 5052-251 5052-451 5052-51 5052-551 Z251	5607-89 5608-16	ZO-151	5301-10-51	N/A	232
KM-256	5052-056 5052-256 5052-456 5052-556 5052-56 Z256	5608-17	ZO-156	5301-10-56	N/A	232

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
KM-274	5052-074 5052-274 5052-474 5052-574 5052-74	5608-26	ZO-274	5301-10-74	N/A	232
KM-275R	5052-334	N/A	SR-275	0277096275 277096275 0277-096-275 0277-96-275 277-096-275 277-96-275	N/A	163
KM-276R	N/A	N/A	N/A	27796276 0277096276 277096276 277-096-276 277-96-276	12-0761-00S-RT 12076100SRT	163
KM-277R	N/A	N/A	SR-277	0277096277 277096277 277-096-277 277-96-277	N/A	163
KM-278	N/A	N/A	TR-032	0298097100S3 0298-097-100S3 29897100S3 298-97-100S3	N/A	330
KM-278N	N/A	N/A	TR-032	0298097100S3 0298-097-100S3 29897100S3 298-97-100S3	N/A	330
KM-279	5059-279	5608-13	ZO-079	5301-40-279	N/A	59, 250
KM-279PZ	N/A	N/A	N/A	N/A	N/A	59, 250
KM-3000	5023-062 5023-162 5023-262 5023-62 5053-062 5053-162 5053-262 5053-62 Z362	5607-98	ZO062 ZO-062 ZS-362	53013062 53023062 5301-30-62 5302-30-62	N/A	53, 240
KM-3001	5023-064 5023-164 5023-264 5023-64 5053-064 5053-164 5053-264 5053-64 Z364	MO3001 MO-3001	ZO064 ZO-064 ZS-364	53013064 53023064 5301-30-64 5302-30-64	N/A	53, 240
KM-3002	5023-069 5023-169 5023-269 5023-69 5053-073 5053-173 5053-273 5053-73 Z373	MO3002 MO-3002	ZO073 ZO-073 ZS-369	53013073 53023073 5301-30-73 5302-30-73	N/A	53, 240
KM-3003	N/A	MO3003 MO-3003	N/A	N/A	N/A	53, 240

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
KM-3004	Z365	5608-02	ZO-065	N/A	N/A	54, 241
KM-3005	5023-063 5023-163 5023-263 5023-63 5053-063 5053-163 5053-263 5053-63	MO3005 MO-3005	ZO-063 ZS-363	53013063 53023063 5301-30-63 5302-30-63	N/A	54, 241
KM-3006	5023-060 5023-160 5023-260 5023-60 5053-060 5053-160 5053-260 5053-60 Z360	5607-96 MO-3006 MS3007	ZO-060 ZS-360	53013060 53023060 5301-30-60 5302-30-60	N/A	54, 241
KM-3008	5023-066 5023-166 5023-266 5023-66 5053-066 5053-166 5053-266 5053-66 Z366	N/A	ZO066 ZO-066 ZS-366	53013066 53023066 5301-30-66 5302-30-66	N/A	54, 241
KM-300R	5052-331 S030	5606-60	SR-300	0277096300 2770963000 277-096-300 0277-96-300 277-096-300 277-96-300	N/A	164
KM-31	5059-031 5059-031-01 5059-31 5059-531	N/A	ZR-031	5301-40-33	N/A	50, 51, 52, 56, 60, 237, 238, 239, 243, 247, 249, 251,
KM-3100C	5023-033 5023-133 5023-233 5023-33 5053-033 5053-133 5053-233 5053-33	MS3100C MS-3100C	ZS-333	5301-25-33 5302-25-33	N/A	50, 237
KM3-101	N/A	N/A	SP-101	22963101 2296003101 2296-003-101 2296-3-101	N/A	166
KM-3101	5023-038 5023-138 5023-238 5023-38 5053-038 5053-138 5053-238 5053-38 Z338	5608-55 MS3101 MS-3101	ZS-038 ZS-338	5301-25-38 5302-25-38	N/A	50, 237

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
KM-3101C	5023-043 5023-143 5023-243 5023-43 5053-043 5053-143 5053-243 5053-43	MS3101C MS-3101C	ZS-343	5301-25-43 5302-25-43	N/A	50, 237
KM3-102	N/A	N/A	SP-102	22963102 2296003102 2296-003-102 2296-3-102	N/A	166
KM-3102	5023-039 5023-139 5023-239 5023-39 5053-039 5053-139 5053-239 5053-39 Z339	5608-56 MS3102 MS-3102	ZS-039 ZS-339	5301-25-39 5302-25-39	N/A	50, 237
KM3-103	N/A	N/A	SP-103	22963103 2296003103 2296-003-103 2296-3-103	N/A	166
KM-3104	5044145 5044-145 Z332	MS3104 MS-3104	ZS-032	N/A	N/A	51, 238
KM3-104	N/A	N/A	SP-104	22963104 2296003104 2296-003-104 2296-3-104	N/A	166
KM-3105	5023044 5023144 5023244 5053044 5053144 5053244 5023-044 5023-144 5023-244 5053-044 5053-144 5053-244	N/A	ZS-015	N/A	N/A	51, 238
KM3-105	N/A	N/A	SP-105 ZS-105	22963105 2296003105 2296-003-105 2296-3-105	N/A	167
KM-3106	5023-032 5023-132 5023-232 5023-32 5053-032 5053-132 5053-232 5053-32	MS3106 MS-3106	ZS-332 ZS032 ZS-032	5301-25-32 5302-25-32	N/A	51, 238

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
KM3-106	N/A	N/A	SP-106	22963106 2296003106 2296-003-106 2296-3-106	N/A	167
KM-3107	5023-141 5023-241 5023-41 5053-041 5053-141 5053-241 5053-41 Z341	N/A	ZS-041 ZS-341	5301-25-41 5302-25-41	N/A	51, 238
KM3-108	N/A	N/A	SP-108	22963108 2296003108 2296-003-108 2296-3-108	N/A	167
KM3-111	N/A	N/A	SP-111	22963111 2296003111 2296-003-111 2296-3-111	N/A	167
KM3-114	N/A	N/A	SP-114 ZS-114	22963114 2296003114 2296-003-114 2296-3-114	N/A	167
KM3-115	N/A	N/A	SP-115 ZS-115	22963115 2296003115 2296-003-115 2296-3-115	N/A	168
KM3-125	N/A	N/A	SP-125	22963125 2296003125 2296-003-125 2296-3-125	N/A	168
KM-3170	5023-170 5023-270 5023-70 5053-170 5053-270 5053-70 Z370	N/A	ZO070 ZO-070 ZS-370	5301-30-170	N/A	56, 243
KM-3171	5023-171 5023-271 5023-71 5053-171 5053-271 5053-71 Z371	N/A	ZO071 ZO-071 ZS-371	5301-30-171	N/A	56, 243
KM-3172	5023-172 5023-272 5023-72 5053-172 5053-272 5053-72 Z372	N/A	ZO072 ZO-072 ZS-372	5301-30-172	N/A	56, 243
KM-3176	5023-176 5023-276 5023-76 5053-176 5053-276 5053-76	N/A	ZS-373	5301-30-176	N/A	56, 243

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
KM-3179SN	N/A	N/A	N/A	N/A	N/A	60, 251
KM-3183	5023-183	N/A	N/A	N/A	N/A	52, 239
KM-31K	K131	5610-41	MS-131	5305-25-131	N/A	247
KM-31N	5059-031 5059-031-01 5059-31 5059-531	N/A	N/A	N/A	N/A	249
KM-32	5059-032 5059-032-01 5059-32 5059-532 Z390	5608-30	ZR-032	5301-40-32	N/A	249
KM3-206	N/A	N/A	SP-206	22963206 2296003206 2296-003-206 2296-3-206	N/A	168
KM3-212	N/A	N/A	SP-212	22963212 2296003212 2296-003-212 2296-3-212	N/A	168
KM3-225	N/A	N/A	SP-225	22963225 2296003225 2296-003-225 2296-3-225	N/A	168
KM-3231	5023-031 5023-131 5023-231 5023-31 5053-031 5053-131 5053-231 5053-31 Z331	MS3231 MS-3231	ZS-331	5301-25-31 5302-25-31	N/A	52, 239
KM-3231SN	N/A	N/A	N/A	N/A	N/A	60, 251
KM-3231SS	N/A	N/A	N/A	N/A	N/A	60, 251
KM-3237	5023-037 5023-137 5023-237 5023-37 5053-037 5053-137 5053-237 5053-37 Z337	N/A	ZS-037 ZS-337	5301-25-37 5302-25-37	N/A	52, 239
KM-3240	5023-040 5023-140 5023-240 5023-40 5053-040 5053-140 5053-240 5053-40 Z340	560857 560857000 5608-57 5608-57-000 MS3240 MS-3240	ZS-340	5301-25-40 5302-25-40	N/A	52, 239
KM3-254	N/A	N/A	N/A	22963254 2296003254 2296-003-254 2296-3-254	N/A	169

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
KM-325R	5052-332 S032	5606-61	SR-325	0277096325 277096325 0277-096-325 0277-96-325 277-096-325 277-96-325	10070119SR1 10-0701-19S-R1 112078119SS	164
KM-3261	5023-061 5023-161 5023-261 5023-61 5053-061 5053-161 5053-261 5053-61 Z361	N/A	ZO-061 ZS-361	53013061 53023061 5301-30-61 5302-30-61	N/A	55, 242
KM-3265	5023-065 5023-165 5023-265 5023-65 5053-065 5053-165 5053-265 5053-65	5608-19	ZO-165	53013065 53023065 5301-30-65 5302-30-65	N/A	55, 242
KM-32N	505903201 5059-032 5059-032-01 5059-32 5059-532	N/A	ZR-032X	N/A	N/A	249
KM33-101	N/A	N/A	SP-101A	229633101 2296033101 2296-033-101 2296-33-101	N/A	171
KM33-102	N/A	N/A	SP-102A	229633102 2296033102 2296-033-102 2296-33-102	N/A	171
KM33-103	N/A	N/A	SP-103A	229633103 2296033103 2296-033-103 2296-33-103	N/A	171
KM33-104	N/A	N/A	SP-104A	229633104 2296033104 2296-033-104 2296-33-104	N/A	171
KM33-105	N/A	N/A	SP-105A	229633105 2296033105 2296-033-105 2296-33-105	N/A	171
KM33-106	N/A	N/A	SP-106A	229633106 2296033106 2296-033-106 2296-33-106	N/A	172
KM33-108	N/A	N/A	SP-108A	229633108 2296033108 2296-033-108 2296-33-108	N/A	172

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
KM33-111	N/A	N/A	SP-111A	229633111 2296033111 2296-033-111 2296-33-111	N/A	172
KM33-114	N/A	N/A	SP-114A	229633114 2296033114 2296-033-114 2296-33-114	N/A	172
KM33-115	N/A	N/A	SP-115A	229633115 2296033115 2296-033-115 2296-33-115	N/A	172
KM33-125	N/A	N/A	SP-125A	229633125 2296033125 2296-033-125 2296-33-125	N/A	173
KM33-206	N/A	N/A	SP-206A	229633206 2296033206 2296-033-206 2296-33-206	N/A	173
KM33-212	N/A	N/A	SP-212A	229633212 2296033212 2296-033-212 2296-33-212	N/A	173
KM33-225	N/A	N/A	SP-225A	229633225 2296033225 2296-033-225 2296-33-225	N/A	173
KM33-410	N/A	N/A	SP-410A	229633410 2296033410 2296-033-410 2296-33-410	N/A	173
KM33-411	N/A	N/A	SP-411A	229633411 2296033411 2296-033-411 2296-33-411	N/A	174
KM33-412	N/A	N/A	SP-412A	229633412 2296033412 2296-033-412 2296-33-412	N/A	174
KM33-413	N/A	N/A	SP-413A	229633413 2296033413 2296-033-413 2296-33-413	N/A	174
KM33-414	N/A	N/A	SP-414A	229633414 2296033414 2296-033-414 2296-33-414	N/A	174
KM33-521	N/A	N/A	SP-521A	229633521 2296033521 2296-033-521 2296-33-521	N/A	174
KM-33K	K133	5610-43	MS-133	5305-25-133	N/A	247
KM3-410	N/A	N/A	SP-410	22963410 2296003410 2296-003-410 2296-3-410	N/A	169

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
KM3-411	N/A	N/A	SP-411	22963411 2296003411 2296-003-411 2296-3-411	N/A	169
KM3-412	N/A	N/A	SP-412	22963412 2296003412 2296-003-412 2296-3-412	N/A	169
KM3-413	N/A	N/A	SP-413	22963413 2296003413 2296-003-413 2296-3-413	N/A	169
KM3-414	N/A	N/A	SP-414	22963414 2296003414 2296-003-414 2296-3-414	N/A	170
KM-34K	K134	5610-44	MS-134	5305-25-134	N/A	247
KM3-51	N/A	N/A	SP-051 SP-51	2296351 2296003051 2296-003-051 2296-003-51 2296-3-51	N/A	166, 170
KM3-511	N/A	N/A	SP-511	22963511 2296003511 2296-003-511 2296-3-511	N/A	170
KM3-525	N/A	N/A	SP-525	22963525 2296003525 2296-003-525 2296-3-525	N/A	170
KM-412S	S312	5606-39 5617-03	SO-412 SO-512	277-31-412	N/A	177
KM-413S	5053-321 S313	5606-40 5617-04	SO-413 SO-513	277-31-413	N/A	177
KM-414S	S314	5606-41 5617-05	SO-414 SO-514	277-31-414	N/A	177
KM-41K	K141	N/A	N/A	N/A	N/A	248
KM-43K	K143	N/A	N/A	N/A	N/A	248
KM-44K	K144	N/A	N/A	N/A	N/A	248
KM-450	5052-050 5052-150 5052-250 5052-450 5052-50 5052-550 Z250	5607-88	ZO-050	5301-10-50	N/A	233
KM-451	5052-051 5052-151 5052-251 5052-451 5052-51 5052-551	N/A	ZO-051	N/A	N/A	233

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
KM-452	5052-052 5052-152 5052-252 5052-452 5052-52 5052-552 Z282	5607-90	ZO-052	5301-10-52	N/A	233
KM-453	5052-053 5052-153 5052-253 5052-453 5052-53 5052-553 Z253	5607-91	ZO-053	5301-10-53	N/A	234
KM-454	5052-054 5052-154 5052-254 5052-454 5052-54 5052-554 Z254	5607-92	ZO-054	5301-10-54	N/A	234
KM-458	5052-058 5052-158 5052-258 5052-58 Z258	5608-36	ZR058 ZR-058	5301-20-58	N/A	235
KM-459	5052-059 5052-159 5052-259 5052-59 Z259	5608-37	ZR059 ZR-059	5301-20-59	N/A	235
KM-460	5052-060 5052-160 5052-260 5052-60 Z260	5608-38	ZR-060 ZR-063 ZR-160 ZR460	5301-20-60	N/A	235
KM-461	5052-061 5052-161 5052-261 5052-61 Z261	5608-39	ZR-061 ZR461	5301-20-61	N/A	235
KM-473	5052-073 5052-173 5052-273 5052-73 Z273	5608-40	ZR073 ZR-073	5301-20-73	N/A	236
KM-479	5052-079 5052-179 5052-279 5052-79	N/A	ZR079 ZR-079	N/A	127076097LP 13076089LR1 13-0760-89L-R1	236
KM-48K	K148	N/A	N/A	N/A	N/A	248
KM-500	M101	N/A	CC1000NS CC-1000NS	840-022-000 840-20-100 840-25 840-25-100 840-40-250 840-40-350	00890901100 00-8909-011-00	112
KM-505	N/A	N/A	N/A	N/A	N/A	112

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
KM5100-137-123	N/A	N/A	N/A	5100137123 5100-137-123	N/A	175
KM5100-137-133	N/A	N/A	N/A	5100137133 5100-137-133	N/A	175
KM5100-137-233	N/A	N/A	N/A	5100137233 5100-137-233	N/A	175
KM5100-37-113	N/A	N/A	SR51082 SR-51082 SR-51-082	510037113 5100037113 5100-037-113 5100-37-113	N/A	176
KM5100-37-114	N/A	N/A	SR51083 SR-51083 SR-51-083	510037114 5100037114 5100-037-114 5100-37-114	N/A	176
KM5100-37-115	N/A	N/A	SR51080 SR-51080 SR-51-080	510037115 5100037115 5100-037-115 5100-37-115	N/A	176
KM5100-37-116	N/A	N/A	SR51081 SR-51081 SR-51-081	510037116 5100037116 5100-037-116 5100-37-116	N/A	176
KM5110-15-40	N/A	N/A	N/A	5110-15-40	N/A	184, 253, 325
KM5120-10-230	N/A	N/A	N/A	5120-10-230 5220-10-230	N/A	185, 254, 326
KM5120-10-240	N/A	N/A	N/A	5120-10-240 5220-10-240	N/A	185, 254, 326
KM5130-10-240	N/A	N/A	N/A	5130-10-240 5230-10-240	N/A	186, 255, 327
KM5130-10-250	N/A	N/A	N/A	5130-10-250 5230-10-250	N/A	187, 256, 328
KM519-10	N/A	519.10 519.100S 519100S	N/A	N/A	N/A	292
KM519-15	N/A	519.15 519.150S 519150S	N/A	N/A	N/A	292
KM519-17	N/A	519.17 519.170S 519170S	N/A	N/A	N/A	292
KM519-21	N/A	519.21 519.210S 519210S	N/A	N/A	N/A	292
KM-51K	K151	N/A	N/A	N/A	N/A	248
KM-54	5053-054 5053-154 5053-254 5053-54 5054-54 5056-54 Z354	5608-42	ZR-054 ZR-154	5301-35-54	N/A	57, 244
KM-7010	N/A	5605-03	CD-110	5310-40-110	N/A	329
KM71-201	5071201 5071-201	N/A	N/A	N/A	N/A	226
KM71-233	5071133 5071233 5071-133 5071-233	N/A	N/A	N/A	N/A	226

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
KM71-523	5071123 5071423 5071523 5071-123 5071-423 5071-523	N/A	N/A	N/A	N/A	226
KM71-524	5071124 5071424 5071524 5071-124 5071-424 5071-524	N/A	N/A	N/A	N/A	226
KM71-545	5071145 5071445 5071545 5071-145 5071-445 5071-545	N/A	N/A	N/A	N/A	227
KM71-551	5071151 5071451 5071551 5071-151 5071-451 5071-551	N/A	N/A	N/A	N/A	227
KM71-552	5071152 5071452 5071552 5071-152 5071-452 5071-552	N/A	N/A	N/A	N/A	228
KM71-553	5071153 5071453 5071553 5071-153 5071-453 5071-553	N/A	N/A	N/A	N/A	228
KM71-554	5071154 5071454 5071554 5071-154 5071-454 5071-554	N/A	N/A	N/A	N/A	228
KM71-556	5071156 5071456 5071556 5071-156 5071-456 5071-556	N/A	N/A	N/A	N/A	228
KM71-561	5071161 5071461 5071561 5071-161 5071-461 5071-561	N/A	N/A	N/A	N/A	229

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
KM71-563	5071163 5071463 5071563 5071-163 5071-463 5071-563	N/A	N/A	N/A	N/A	229
KM71-567	5071167 5071467 5071567 5071-167 5071-467 5071-567	N/A	N/A	N/A	N/A	229
KM71-572	5071172 5071472 5071572 5071-172 5071-472 5071-572	N/A	N/A	N/A	N/A	229
KM71-574	5071174 5071474 5071574 5071-174 5071-474 5071-574	N/A	N/A	N/A	N/A	230
KM71-577	5071177 5071477 5071577 5071-177 5071-477 5071-577	N/A	N/A	N/A	N/A	230
KM71-580	5071180 5071480 5071580 5071-180 5071-480 5071-580	N/A	N/A	N/A	N/A	230
KM71-581	5071181 5071481 5071581 5071-181 5071-481 5071-581	N/A	N/A	N/A	N/A	230
KM71-585	5071185 5071485 5071585 5071-185 5071-485 5071-585	N/A	N/A	N/A	N/A	231
KM71-586	5071186 5071486 5071586 5071-186 5071-486 5071-586	N/A	N/A	N/A	N/A	231

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
KM71-596	5071196 5071496 5071596 5071-196 5071-496 5071-596	N/A	N/A	N/A	N/A	231
KM-80	5053-080 505380 5053080 5053-80	N/A	ZR-080	N/A	N/A	58, 245
KM-800	N/A	N/A	SR-081 SR081	1675-116 1675116	N/A	179
KM-801	S415	N/A	SR-080 SR080	1675-115 1675115	N/A	179
KM-802	S414	N/A	SR-082 SR082	1675-113 1675113	N/A	179
KM-81	505381 5053081 5053-081 5053-81	5603-31 560331 5603031 5603-031	ZR-081 ZR081	N/A	N/A	58, 245
KM-82	505382 5053082 5053-082 5053-82	560332 5603032 5603-032 5603-32	ZR-082 ZR082	N/A	N/A	58, 245
KM-83	505383 5053083 5053-083 5053-83	N/A	ZR-083 ZR083	N/A	N/A	58, 245
KM94701N	N/A	N/A	N/A	N/A	N/A	199
KM948N	N/A	N/A	N/A	N/A	N/A	199
KM94901N	N/A	N/A	N/A	2296-100-026	N/A	200
KM95901N	N/A	N/A	N/A	N/A	N/A	201
KM-97	5059-235 S490	5606-58 5606-058 560658 5606058	SR-100 SR100	29897100 0298097100 298097100 0298-097-100 298-097-100 298-97-100	N/A	180
KM-9701	N/A	207100000	N/A	N/A	N/A	102
KM-9702	N/A	20700000	N/A	N/A	N/A	102
KM-9703	N/A	N/A	N/A	N/A	N/A	102
KM-97N	5059-235 S490	5606-58 5606-058 560658 5606058	SR-100 SR100	29897100 0298097100 298097100 0298-097-100 298-097-100 298-97-100	N/A	180
KM-98	N/A	N/A	SR-101 SR101	29897101 0298097101 298097101 0298-097-101 298-097-101 298-97-101	N/A	180

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
KM-98N	N/A	N/A	SR-101 SR101	29897101 0298097101 298097101 0298-097-101 298-097-101 298-97-101	N/A	180
KM-A90-200	505210 5052010 5052-010 5052-10	N/A	N/A	N/A	N/A	48
KM-A90-200-15	505216 5052016 5052-016 5052-16	N/A	N/A	N/A	N/A	48
KM-A90-201	N/A	N/A	N/A	N/A	N/A	48
KM-AM32U	7021-331 7021331	N/A	N/A	51301075 52301075 5130-10-75 5230-10-75	N/A	187, 256, 328
KM-AM330U	7021-326 7021326	N/A	N/A	51301030 52301030 5130-10-30 5230-10-30	N/A	186, 255, 327
KM-AM35U	7021-328 7021328	N/A	MRAM-35 MRAM35	51301050 52301050 54301050 5130-10-50 5230-10-50 5430-10-50	N/A	186, 255, 327
KM-AM8U	7021337 7021-337	5613-12 561312	MRAM-8 MRAM8	513010730 523010730 543010730 5130107030 5230107030 5430107030 5130-107-030 5130-107-30 5230-107-030 5230-107-30 5430-107-030 5430-107-30	N/A	183, 252, 324
KM-M330U	7021-226 7021226	N/A	N/A	51201030 52201030 5120-10-30 5220-10-30	N/A	184, 253, 325
KM-M33U	7021-229 7021229	N/A	N/A	51201060 52201060 5120-10-60 5220-10-60	N/A	186, 255, 327
KM-M340DU	7021-264 7021264	N/A	N/A	5120-12-40 51201240	N/A	184, 253, 325
KM-M340U	7021-227 7021227	N/A	N/A	51201040 52201040 5120-10-40 5220-10-40	N/A	185, 254, 326

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
KM-M35U	7021-228 7021228	5613-29 561329	MRM-35	51201050 52201050 54201050 5120-10-50 5220-10-50 5420-10-50	N/A	185, 254, 326
KM-M51U	7021-292 7021292	N/A	N/A	5120130250 5120-130-250	N/A	183, 252, 324
KM-M52U	7021-294 7021294	N/A	N/A	51208030 54208030 5120-80-30 5420-80-30	N/A	183, 252, 324
KM-M8U	7021-237 7021237	5613-26 561326	MRM-8 MRM8	512010730 522010730 542010730 5120-107-30 5220-107-30 5420-107-30	N/A	183, 252, 324
KMS94701N	N/A	N/A	N/A	2296-100-212 2296100212	N/A	199
KMS94702N	N/A	N/A	N/A	2296-100-216 2296100216	N/A	199
KMS94703LN	N/A	N/A	N/A	2296-100-321 2296100321	N/A	200
KMS94703N	N/A	N/A	N/A	2296-100-221 2296100221	N/A	199
KMS951703LN	N/A	N/A	N/A	2296-101-421 2296101421	N/A	200
KMS95701N	N/A	N/A	N/A	2296-101-212 2296101212	N/A	200
KMS95702LN	N/A	N/A	N/A	2296-101-316 2296101316	N/A	200
KMS95702N	N/A	N/A	N/A	2296-101-216 2296101216	N/A	200
KMS958N	N/A	N/A	N/A	2296-101-423 2296101423	N/A	199
KMS95901N	N/A	N/A	N/A	2296-101-026 2296101026	N/A	201
KM-U295	7021-295 7021295	N/A	N/A	5120-15-140 512015140	N/A	184, 253, 325
MI-121-001	M322	N/A	N/A	N/A	N/A	48
PM-M09-200	5058-001 5058001	N/A	N/A	N/A	N/A	44
PM-M10-200	5053-009 5053009	N/A	N/A	N/A	N/A	44
PM-M10-901	1375-012 137512 1375012 1375-12	N/A	N/A	N/A	N/A	47
PM-M10-902	1375-011 137511 1375011 1375-11	N/A	N/A	N/A	N/A	47
PM-M10-903	137523 1375023 1375-023 1375-23	N/A	N/A	N/A	N/A	47

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
PM-M11-200	5053013 5053-013	N/A	N/A	N/A	N/A	45
PM-M11-201	5053123 5053-123	N/A	N/A	N/A	N/A	48
PM-M11-202	5053124 5053-124	N/A	N/A	N/A	N/A	48
PM-M11-935	N/A	N/A	N/A	N/A	N/A	47
PM-M12-001	1365005 1365-005	N/A	N/A	N/A	N/A	49
PM-M12-200	5053011 5053-011	N/A	N/A	N/A	N/A	45
PM-M13-200	5053012 5053-012	N/A	N/A	N/A	N/A	46
PM-M14-200	5053010 5053-010	N/A	N/A	N/A	N/A	46
PM-X00-520	N/A	N/A	N/A	N/A	N/A	18
PM-X00-521	N/A	N/A	N/A	N/A	N/A	18
PM-X00-710	N/A	N/A	N/A	N/A	N/A	19
PM-X00-715	N/A	N/A	N/A	N/A	N/A	19
PM-X00-731	N/A	N/A	N/A	N/A	N/A	20
PM-X00-770	N/A	N/A	N/A	N/A	N/A	20
PMX-012100	N/A	N/A	N/A	N/A	N/A	29
PMX-012101	N/A	N/A	N/A	N/A	N/A	29
PMX-012102	N/A	N/A	N/A	N/A	N/A	29
PMX-012103	N/A	N/A	N/A	N/A	N/A	29
PMX-012104	N/A	N/A	N/A	N/A	N/A	30
PMX-012105	N/A	N/A	N/A	N/A	N/A	30
PMX-012106	N/A	N/A	N/A	N/A	N/A	30
PMX-012107	N/A	N/A	N/A	N/A	N/A	30
PMX-012108	N/A	N/A	N/A	N/A	N/A	31
PMX-012109	N/A	N/A	N/A	N/A	N/A	31
PMX-012110	N/A	N/A	N/A	N/A	N/A	31
PMX-012111	N/A	N/A	N/A	N/A	N/A	31
PMX-012112	N/A	N/A	N/A	N/A	N/A	32
PMX-012113	N/A	N/A	N/A	N/A	N/A	32
PMX-012114	N/A	N/A	N/A	N/A	N/A	32
PMX-012115	N/A	N/A	N/A	N/A	N/A	32
PMX-012116	N/A	N/A	N/A	N/A	N/A	33
PMX-012117	N/A	N/A	N/A	N/A	N/A	33
PMX-012118	N/A	N/A	N/A	N/A	N/A	33
PMX-012120	N/A	N/A	N/A	N/A	N/A	33
PMX-012121	N/A	N/A	N/A	N/A	N/A	34
PMX-012122	N/A	N/A	N/A	N/A	N/A	34
PMX-012123	N/A	N/A	N/A	N/A	N/A	34
PMX-012124	N/A	N/A	N/A	N/A	N/A	34
PMX-012125	N/A	N/A	N/A	N/A	N/A	35
PMX-012126	N/A	N/A	N/A	N/A	N/A	35
PMX-012127	N/A	N/A	N/A	N/A	N/A	35
PMX-012128	N/A	N/A	N/A	N/A	N/A	35

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
PMX-012129	N/A	N/A	N/A	N/A	N/A	36
PMX-012130	N/A	N/A	N/A	N/A	N/A	36
PMX-012131	N/A	N/A	N/A	N/A	N/A	36
PMX-012132	N/A	N/A	N/A	N/A	N/A	36
PMX-012133	N/A	N/A	N/A	N/A	N/A	37
PMX-012134	N/A	N/A	N/A	N/A	N/A	37
PMX-012135	N/A	N/A	N/A	N/A	N/A	37
PMX-012136	N/A	N/A	N/A	N/A	N/A	37
PMX-012137	N/A	N/A	N/A	N/A	N/A	38
PMX-012140	N/A	N/A	N/A	N/A	N/A	38
PMX-012141	N/A	N/A	N/A	N/A	N/A	38
PMX-012142	N/A	N/A	N/A	N/A	N/A	38
PMX-012143	N/A	N/A	N/A	N/A	N/A	39
PMX-012144	N/A	N/A	N/A	N/A	N/A	39
PMX-012145	N/A	N/A	N/A	N/A	N/A	39
PMX-012600	N/A	N/A	N/A	N/A	N/A	22, 72
PMX-012601	N/A	N/A	N/A	N/A	N/A	22, 72
PMX-012602	N/A	N/A	N/A	N/A	N/A	22, 72
PMX-012603	N/A	N/A	N/A	N/A	N/A	22,72
PMX-012604	N/A	N/A	N/A	N/A	N/A	23, 73
PMX-012610	N/A	N/A	N/A	N/A	N/A	23,73
PMX-012611	N/A	N/A	N/A	N/A	N/A	23,73
PMX-012612	N/A	N/A	N/A	N/A	N/A	23,73
PMX-012613	N/A	N/A	N/A	N/A	N/A	24, 74
PMX-012614	N/A	N/A	N/A	N/A	N/A	24, 74
PMX-012615	N/A	N/A	N/A	N/A	N/A	24,74
PMX-012616	N/A	N/A	N/A	N/A	N/A	24,74
PMX-012620	N/A	N/A	N/A	N/A	N/A	25, 75
PMX-012621	N/A	N/A	N/A	N/A	N/A	25, 75
PMX-012622	N/A	N/A	N/A	N/A	N/A	25, 75
PMX-012623	N/A	N/A	N/A	N/A	N/A	25, 75
PMX-012624	N/A	N/A	N/A	N/A	N/A	26, 76
PMX-012625	N/A	N/A	N/A	N/A	N/A	26, 76
PMX-012626	N/A	N/A	N/A	N/A	N/A	26
PMX-012627	N/A	N/A	N/A	N/A	N/A	26
PMX-012628	N/A	N/A	N/A	N/A	N/A	27, 77
PMX-012629	N/A	N/A	N/A	N/A	N/A	27, 77
PMX-012630	N/A	N/A	N/A	N/A	N/A	27, 77
PMX-012631	N/A	N/A	N/A	N/A	N/A	27,77
PMX-012632	N/A	N/A	N/A	N/A	N/A	28, 78
PMX-012633	N/A	N/A	N/A	N/A	N/A	28, 78
PMX-012634	N/A	N/A	N/A	N/A	N/A	28, 78
PMX-012701	N/A	N/A	N/A	N/A	N/A	39
PMX-012801	N/A	N/A	N/A	N/A	N/A	40
PMX-012802	N/A	N/A	N/A	N/A	N/A	40
PMX-012810	N/A	N/A	N/A	N/A	N/A	40

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
PMX-012811	N/A	N/A	N/A	N/A	N/A	40
PMX-012821	N/A	N/A	N/A	N/A	N/A	41
PMX-012822	N/A	N/A	N/A	N/A	N/A	41
PMX-012823	N/A	N/A	N/A	N/A	N/A	41
PMX-012824	N/A	N/A	N/A	N/A	N/A	41
PMX-014301	N/A	N/A	N/A	N/A	N/A	42
PMX-014302	N/A	N/A	N/A	N/A	N/A	42
PMX-014303	N/A	N/A	N/A	N/A	N/A	42
PMX-014304	N/A	N/A	N/A	N/A	N/A	42
PMX-014305	N/A	N/A	N/A	N/A	N/A	42
PMX-014901	N/A	N/A	N/A	N/A	N/A	43
PMX-014901N	N/A	N/A	N/A	N/A	N/A	43
PMX-014902	N/A	N/A	N/A	N/A	N/A	43
PMX-014902N	N/A	N/A	N/A	N/A	N/A	43
PM-X08-000	N/A	N/A	N/A	N/A	N/A	21
PM-X08-001	5044-999-53 504499953 5044999053 5044-999-053	N/A	N/A	N/A	N/A	21, 49
PM-X08-700	N/A	N/A	N/A	N/A	N/A	10
PM-X08-701	N/A	N/A	N/A	N/A	N/A	13
PM-X08-702	N/A	N/A	N/A	N/A	N/A	13
PM-X08-905	N/A	N/A	N/A	N/A	N/A	14
PM-X08-910	N/A	N/A	N/A	N/A	N/A	14
PM-X08-911	N/A	N/A	N/A	N/A	N/A	16
PM-X08-915	N/A	N/A	N/A	N/A	N/A	14
PM-X08-920	N/A	N/A	N/A	N/A	N/A	14
PM-X08-925	N/A	N/A	N/A	N/A	N/A	14
PM-X08-930	N/A	N/A	N/A	N/A	N/A	15
PM-X08-935	N/A	N/A	N/A	N/A	N/A	15
PM-X08-940	N/A	N/A	N/A	N/A	N/A	15
PM-X08-950	N/A	N/A	N/A	N/A	N/A	16
PM-X08-955	N/A	N/A	N/A	N/A	N/A	16
PM-X08-960	N/A	N/A	N/A	N/A	N/A	16
PM-X08-965	N/A	N/A	N/A	N/A	N/A	16
PM-X08-970	N/A	N/A	N/A	N/A	N/A	17
PM-X12-700	N/A	N/A	N/A	N/A	N/A	11
PM-X14-700	N/A	N/A	N/A	N/A	N/A	12
PM-X14-901	N/A	N/A	N/A	N/A	N/A	17
ST296-97-102	N/A	N/A	N/A	29697102 296097102 296-097-102 296-97-102	N/A	181
ST296-97-102N	N/A	N/A	N/A	29697102 296097102 296-097-102 296-97-102	N/A	181

Cross Reference

Brasseler USA®	ConMed® Linvatec®	DePuy® Synthes®	MicroAire®	Stryker®	Zimmer® Biomet®	Page Number(s)
ST6207-97-101	N/A	N/A	N/A	620797101 6207097101 6207-097-101 6207-97-101	N/A	180
ST6207-97-101N	N/A	N/A	N/A	620797101 6207097101 6207-097-101 6207-97-101	N/A	180
ZB00-5901-020-00	N/A	N/A	N/A	N/A	00590102000 00-5901-020-00	110, 322
ZB12-0761-00U-R1	N/A	N/A	N/A	N/A	12076100UR1 12-0761-00U-R1	321
ZB12-0901-19U-R1	N/A	N/A	N/A	N/A	12090119UR1 12-0901-19U-R1	321

Biomet® is a registered trademark of Biomet, Inc., or its affiliates.
ConMed® and Linvatec® are registered trademarks of CONMED Corporation or its affiliates.
DePuy® and Synthes® are registered trademarks of DePuy Synthes, Inc., a Johnson & Johnson Company, or its affiliates.
Medtronic® and Midas Rex® are registered trademarks of Medtronic, Inc., or its affiliates.
MicroAire® is a registered trademark of Colson Associates, Inc., or its affiliates.
Smith & Nephew® is a registered trademark of Smith & Nephew or its affiliates.
Stryker® is a registered trademark of Stryker Corporation or its affiliates.
Synvasive® is a registered trademark of Synvasive Technology, Inc., or its affiliates.
Zimmer® is a registered trademark of Zimmer, Inc. or its affiliates.
Brasseler USA® is a registered trademark of Peter Brasseler Holdings, LLC, or its affiliates.

NOTES

NOTES

NOTES

NOTES

NOTES

NOTES

NOTES

NOTES

NOTES

NOTES

NOTES

NOTES

NOTES

MADE IN USA

QUALITY + FAIR PRICE = THE SMART CHOICE

- ✓ Over 35 Years of Sales and Manufacturing Experience
- ✓ No Minimum Order Quantity
- ✓ Extensive Cross Referencing System by OEM
- ✓ State-of-the-Art Manufacturing in Ventura, CA
- ✓ Free 2nd Day Shipping on Orders Over $100
- ✓ Free Evaluation Samples
- ✓ Free Power Handpiece Loaners on Repairs

AVAILABLE ONLY FROM YOUR GENUINE BRASSELER PRODUCTS BRASSELER REPRESENTATIVE

Visit our website at BrasselerUSA.com
To order call 800.535.6638 or fax 912.921.7578.

©2017 Brasseler USA. All rights reserved.

BM-4694-05.17-3M-RRD